Mental health services in Australia 2002–03



MENTAL HEALTH SERIES Number 6

Mental health services in Australia 2002–03

Australian Institute of Health and Welfare Canberra

AIHW cat. no. HSE 35

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced without prior written permission from the Australian Institute of Health and Welfare. Requests and enquiries concerning reproduction and rights should be directed to the Head, Media and Publishing, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.

This publication is part of the Australian Institute of Health and Welfare's Mental Health Series. A complete list of the Institute's publications is available from the Publications Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601, or via the Institute's web site (www.aihw.gov.au).

ISSN 1443-6795 ISBN 174024 445 1

Suggested citation

Australian Institute of Health and Welfare (AIHW) 2005. Mental health services in Australia 2002–03. Canberra: AIHW (Mental Health Series no. 6).

Australian Institute of Health and Welfare

Board Chair Hon. Peter Collins, AM, QC

Director
Dr Richard Madden

Any enquiries about or comments on this publication should be directed to:

Gail Weaving Australian Institute of Health and Welfare GPO Box 570 Canberra ACT 2601

Phone: (02) 6244 1050

Published by Australian Institute of Health and Welfare Printed by Pirion Pty Ltd

Contents

Lis	t of ta	bles	viii
Lis	t of fig	gures	xix
Lis	t of bo	oxes	xxii
Ac	knowl	edgments	.xxiii
Ab	brevia	tions	.xxiv
1	Over	view	1
	1.1	Changes in mental health care over time	1
	1.2	Patient demographics	4
	1.3	Mental health problems and disorders	8
	1.4	Medication	10
	1.5	Labour force	10
2	Intro	duction	12
	2.1	Report structure	12
	2.2	Background	13
	2.3	Health service expenditure for mental health disorders	16
3	Amb	ulatory mental health care	18
	3.1	Overview	18
	3.2	Mental health care in general practice	24
	3.3	Private psychiatrist services	48
	3.4	Hospital outpatient services and community mental health care services	59
	3.5	Commonwealth State/Territory Disability Agreement-funded mental health-related non-residential care provided by disability support services	
	3.6	Ambulatory-equivalent mental health-related separations	73
4	Resi	dential and admitted patient mental health care	86
	4.1	Definition of mental health-related separations	87
	4.2	National overview	87
	13	Admitted nations mental health care	90

	4.4	establishments	93
	4.5	Commonwealth State/Territory Disability Agreement-funded reside health care provided by disability support services	
5	Spec	rialised admitted patient mental health care	109
	5.1	Overview	109
	5.2	Patient demographics	110
	5.3	Principal diagnosis	121
	5.4	Australian Refined Diagnosis Related Groups	140
	5.5	Procedures	141
	5.6	Mode of admission	150
	5.7	Mode of separation	150
	5.8	Care type	150
6	Non	-specialised mental health care for admitted patients	157
	6.1	Overview	157
	6.2	Patient demographics	160
	6.3	Principal diagnoses	165
	6.4	Australian Refined Diagnosis Related Groups	180
	6.5	Procedures	180
	6.6	Mode of admission	181
	6.7	Mode of separation	181
	6.8	Care type	181
7	Spec	rialised mental health care resources	193
	7.1	Specialised mental health care labour force	193
	7.2	Public community mental health establishments	201
	7.3	Psychiatric and acute care hospitals	204
8	Men	Mental health care for schizophrenia and related disorders	
	8.1	Prevalence	224
	8.2	Mental health care	226
	8.3	Health service expenditure for schizophrenia	228
Аp	pendi	x 1: Data sources	237
	Intro	oduction	237
	Data	collections	238

Appendix 2: Definitions of mental health-related care and medications, and of ambulatory-equivalent separations	246
National Hospital Morbidity Database	246
Bettering the Evaluation and Care of Health	248
Commonwealth State/Territory Disability Agreement National Minimum Data Set	248
Repatriation Pharmaceutical Benefits Scheme and Pharmaceutical Benefits Scheme.	248
Appendix 3: State and territory ambulatory and admitted patient mental health care data	250
Ambulatory and ambulatory-equivalent mental health care	250
Admitted patient mental health care	250
Appendix 4: National Survey of Mental Health Services	285
Comparison with NCMHED data	285
Comparison with NCMHCD data	285
Comparison with NPHED data	286
References	298
Index (available on the Internet at <www.aihw.gov.au>)</www.aihw.gov.au>	

List of tables

2	Introduction	
Table 2.1:	Persons with a psychiatric disability ('000) by age group, sex and	
	profound/severe core activity limitation, Australia, 2003	15
Table 2.2:	Health system costs of mental disorders and Alzheimer's disease and other dementias in Australia, 1993–94 and 2000–01 (\$ millions)	
3	Ambulatory mental health care	
Overview	of ambulatory mental health care	
Table 3.1:	Summary of ambulatory mental health care provided by general practitioners and private psychiatrists and ambulatory-equivalent mental health admitted-patient care in hospitals, Australia, 1998	21
Table 3.2:	Summary of ambulatory mental health care provided by general practitioners, private psychiatrists, hospitals and community-based services, states and territories, 2002–03	22
Table 3.3:	Summary of available data for ambulatory mental health care provided by general practitioners and private psychiatrists, states and territories, 2003–04	2 3
Table 3.4:	Most frequent reported mental health-related reasons for encounter, by patient sex, BEACH, 2003–04	28
Table 3.5:	Most frequently reported mental health-related problems managed, by patient sex, BEACH, 1998–99 to 2003–04	29
Table 3.6:	Most frequently reported mental health-related problems managed, by patient sex, BEACH, 2003–04	31
Table 3.7:	Referrals for mental health-related problems, BEACH, 2003-04	35
Table 3.8:	The most frequently referred mental health-related problems, by patient sex, BEACH, 2003–04	36
Table 3.9:	Mental health-related problems most frequently referred by GPs to psychiatrists, by patient sex, BEACH, 2003–04	37
Table 3.10:	Clinical treatments provided by GPs for mental health-related problems, BEACH, 2003–04	38
Table 3.11:	Mental health-related problems for which GPs most frequently used	30

Table 3.12:	for mental health-related problems, by drug group and generic drug name, by patient sex, BEACH, 2003–04	4 0
Table 3.13:	Mental health-related problems most frequently managed by medication and medication rate per 100 problems managed, by patient sex, BEACH, 2003–04	42
Table 3.14:	PBS-subsidised mental health-related prescriptions by non-psychiatrists, by Anatomical Therapeutic Chemical group, Australia, 1998–99 to 2003–04	14
Table 3.15:	PBS and RPBS-subsidised mental health-related prescriptions by non-psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2003–04	45
Table 3.16:	PBS-funded expenditure (\$'000) on mental health-related medications prescribed by non-psychiatrists, by Anatomical Therapeutic Chemical group, Australia, 1998–99 to 2003–04	1 6
Table 3.17:	PBS and RPBS-funded expenditure (\$'000) on mental health-related medications prescribed by non-psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2003–04	1 7
Private psy	chiatrist services	
Table 3.18:	Private psychiatrist services subsidised through Medicare by schedule item, states and territories, 2003–04	50
Table 3.19:	Private psychiatrist services subsidised through Medicare by schedule item, patient sex and age group, Australia, 2003–04	51
Table 3.20:	Medicare expenditure (\$'000) on services provided by private psychiatrists (current prices), by schedule item, Australia, 1998–99 to 2003–04	53
Table 3.21:	Medicare expenditure (\$'000) on services provided by private psychiatrists by schedule item, states and territories, 2003–04	54
Table 3.22:	Selected PBS-subsidised prescriptions by private psychiatrists, by Anatomical Therapeutic Chemical group, Australia, 1998–99 to 2003–04	55
Table 3.23:	PBS and RPBS-subsidised prescriptions by private psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2003–04	56
Table 3.24:	PBS-funded expenditure (\$'000) on selected medications prescribed by private psychiatrists, by Anatomical Therapeutic Chemical group, Australia, 1998–99 to 2003–04	57
Table 3.25:	PBS and RPBS-funded expenditure (\$'000) on medications prescribed by private psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2003–04	58
Community	y mental health care	
Table 3.26:	Community mental health care service contacts and per 1,000 population by sex and age group, Australia, 2002–03	54
Table 3.27:	Community mental health care service contacts and per 1,000 population by Indigenous status, states and territories, 2002–03	6 5

Table 3.28:	Community mental health care service contacts by mental health legal status, states and territories, 2002–03	66
Table 3.29:	Community mental health care service contacts by marital status, states and territories, 2002–03	67
Table 3.30:	Community mental health care service contacts and per 1,000 population, by selected country/region of birth, Australia, 2002–03	68
Table 3.31:	Community mental health care service contacts and per 100,000 population, by Remoteness area of usual residence, Australia, 2002-03	70
Table 3.32:	Community mental health care service contacts by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03	71
Ambulator	y-equivalent mental health-related separations	
Table 3.33:	Summary of ambulatory-equivalent mental health-related separations, states and territories, 2002–03	78
Table 3.34:	Ambulatory-equivalent mental health-related separations, by mental health legal status and hospital type, states and territories, 2002–03	
Table 3.35:	Ambulatory-equivalent mental health-related separations, by sex and age group, Australia 2002–03	80
Table 3.36:	Ambulatory-equivalent mental health-related separations, by Indigenous status and Remoteness area of usual residence, Australia, 2002–03	81
Table 3.37:	Ambulatory-equivalent mental health-related separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03	82
Table 3.38:	Ambulatory-equivalent mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03	83
Table 3.39:	The 30 most frequently reported procedures for ambulatory-equivalent mental health-related separations, with and without specialised psychiatric care, all hospitals, Australia, 2002–03	84
Table 3.40:	The 30 most frequently reported AR-DRGs for ambulatory-equivalent mental health-related separations, Australia, 2002–03	
4	Residential and admitted patient mental health care overview	
Overview o	of residential and admitted patient mental health care	
Table 4.1:	Mental health-related separations and patient-days, Australia, 1998–99 to 2002–03	96
Table 4.2:	Summary of separations for residential and admitted patient mental health care, states and territories, 2002–03	98
Table 4.3:	Summary of patient-days for admitted patient mental health care, states and territories, 2002–03	.02

Table 4.4:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care or any mental health-related diagnosis, Australia, 2002–03	106
Principal d	iagnosis	
Table 4.5:	Separations, patient days and psychiatric care days for mental health-related separations by, principal diagnosis in ICD-10-AM chapter groupings, Australia, 2002-03	107
5	Specialised admitted patient mental health care	
Patient der	nographics	
Table 5.1:	Mental health-related separations with specialised psychiatric care, by age group and sex, Australia 2002–03	114
Table 5.2:	Separations with specialised psychiatric care, by mental health legal status and hospital type, Australia, 1998–99 to 2002–03	115
Table 5.3:	Separations with specialised psychiatric care, by mental health legal status, sex and age group, Australia, 2002–03	
Table 5.4:	Separations with specialised psychiatric care, by mental health legal status and hospital type, states and territories, 2002–03	117
Table 5.5:	Mental health-related separations with specialised psychiatric care, by Remoteness Area of usual residence of the patient, by hospital type and state or territory of usual residence, 2002–03	119
Table 5.6:	Mental health-related separations with specialised psychiatric care, by Indigenous status and Remoteness Area of usual residence, Australia, 2002–03	120
Principal d	iagnosis	
National or	verview	
Table 5.7:	Separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 1998–99 to 2002–03	124
Table 5.8:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03	126
Table 5.9:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 2002–03	127
Sex and ag		
Table 5.10:	Separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2002–03	

Aboriginal	and Torres Strait Islander peoples
Table 5.12:	Mental health-related separations, patient days and psychiatric care days for separations with specialised psychiatric care reported for Aboriginal and Torres Strait Islander peoples, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03
Mental hea	lth legal status
Table 5.13:	Separations with specialised psychiatric care by mental health legal status and principal diagnosis in ICD-10-AM groupings, and hospital type, Australia, 2002–03
Additional	diagnoses
Table 5.14:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care, with a mental health-related additional diagnosis, by principal diagnosis in ICD-10-AM chapter groupings, Australia, 2002–03
Table 5.15:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and presence of an additional mental health-related condition, Australia, 2002–03
Table 5.16:	Separations, patient-days and psychiatric care days for the top five additional mental health-related diagnoses for separations with specialised psychiatric care, by selected mental health-related principal diagnosis, Australia, 2002–03
Self-harm	
Table 5.17:	Separation statistics for separations with specialised psychiatric care, with an external cause of injury or poisoning reported as intentional self-harm, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03
Australian	Refined Diagnosis Related Groups
National ov	verview
Table 5.18:	The 30 most frequently reported AR-DRGs version 5.0 for separations with specialised psychiatric care, Australia, 2002–03
Table 5.19:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care for the 30 most frequently reported AR-DRGs version 5.0, public acute hospitals, Australia, 2002–03
Table 5.20:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care for the 30 most frequently reported AR-DRGs version 5.0, private hospitals, Australia, 2002–03
Table 5.21:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care for the 30 most frequently reported AR-DRGs version 5.0, public psychiatric hospitals, Australia, 2002–03

Procedures	
Table 5.22:	The 30 most frequently reported procedures for separations with specialised psychiatric care, by hospital type, Australia, 2002–03
Table 5.23:	Separations with specialised psychiatric care by mode of admission and hospital type, states and territories, 2002–03
Table 5.24:	Separations with specialised psychiatric care, by mode of separation and hospital type, states and territories, 2002–03
Care type	
Table 5.25:	Separations with specialised psychiatric care, by care type and hospital type, states and territories, 2002–03
Table 5.26:	Patient-days for separations with specialised psychiatric care, by care type and hospital type, states and territories, 2002–03
Table 5.27:	Psychiatric care days for separations with specialised psychiatric care, by type of episode of care and hospital type, states and territories, 2002–03 156
6	Non-specialised admitted patient mental health care
Patient dem	nographics
Table 6.1:	Mental health-related separations without specialised psychiatric care, by age group and sex, Australia 2002–03
Table 6.2:	Mental health-related separations without specialised psychiatric care, by Remoteness Area of usual residence of the patient, by hospital type and state or territory of usual residence, 2002–03
Table 6.3:	Mental health-related separations without specialised psychiatric care, by Indigenous status and Remoteness Area of usual residence, Australia, 2002–03
Principal di	agnosis
National ov	erview
Table 6.4:	Mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 1998–99 to 2002–03
Table 6.5:	Mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03
Table 6.6:	Separations and patient-days for mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 2002–03

Sex and ag	e group
Table 6.7:	Mental health-related separations without specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2002–03
Table 6.8:	Mental health-related separations without specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2002–03
Aboriginal	and Torres Strait Islander peoples
Table 6.9:	Mental health-related separations and patient-days without specialised psychiatric care reported for Aboriginal and Torres Strait Islander peoples, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03
Additional	diagnoses
Table 6.10:	Separations and patient-days for separations without specialised psychiatric care, with a mental health-related additional diagnosis, by principal diagnosis in ICD-10-AM chapter groupings, Australia, 2002–03 176
Table 6.11:	Separations and patient-days for mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and presence of an additional mental health-related condition, Australia, 2002–03
Table 6.12:	Separations and patient-days for the top five additional mental health-related diagnoses for separations without specialised psychiatric care by selected mental health-related principal diagnosis, Australia, 2002–03 178
Self-harm	
Table 6.13:	Separations without specialised psychiatric care, with an external cause of injury or poisoning reported as intentional self-harm, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03
Australian	Refined Diagnosis Related Groups
Table 6.14:	The 30 most frequently reported AR-DRGs for mental health-related separations without specialised psychiatric care, Australia, 2002–03
Table 6.15:	Separations and patient-days for mental health-related separations without specialised psychiatric care for the 30 most frequently reported AR-DRGs, public acute hospitals, Australia, 2002–03
Table 6.16:	Separations and patient-days for mental health-related separations without specialised psychiatric care for the 30 most frequently reported AR-DRGs, private hospitals, Australia, 2002–03
Procedure	S
Table 6.17:	The 30 most frequently reported procedures for mental health-related separations without specialised psychiatric care, by hospital type, Australia, 2002–03

Mode of ac	lmission and separation
Table 6.18:	Mental health-related separations without specialised psychiatric care, by mode of admission and hospital type, states and territories, 2002–03
Table 6.19:	Mental health-related separations without specialised psychiatric care, by mode of separation and hospital type, states and territories, 2002–03 190
Care type	
Table 6.20:	Mental health-related separations without specialised psychiatric care, by care type and hospital type, states and territories, 2002–03
Table 6.21:	Patient-days for mental health-related separations without specialised psychiatric care, by care type and hospital type, states and territories, 2002–03
7	Specialised mental health care resources
Labour for	ce
Table 7.1:	Psychiatrists and psychiatrists-in-training, by Remoteness Area of main place of work, Australia, 1998 to 2002
Table 7.2:	Psychiatrists and psychiatrists-in-training by sex, Australia, 1998 to 2002 196
Table 7.3:	Psychiatrists and psychiatrists-in-training by age and sex, Australia, 2002 197
Table 7.4:	Psychiatrists and psychiatrists-in-training by sex, states and territories, 2002
Table 7.5:	Medicare-funded full-time-equivalent private psychiatrists, by Remoteness Area of psychiatrists' services, states and territories, 2003–04
Table 7.6:	Mental health nurses by age and sex, Australia, 2001
Table 7.7:	Persons employed as clinical psychologists by age and sex, Australia, 2001
Table 7.8:	Persons employed as clinical psychologists per 100,000 population, states and territories, 2001
Public com	nmuity mental health establishments
Table 7.9:	Summary of public and private psychiatric hospitals and public community mental health establishments, Australia, 1998–99 to 2002–03 203
Table 7.10:	Public community mental health establishments, establishments with residential care services, available beds and available beds per 100,000 population, states and territories, 2002–03
Table 7.11:	Full-time-equivalent staff, public community mental health establishments, states and territories, 2002–03
Table 7.12:	Salaries and wages expenditure (\$'000), public community mental health establishments, states and territories, 2002–03
Table 7.13:	Non-salary and total recurrent expenditure (\$'000), public community mental health establishments, states and territories, 2002–03

Psychiatric	and acute care nospitals	
Table 7.14:	Public psychiatric hospitals and available beds by Remoteness Area, states, 2002–03	
Table 7.15:	Full-time-equivalent staff, public psychiatric hospitals, states, 2002-03	. 211
Table 7.16:	Salaries and wages expenditure (\$'000), public psychiatric hospitals, states, 2002–03	
Table 7.17:	Non-salary expenditure and total recurrent expenditure (\$'000), public psychiatric hospitals, states, 2002–03	. 2 13
Table 7.18:	Revenue (\$'000), public psychiatric hospitals, states, 2002-03	. 214
Table 7.19:	Public acute hospitals with psychiatric units or wards, by Remoteness Area, states and territories, 2002–03	. 21 <i>6</i>
Table 7.20:	Private psychiatric hospitals, available beds and available beds per 1,000 population, states, 2002–03	. 217
Table 7.21:	Full-time-equivalent staff, private psychiatric hospitals, states, 2002–03	. 217
Table 7.22:	Salaries and wages expenditure (\$'000), private psychiatric hospitals, states 2002–03	
Table 7.23:	Non-salary expenditure (\$'000), and total recurrent expenditure (\$'000), private psychiatric hospitals, states, 2002–03	. 219
Table 7.24:	Revenue (\$'000), private psychiatric hospitals, states, 2002–03	. 220
8	Mental health care for schizophrenia	
Table 8.1:	Community mental health care service contacts with a principal diagnosis of schizophrenia, by sex and age group, Australia, 2002–03	. 230
Table 8.2:	Highly Specialised Drugs Program expenditure (\$'000) on clozapine, by state or territory, 1998–99 to 2003–04	. 231
Table 8.3:	Highly Specialised Drugs Program: number of packs and prescriptions for clozapine, by hospital sector and state or territory, 2003–04	
Table 8.4:	Number of separations and patient-days for separations with a principal diagnosis of schizophrenia, by hospital type, Australia, 1998–99 to	
	2002-03	. 232
Table 8.5:	Health system costs of schizophrenia in Australia, 2000–01 and 1993–94 (\$ millions)	. 23 3
Appendix 1	: Data sources	
Table A1.1:	Counts of service contacts and estimated number of clients, states and territories, 2000–01 to 2002–03	. 245
Appendix 3	s: State and territory ambulatory and admitted patient mental heal care data	th
Table A3.1:	Ambulatory-equivalent mental health-related separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2002–03	

Table A3.2:	Ambulatory-equivalent mental health-related separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2002–03	252
Table A3.3:	Ambulatory-equivalent mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2002–03	25 3
Table A3.4:	Ambulatory-equivalent mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2002–03	254
Table A3.5:	Community mental health service contacts, by sex and age group, states and territories, 2002–03	255
Table A3.6:	Community mental health service contacts, by principal diagnosis, states and territories, 2002–03	256
Table A3.7:	Same day separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, states and territories, 2002–03	258
Table A3.8:	Overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2002–03	259
Table A3.9:	Overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2002–03	
Table A3.15:	Average length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2002–03	267
Table A3.18:	The 15 most frequently reported procedures for overnight separations with specialised psychiatric care, states and territories, 2002–03	
Table A3.19:	Same day mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2002–03	
Table A3.20:	Same day mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2002–03	
Table A3.21:	Overnight mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2002–03	274
Table A3.22:	Overnight mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2002–03	275
Table A3.23:	Patient days for mental health-related overnight separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2002–03	
Table A3.24:	Patient days for mental health-related overnight separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2002–03	

Table A3.29:	The 15 most frequently reported procedures for overnight mental health-related separations without specialised psychiatric care, states and territories, 2002–03
Appendix 5	: Internet tables
(The followin	g tables are available on the Internet at <www.aihw.gov.au>)</www.aihw.gov.au>
Table A5.1:	Number of overnight mental health-related separations per 1,000 population by hospital type, Australia, 1998–99 to 2002–03
Table A5.2:	Number patient days per 1,000 population for overnight mental health-related separations by hospital type, Australia, 1998–99 to 2002–03
Table A5.3:	Private psychiatrist services subsidised through Medicare by schedule item, states and territories, 2002–03
Table A5.4:	Private psychiatrist services subsidised through Medicare by schedule item, sex and age group, 2002–03
Table A5.5:	Overnight separations with specialised psychiatric care for 15 most frequently reported AR-DRGs, by sex and age group, Australia, 2002-03
Table A5.6:	Overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex and age group, Australia, 2002–03
Table A5.7:	Average length of stay (days) for overnight separations with specialised psychiatric care for the most 15 frequently reported AR-DRGs, by sex, Australia, 2002–03
Table A5.8:	Average length of stay (days) for overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR–DRGs, by sex, Australia, 2002–03
Table A5.9:	Median length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2002–03
Table A5.10:	Median length of stay (days) for overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2002–03
Table A5.11:	Separations with specialised psychiatric care by source of referral to public psychiatric hospital, states and territories, 2002–03
Table A5.12:	Public psychiatric hospitals reporting to NPHED for 2002-03
Table A5.13:	Public community mental health establishments reporting to NCMHED for 2002–03
Table A5.14:	Public hospitals reporting separations with psychiatric care days to NHMD for 2002–03
Table A5.15:	Public community mental health establishments reporting service contacts to NCHMCD for 2002–03

List of figures

1 Overview

Figure 1.1:	Mental health-related general practice encounters per 1,000 population, 1998–99 to 2003–04	1
Figure 1.2:	Medicare-funded psychiatrist attendances per 1,000 population, 1998–99 to 2003–04	1
Figure 1.3:	Ambulatory-equivalent mental health-related separations per 1,000 population, by hospital sector, Australia, 1998–99 to 2002–03	2
Figure 1.4:	CSTDA-funded disability support services received by people with a psychiatric disability per 100,000 population, 1998 to 2002	2
Figure 1.5:	Non-ambulatory-equivalent mental health-related separations by hospital type, 1998–99 to 2002–03	3
Figure 1.6:	Patient-days attributed to overnight mental health-related separations by hospital type, 1998–99 to 2002–03	3
Figure 1.7:	Average and median length of stay for selected mental health-related overnight separations by hospital type, 1998–99 to 2002–03	4
Figure 1.8:	Mental health-related general practice encounters by age group and sex of patient, 2003–04	4
Figure 1.9:	Medicare-funded psychiatrist attendances per 1,000 population by age group and sex of patient, 2003–04	4
Figure 1.10:	Community mental health service contacts per 1,000 population by age group and sex of patient, 2002–03	5
Figure 1.11:	Ambulatory-equivalent mental health-related separations per 1,000 population by age group and sex of patient, 2002–03	5
Figure 1.12:	Non-ambulatory-equivalent mental health-related separations per 1,000 population by age group and sex of patient, 2002–03	6
Figure 1.13:	Non-ambulatory-equivalent mental health-related separations per 1,000 population by Remoteness Area of usual residence, 2002–03	6
Figure 1.14:	Ambulatory-equivalent mental health-related separations per 1,000 population by Indigenous status, 2002–03	7
Figure 1.15:	Non-ambulatory-equivalent mental health-related separations per 1,000 population by Indigenous status, 2002–03	7
Figure 1.16:	Mental health-related problems managed by general practitioners, 2003-04	8
Figure 1.17:	Principal diagnoses for service contacts, public community mental health care, 2002–03	8
Figure 1.18:	Principal diagnoses for ambulatory-equivalent mental health-related separations, with specialised psychiatric care, 2002–03	9

Figure 1.19:	Principal diagnoses for ambulatory-equivalent mental health-related separations, without specialised psychiatric care, 2002–03
Figure 1.20:	Principal diagnoses for non-ambulatory-equivalent mental health-related separations, public hospitals, 2002-03
Figure 1.21:	Non-ambulatory-equivalent mental health-related separations with specialised psychiatric care, 2002-03
Figure 1.22:	Principal diagnoses for non-ambulatory-equivalent mental health-related separations, private hospitals, 2002–03
Figure 1.23:	Selected PBS-funded mental health-related prescriptions per 1,000 population, 1998–99 to 2003–04
Figure 1.24:	Psychiatrists per 100,000 population by Remoteness Area, 1998 to 2002 1
Figure 1.25:	Mental health nurses per 100,000 population by Remoteness Area, 1997 to 2001
Figure 1.26:	Mental health nurses by age and sex, Australia, 2001
3 Ambu	latory mental health care
Figure 3.1:	Data reported for encounters at which a mental health-related problem was managed, BEACH, 2003–04
Figure 3.2:	Mental health-related encounters by age group and sex of patients, BEACH, 2003–04
Figure 3.3:	Medications per 100 mental health-related problems managed, by sex and age group of patient, BEACH, 2003–04
Figure 3.4:	Summary of data reported for psychiatric disability, all CSTDA-funded ambulatory disability support services (non-residential), 1 January to 30 June, 2003
4 Reside	ential and admitted patient mental health care overview
Figure 4.1:	Summary of data reported for mental health-related separations, all hospitals, Australia, 2002–03
Figure 4.2:	Data reported for CSTDA-funded residential disability support services for persons with a psychiatric disability, Australia, 2002–03
5 Specia	alised residential and admitted patient mental health care
Figure 5.1:	Data reported for mental health-related separations with specialised psychiatric care, all hospitals, Australia, 2002–03
6 Specia	alised residential and admitted patient mental health care
Figure 6.1:	Data reported for mental health-related separations without specialised psychiatric care, all hospitals, Australia, 2002–03

8 Mental health care for schizophrenia

Figure 8.1:	Data reported for general practice encounters at which schizophrenia was managed, BEACH, 2002–03	234
Figure 8.2:	Data reported for ambulatory-equivalent mental health-related separations with a principal diagnosis of schizophrenia, all hospitals, Australia, 2002–03	
Figure 8.3:	Data reported for non-ambulatory-equivalent mental health-related separations with a principal diagnosis of schizophrenia, all hospitals, Australia, 2002–03	236

List of boxes

2	introd	luction	
Box	2.1:	National Mental Health Strategy	14
4	Resid	lential and admitted patient mental health care overvie	w
Box	4.1:	Measuring hospital activity	89
Box	4.2:	State and territory differences in the scope of services provided for admitted patients	91
5	Speci	alised residential and admitted patient mental health o	are
Box	5.1:	Specialised psychiatric care and principal diagnosis	122
7	Speci	alised mental health care resources	
Box	7.1:	Expenditure and staffing data for public psychiatric hospital-based services provided to non-admitted patients	209
8	Menta	al health care for depression	
Box	8.1:	Schizophrenia data sources, type of data and classification system used	224

Acknowledgments

This report would not have been possible without the valued cooperation and effort of the data providers in the health authorities of the states and territories. The Australian Institute of Health and Welfare (AIHW) would like to express its appreciation for their timely supply of the data and their assistance with data validation. The AIHW also wishes to thank the members of the Australian Health Ministers' Advisory Council National Mental Health Working Group Information Strategy Committee who helped plan this report and provided advice on its content. The AIHW would also like to acknowledge the funding, assistance and data provided by the Australian Government Department of Health and Ageing for this project.

Within the AIHW, the report was prepared by Katrina Burgess, Emma Donoghue, Jenny Hargreaves, Danielle Sellick, Gail Weaving and Michelle Wilson, with assistance from Jacqueline Cousins, Alannah Smith and Ian Titulaer. Ainsley Morrissey coordinated the publication process.

Abbreviations

ABS Australian Bureau of Statistics

AHMAC Australian Health Ministers' Advisory Council
AIHW Australian Institute of Health and Welfare

ALOS Average length of stay

AR-DRG Australian Refined Diagnosis Related Group
ATC Anatomical Therapeutic Chemical classification

BEACH Bettering the Evaluation and Care of Health survey of general practice

activity

CADE Confused and disturbed elderly

CSTDA Commonwealth State/Territory Disability Agreement

CSTDA NMDS Commonwealth State/Territory Disability Agreement National

Minimum Data Set

DHA Department of Health and Ageing

FTE Full-time-equivalent

HIC Health Insurance Commission

ICD-10-AM International Statistical Classification of Diseases and Related Health

Problems, 10th Revision, Australian Modification

ICPC-2 International Classification of Primary Care, 2nd edition

LCL Lower confidence limit

NCMHED National Community Mental Health Establishments Database

NCMHCD National Community Mental Health Care Database

NHDD National Health Data Dictionary

NHMD National Hospital Morbidity Database

NMDS National Minimum Data Set

NMHWG National Mental Health Working Group

NPHED National Public Hospital Establishments Database

NSMHS National Survey of Mental Health Services

PBS Pharmaceutical Benefits Scheme

PHEC Private Health Establishments Collection

RANZCP Royal Australian and New Zealand College of Psychiatrists

RFE Reason for encounter

RPBS Repatriation Pharmaceutical Benefits Scheme

UCL Upper confidence limit