

Appendix 3: Long-stay separations with a mental health principal diagnosis—source tables

Table A3.1: Separations of long-stay^(a) patients with a mental health principal diagnosis^(b) receiving general care only, by principal diagnosis, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT	Australia
Senile and presenile organic conditions	249	198	177	129	38	n.p.	n.p.	—	805
Other organic psychotic conditions	211	175	100	80	37	n.p.	n.p.	—	613
Schizophrenic disorders	30	15	13	157	46	12	27	—	300
Affective disorders ^(d)	66	28	82	289	201	32	35	—	734
Other affective psychoses	34	19	20	59	32	n.p.	n.p.	—	179
Anxiety disorders ^(d)	n.p.	n.p.	18	16	12	n.p.	—	—	59
Paranoid states	n.p.	n.p.	n.p.	10	n.p.	—	—	—	29
Other psychoses	13	n.p.	n.p.	13	n.p.	—	—	—	38
Other neurotic disorders	14	13	n.p.	n.p.	n.p.	—	n.p.	—	41
Personality disorders ^(e)	n.p.	n.p.	n.p.	25	n.p.	—	n.p.	—	45
Eating disorders	37	22	23	32	33	n.p.	n.p.	—	157
Substance abuse	n.p.	n.p.	10	n.p.	n.p.	—	—	—	19
Substance dependence	18	44	63	n.p.	11	—	n.p.	—	143
Acute alcoholic intoxication	—	n.p.	—	—	—	—	—	—	n.p.
Other drug dependence and abuse	—	n.p.	n.p.	n.p.	n.p.	—	—	—	n.p.
Physiological malfunction arising from mental factors	n.p.	—	—	—	—	n.p.	—	—	n.p.
Special syndromes or syndromes not elsewhere classified	—	n.p.	—	n.p.	n.p.	—	—	—	n.p.
Acute reaction to stress	n.p.	—	n.p.	n.p.	n.p.	n.p.	—	—	17
Adjustment reaction excluding PTSD	n.p.	—	10	28	n.p.	n.p.	—	—	48
Specific non-psychotic mental disorders ^(f)	n.p.	38	n.p.	n.p.	n.p.	—	n.p.	—	64
Other non-psychotic mental conditions	n.p.	n.p.	n.p.	22	—	—	n.p.	—	35
V codes associated with mental illness ^(g)	n.p.	n.p.	—	—	—	—	—	—	n.p.
Total	715	591	542	890	444	78	86	—	3,350

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) Acute general hospitals in WA do not report total psychiatric care days. Therefore figures reported maybe misleading and should not be directly compared with other states. WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

(g) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

— Nil

n.p. Not published

Table A3.2: Separations of long-stay^(a) patients with a mental health principal diagnosis^(b) receiving some specialised care, by principal diagnosis, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT	Australia
Senile and presenile organic conditions	149	169	54	202	156	n.p.	—	n.p.	735
Other organic psychotic conditions	86	104	93	50	38	n.p.	—	n.p.	374
Schizophrenic disorders	1,248	917	713	322	361	46	20	22	3,649
Affective disorders ^(d)	1,039	802	567	110	225	14	n.p.	n.p.	2,769
Other affective psychoses	221	221	136	60	69	14	n.p.	—	723
Anxiety disorders ^(d)	92	52	98	n.p.	13	n.p.	—	—	256
Paranoid states	34	30	30	20	11	n.p.	n.p.	—	127
Other psychoses	46	33	37	12	n.p.	—	n.p.	—	135
Other neurotic disorders	28	14	29	n.p.	n.p.	n.p.	—	—	78
Personality disorders ^(e)	52	47	29	20	14	n.p.	n.p.	n.p.	167
Eating disorders	117	98	42	—	n.p.	n.p.	—	—	262
Substance abuse	15	n.p.	10	n.p.	—	—	—	—	30
Substance dependence	165	11	14	n.p.	n.p.	n.p.	—	—	196
Acute alcoholic intoxication	n.p.	n.p.	n.p.	—	n.p.	—	—	—	13
Other drug dependence and abuse	21	n.p.	n.p.	n.p.	—	n.p.	—	—	36
Physiological malfunction arising from mental factors	n.p.	—	—	—	—	—	—	—	n.p.
Special syndromes or syndromes not elsewhere classified	n.p.	—	—	—	—	—	—	—	n.p.
Acute reaction to stress	n.p.	n.p.	n.p.	—	—	—	—	—	12
Adjustment reaction excluding PTSD	63	17	23	n.p.	n.p.	n.p.	—	n.p.	114
Specific non-psychotic mental disorders ^(f)	n.p.	15	17	n.p.	n.p.	—	—	n.p.	52
Other non-psychotic mental conditions	14	15	16	—	—	—	n.p.	n.p.	46
Observation for suspected mental condition	—	—	n.p.	n.p.	—	—	—	—	n.p.
V codes associated with mental illness ^(g)	—	—	—	—	—	n.p.	—	—	n.p.
Total	3,411	2,554	1,920	828	910	87	31	40	9,781

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) Acute general hospitals in WA do not report total psychiatric care days. Therefore figures reported maybe misleading and should not be directly compared with other states. WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

(g) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A3.3: Patient days of long-stay^(a) patients with a mental health principal diagnosis,^(b) by principal diagnosis, States and Territories, 1997-

Principal diagnosis	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT	Australia
Senile and presenile organic conditions	94,128	32,684	44,539	43,905	28,161	927	299	264	244,907
Other organic psychotic conditions	80,607	19,950	110,171	17,129	18,721	435	38	289	247,340
Schizophrenic disorders	289,912	89,108	245,704	59,815	39,716	18,077	2,686	1,305	746,323
Affective disorders ^(d)	72,471	46,183	52,681	27,335	26,203	2,358	2,197	326	229,754
Other affective psychoses	36,112	16,108	58,931	19,603	6,225	1,956	518	—	139,453
Anxiety disorders ^(d)	5,322	2,870	6,489	1,059	1,253	133	—	—	17,126
Paranoid states	3,723	2,549	21,160	1,951	915	103	—	—	30,401
Other psychoses	11,649	2,490	3,150	1,768	496	—	39	—	19,592
Other neurotic disorders	3,073	1,345	2,092	676	163	265	82	—	7,696
Personality disorders ^(e)	6,330	2,983	3,853	3,139	1,102	37	119	123	17,686
Eating disorders	11,069	7,347	4,054	1,655	2,577	666	300	—	27,668
Substance abuse	836	310	939	297	73	—	—	—	2,455
Substance dependence	9,959	2,321	8,933	360	705	1,596	40	—	23,914
Acute alcoholic intoxication	415	317	129	—	60	—	—	—	921
Other drug dependence and abuse	869	224	340	623	43	132	—	—	2,231
Physiological malfunction arising from mental factors	92	—	—	—	—	114	—	—	206
Special syndromes or syndromes not elsewhere classified	78	41	—	134	42	—	—	—	295
Acute reaction to stress	198	289	409	468	340	44	—	—	1,748
Adjustment reaction excluding PTSD	3,723	1,062	2,040	2,059	409	130	—	36	9,459
Specific non-psychotic mental disorders ^(f)	902	5,013	5,370	2,098	1,497	—	420	240	15,540
Other non-psychotic mental conditions	16,199	1,074	37,012	1,388	—	—	47	55	55,775
Observation for suspected mental condition	—	—	87	55	—	—	—	—	142
V codes associated with mental illness ^(g)	40	42	—	—	—	103	—	—	185
Total	647,707	234,310	608,083	185,517	128,701	27,076	6,785	2,638	1,840,817

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

(g) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A3.4: Total psychiatric care days of long-stay^(a) patients with a mental health principal diagnosis,^(b) by principal diagnosis, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT	Australia
Senile and presenile organic conditions	35,788	10,536	12,810	28,640	25,784	77	—	214	113,849
Other organic psychotic conditions	45,312	7,374	93,546	9,896	15,973	—	—	120	172,221
Schizophrenic disorders	282,850	88,114	243,634	48,166	37,387	17,526	1,032	1,283	719,992
Affective disorders ^(d)	67,533	44,637	47,491	9,521	15,991	722	289	268	186,452
Other affective psychoses	29,410	14,436	57,621	15,856	4,554	1,672	81	—	123,630
Anxiety disorders ^(d)	5,096	2,553	5,431	99	694	—	—	—	13,873
Paranoid states	3,384	1,841	20,891	1,393	785	103	—	—	28,397
Other psychoses	7,724	2,293	2,809	634	342	—	39	—	13,841
Other neurotic disorders	1,842	734	1,846	266	79	265	—	—	5,032
Personality disorders ^(e)	5,225	2,888	3,696	1,817	862	37	78	72	14,675
Eating disorders	7,955	6,215	2,658	—	347	83	—	—	17,258
Substance abuse	794	122	501	170	—	—	—	—	1,587
Substance dependence	8,791	480	4,814	61	135	1,596	—	—	15,877
Acute alcoholic intoxication	403	38	129	—	60	—	—	—	630
Other drug dependence and abuse	849	40	229	568	—	132	—	—	1,818
Physiological malfunction arising from mental factors	43	—	—	—	—	—	—	—	43
Special syndromes or syndromes not elsewhere classified	78	—	—	—	—	—	—	—	78
Acute reaction to stress	123	289	203	—	—	—	—	—	615
Adjustment reaction excluding PTSD	3,391	1,062	1,571	265	182	77	—	36	6,584
Specific non-psychotic mental disorders ^(f)	420	3,082	4,820	1,962	1,076	—	—	238	11,598
Other non-psychotic mental conditions	15,489	863	36,603	—	—	—	—	55	53,010
Observation for suspected mental condition	—	—	87	55	—	—	—	—	142
V codes associated with mental illness ^(g)	—	—	—	—	—	103	—	—	103
Total	522,500	187,597	541,390	119,369	104,251	22,393	1,519	2,286	1,501,305

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) Acute general hospitals in WA did not report total psychiatric care days, therefore figures reported may be misleading and should not be directly compared with figures from other states. WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A3.5a: General care separations of long-stay^(a) patients with a mental health principal diagnosis^(b) by gender, age group and principal diagnosis, males, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	n.p.	—	—	n.p.	—	n.p.	321	332
Other organic psychotic conditions	n.p.	n.p.	n.p.	n.p.	13	23	231	280
Schizophrenic disorders	n.p.	41	48	25	11	n.p.	17	148
Affective disorders ^(c)	n.p.	n.p.	24	21	38	22	86	202
Other affective psychoses	—	n.p.	n.p.	n.p.	n.p.	n.p.	20	40
Anxiety disorders ^(c)	n.p.	n.p.	n.p.	n.p.	14	n.p.	n.p.	29
Paranoid states	n.p.	n.p.	—	—	—	n.p.	n.p.	14
Other psychoses	n.p.	n.p.	n.p.	n.p.	n.p.	—	n.p.	20
Other neurotic disorders	n.p.	—	—	n.p.	—	n.p.	n.p.	n.p.
Personality disorders ^(d)	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	18
Eating disorders	n.p.	—	n.p.	—	—	n.p.	n.p.	n.p.
Substance abuse	—	n.p.	n.p.	n.p.	—	n.p.	n.p.	n.p.
Substance dependence	n.p.	n.p.	10	12	28	n.p.	12	77
Acute alcoholic intoxication	—	—	—	—	n.p.	—	n.p.	n.p.
Other drug dependence and abuse	n.p.	n.p.	—	—	—	—	—	n.p.
Special syndromes or syndromes not elsewhere classified	n.p.	—	—	—	—	—	n.p.	n.p.
Acute reaction to stress	—	—	—	n.p.	—	—	—	n.p.
Adjustment reaction excluding PTSD	n.p.	—	n.p.	—	n.p.	—	n.p.	13
Specific non-psychotic mental disorders ^(e)	n.p.	—	—	—	—	n.p.	—	28
Other non-psychotic mental conditions	—	—	n.p.	—	n.p.	n.p.	n.p.	19
V codes associated with mental illness ^(f)	—	—	n.p.	—	n.p.	—	—	n.p.
Total	53	72	109	78	119	76	749	1,256

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V67.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A3.5b: Specialised care separations of long-stay^(a) patients with a mental health principal diagnosis^(b) by age group and principal diagnosis, males, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	—	—	n.p.	n.p.	n.p.	25	372	403
Other organic psychotic conditions	n.p.	30	30	n.p.	27	32	102	252
Schizophrenic disorders	53	519	727	471	215	121	109	2,215
Affective disorders ^(c)	16	68	105	134	158	125	299	905
Other affective psychoses	n.p.	n.p.	31	33	40	44	74	242
Anxiety disorders ^(c)	n.p.	n.p.	14	12	102	19	n.p.	166
Paranoid states	—	n.p.	11	n.p.	n.p.	n.p.	24	62
Other psychoses	13	27	12	n.p.	n.p.	n.p.	n.p.	76
Other neurotic disorders	—	n.p.	n.p.	n.p.	—	n.p.	n.p.	19
Personality disorders ^(d)	—	10	22	14	—	n.p.	n.p.	56
Eating disorders	n.p.	n.p.	n.p.	n.p.	—	—	n.p.	11
Substance abuse	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	22
Substance dependence	—	14	35	32	25	18	11	135
Acute alcoholic intoxication	—	—	n.p.	n.p.	n.p.	n.p.	—	n.p.
Other drug dependence and abuse	—	n.p.	n.p.	n.p.	—	—	—	15
Acute reaction to stress	—	n.p.	n.p.	n.p.	n.p.	—	n.p.	n.p.
Adjustment reaction excluding PTSD	n.p.	n.p.	11	n.p.	n.p.	n.p.	11	53
Specific non-psychotic mental disorders ^(e)	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	36
Other non-psychotic mental conditions	19	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	31
Observation for suspected mental condition	—	—	n.p.	—	n.p.	—	—	n.p.
V codes associated with mental illness ^(d)	n.p.	—	—	—	—	—	—	n.p.
Total	131	731	1,027	771	605	413	1,038	4,716

(a) Separations with 36 patient days or greater.

(b) Separations with a mental health diagnosis as defined by Australian Hospital Statistics National Health Priority Areas (Chapter 7).

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V67.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published

— Nil

Table A3.5c: General care separations of long-stay^(a) patients with a mental health principal diagnosis^(b) by gender, age group and principal diagnosis, females, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	—	—	—	n.p.	n.p.	17	454	473
Other organic psychotic conditions	n.p.	—	n.p.	n.p.	n.p.	n.p.	314	333
Schizophrenic disorders	n.p.	19	22	24	19	18	45	152
Affective disorders ^(c)	n.p.	22	59	95	95	60	195	532
Other affective psychoses	—	n.p.	n.p.	20	19	16	73	139
Anxiety disorders ^(c)	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	30
Paranoid states	—	—	n.p.	n.p.	—	n.p.	11	15
Other psychoses	n.p.	n.p.	n.p.	n.p.	—	n.p.	10	18
Other neurotic disorders	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	10	34
Personality disorders ^(d)	—	n.p.	n.p.	n.p.	n.p.	—	n.p.	27
Eating disorders	85	33	16	10	n.p.	n.p.	—	148
Substance abuse	—	n.p.	n.p.	n.p.	—	n.p.	n.p.	11
Substance dependence	—	12	10	18	17	n.p.	n.p.	66
Acute alcoholic intoxication	—	—	n.p.	—	n.p.	—	—	n.p.
Other drug dependence and abuse	—	n.p.	n.p.	n.p.	—	—	—	n.p.
Physiological malfunction arising from mental factors	—	—	—	—	n.p.	—	—	n.p.
Special syndromes or syndromes not elsewhere classified	—	—	—	—	n.p.	n.p.	—	n.p.
Acute reaction to stress	n.p.	n.p.	n.p.	n.p.	—	—	n.p.	16
Adjustment reaction excluding PTSD	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	35
Specific non-psychotic mental disorders ^(e)	—	—	—	—	n.p.	n.p.	31	36
Other non-psychotic mental conditions	12	—	n.p.	—	—	—	n.p.	16
Total	128	110	150	209	181	140	1,176	2,094

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

n.p. Not published.

— Nil.

Table A3.5d: Specialised care separations of long-stay^(a) patients with a mental health principal diagnosis^(b) by age group and principal diagnosis, females, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	—	—	—	n.p.	n.p.	30	299	332
Other organic psychotic conditions	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	88	122
Schizophrenic disorders	35	148	322	307	252	140	230	1,434
Affective disorders ^(c)	40	89	206	293	296	209	731	1,864
Other affective psychoses	12	25	58	57	59	73	197	481
Anxiety disorders ^(c)	12	n.p.	13	28	21	n.p.	n.p.	90
Paranoid states	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	33	65
Other psychoses	n.p.	n.p.	12	11	n.p.	n.p.	14	59
Other neurotic disorders	n.p.	—	n.p.	20	11	n.p.	n.p.	59
Personality disorders ^(d)	n.p.	26	33	24	n.p.	n.p.	n.p.	111
Eating disorders	85	86	50	20	10	—	—	251
Substance abuse	—	n.p.	n.p.	n.p.	—	n.p.	n.p.	n.p.
Substance dependence	—	n.p.	16	22	n.p.	n.p.	n.p.	61
Acute alcoholic intoxication	—	—	—	n.p.	n.p.	—	n.p.	n.p.
Other drug dependence and abuse	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	21
Physiological malfunction arising from mental factors	—	—	—	—	—	n.p.	—	n.p.
Special syndromes or syndromes not elsewhere classified	n.p.	—	n.p.	—	—	—	—	n.p.
Acute reaction to stress	—	n.p.	n.p.	n.p.	—	—	n.p.	n.p.
Adjustment reaction excluding PTSD	n.p.	n.p.	15	15	n.p.	n.p.	10	61
Specific non-psychotic mental disorders ^(e)	—	—	n.p.	n.p.	n.p.	n.p.	n.p.	16
Other non-psychotic mental conditions	11	—	—	n.p.	n.p.	—	n.p.	15
Observation for suspected mental condition	—	—	—	—	—	—	n.p.	n.p.
Total	225	417	753	820	700	510	1,640	5,065

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

n.p. Not published.

— Nil.

Table A3.6a: Patient days of long-stay^(a) patients with a mental health principal diagnosis,^(b) by age group and principal diagnosis, males, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	735	—	76	539	450	15,683	93,935	111,418
Other organic psychotic conditions	830	2,060	5,465	11,237	52,761	39,468	66,490	178,311
Schizophrenic disorders	24,580	93,455	134,542	111,147	49,597	39,673	39,841	492,835
Affective disorders ^(c)	1,232	4,293	8,017	8,794	15,070	14,504	27,268	79,178
Other affective psychoses	125	2,825	2,073	3,524	11,900	10,975	10,399	41,821
Anxiety disorders ^(c)	327	480	832	691	6,145	1,201	821	10,497
Paranoid states	36	584	19,685	483	392	262	2,286	23,728
Other psychoses	1,223	2,377	5,448	3,078	815	306	1,114	14,361
Other neurotic disorders	98	311	205	238	—	137	380	1,369
Personality disorders ^(d)	60	927	1,737	1,370	139	278	1,691	6,202
Eating disorders	561	255	412	91	—	54	88	1,461
Substance abuse	44	214	285	347	331	94	150	1,465
Substance dependence	46	1,076	2,120	2,313	2,600	1,391	4,617	14,163
Acute alcoholic intoxication	—	—	41	82	219	190	38	570
Other drug dependence and abuse	55	346	467	120	—	—	—	988
Special syndromes or syndromes not elsewhere classified	91	—	—	—	—	—	42	133
Acute reaction to stress	—	48	55	249	41	—	55	448
Adjustment reaction excluding PTSD	881	353	597	551	312	201	1,070	3,965
Specific non-psychotic mental disorders ^(e)	406	633	2,196	2,761	1,003	1,875	2,358	11,232
Other non-psychotic mental conditions	19,674	15,699	4,200	55	167	435	353	40,583
Observation for suspected mental condition	—	—	39	—	48	—	—	87
V codes associated with mental illness ^(f)	103	—	40	—	42	—	—	185
Total	51,107	125,936	188,532	147,670	142,032	126,727	252,996	1,035,000

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

— Nil.

Table A3.6b: Patient days of long-stay^(a) patients with a mental health principal diagnosis,^(b) by age group and principal diagnosis, females, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	—	—	—	2,513	211	10,986	119,779	133,489
Other organic psychotic conditions	137	243	414	7,770	1,165	7,373	51,927	69,029
Schizophrenic disorders	2,398	14,034	49,131	57,869	43,921	30,458	55,677	253,488
Affective disorders ^(c)	2,559	6,045	14,009	20,816	21,444	24,594	61,109	150,576
Other affective psychoses	662	1,362	19,094	4,839	18,496	11,907	41,272	97,632
Anxiety disorders ^(c)	825	546	996	1,891	1,321	465	585	6,629
Paranoid states	180	176	1,774	472	573	496	3,002	6,673
Other psychoses	548	473	815	589	172	280	2,354	5,231
Other neurotic disorders	388	361	1,251	1,942	853	507	1,025	6,327
Personality disorders ^(d)	565	1,686	2,498	3,676	523	414	2,122	11,484
Eating disorders	11,030	8,038	4,353	1,869	872	45	—	26,207
Substance abuse	—	212	275	182	—	82	239	990
Substance dependence	—	840	1,222	2,104	1,195	1,357	3,033	9,751
Acute alcoholic intoxication	—	—	44	91	156	—	60	351
Other drug dependence and abuse	93	434	76	234	127	89	190	1,243
Physiological malfunction arising from mental factors	—	—	—	—	163	43	—	206
Special syndromes or syndromes not elsewhere classified	42	—	36	—	41	43	—	162
Acute reaction to stress	203	523	313	186	—	—	75	1,300
Adjustment reaction excluding PTSD	801	454	847	1,082	647	605	1,058	5,494
Specific non-psychotic mental disorders ^(e)	—	—	51	795	536	932	1,994	4,308
Other non-psychotic mental conditions	1,598	—	45	130	13,206	—	213	15,192
Observation for suspected mental condition	—	—	—	—	—	—	55	55
Total	22,029	35,427	97,244	109,050	105,622	90,676	345,769	805,817

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

— Nil.

Table A3.7: Total psychiatric care days of long-stay patients ^(a) with a mental health diagnosis ^(b) by sex, age group and principal diagnosis, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
	Males							
Senile and presenile organic conditions	—	—	76	426	450	15,051	53,132	69,135
Other organic psychotic conditions	579	2,022	4,891	11,022	51,382	35,679	37,880	143,455
Schizophrenic disorders	24,370	90,298	130,271	109,656	48,873	38,948	36,086	478,502
Affective disorders ^(c)	845	4,057	6,588	7,569	13,102	13,282	21,050	66,493
Other affective psychoses	125	1,322	1,835	3,186	11,577	10,798	8,461	37,304
Anxiety disorders ^(c)	276	428	752	574	5,528	952	541	9,051
Paranoid states	—	355	19,685	483	373	221	1,585	22,702
Other psychoses	766	2,175	5,355	1,005	774	306	259	10,640
Other neurotic disorders	—	309	163	202	—	97	180	951
Personality disorders ^(d)	—	842	1,413	1,283	—	229	709	4,476
Sexual deviations and disorders	—	36	41	46	—	—	—	123
Substance abuse	44	122	164	305	331	55	80	1,101
Substance dependence	—	699	1,653	1,802	1,390	1,120	2,992	9,656
Acute alcoholic intoxication	—	—	41	82	137	189	—	449
Other drug dependence and abuse	—	229	467	120	—	—	—	816
Special syndromes or syndromes not elsewhere classified	270	255	78	91	—	—	47	741
Acute reaction to stress	—	48	55	43	41	—	55	242
Adjustment reaction excluding PTSD	397	353	540	551	221	201	935	3,198
Specific non-psychotic mental disorders ^(e)	50	633	2,196	2,759	967	1,833	818	9,256
Other non-psychotic mental conditions	18,766	15,699	4,087	55	47	66	184	38,904
Observation for suspected mental condition	—	—	39	—	48	—	—	87
V codes associated with mental illness ^(f)	103	—	—	—	—	—	—	103
Total males	46,591	119,882	180,390	141,260	135,241	119,027	164,994	907,385

(continued)

Table A3.7 (continued): Total psychiatric care days of long-stay patients^(a) with a mental health diagnosis^(b) by sex, age group and principal diagnosis, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
	Females							
Senile and presenile organic conditions	—	—	—	2,465	172	7,127	34,950	44,714
Other organic psychotic conditions	59	225	210	7,266	495	6,539	13,972	28,766
Schizophrenic disorders	2,152	12,837	47,757	55,849	42,637	29,617	50,641	241,490
Affective disorders ^(c)	2,157	4,881	10,834	15,745	15,971	21,487	48,884	119,959
Other affective psychoses	662	1,264	18,528	3,807	17,390	11,035	33,640	86,326
Anxiety disorders ^(c)	606	488	718	1,354	995	416	245	4,822
Paranoid states	180	175	1,690	401	573	390	2,286	5,695
Other psychoses	493	433	725	491	155	153	751	3,201
Other neurotic disorders	241	—	706	1,667	603	342	522	4,081
Personality disorders ^(d)	565	1,611	2,135	3,328	396	407	1,585	10,027
Sexual deviations and disorders	—	—	—	—	49	—	—	49
Substance abuse	—	47	219	101	—	42	77	486
Substance dependence	—	328	717	1,191	420	1,002	2,563	6,221
Acute alcoholic intoxication	—	—	—	80	41	—	60	181
Other drug dependence and abuse	73	292	40	191	127	89	190	1,002
Special syndromes or syndromes not elsewhere classified	—	—	—	—	—	43	—	43
Acute reaction to stress	5,832	5,668	3,117	1,295	683	—	—	16,595
Adjustment reaction excluding PTSD	—	211	87	37	—	—	38	373
Specific non-psychotic mental disorders ^(e)	126	337	716	786	430	395	596	3,386
Other non-psychotic mental conditions	—	—	51	795	490	574	432	2,342
Observation for suspected mental condition	687	—	—	130	13,206	—	83	14,106
V codes associated with mental illness ^(f)	—	—	—	—	—	—	55	55
Total females	13,833	28,797	88,250	96,979	94,833	79,658	191,570	593,920

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

— Nil.

Table A3.8a: Average length of stay for long-stay^(a) overnight separations with a mental health principal diagnosis^(b) by principal diagnosis, public acute hospitals, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT	Total
Senile and presenile organic conditions	217.2	73.5	161.4	120.9	67.7	93.9	74.8	66.0	138.6
Other organic psychotic conditions	159.1	71.7	159.9	99.8	73.0	55.6	38.0	72.3	116.2
Schizophrenic disorders	78.0	91.5	61.8	75.7	49.1	48.3	57.1	59.3	77.9
Affective disorders ^(d)	59.8	57.5	52.9	60.9	55.9	57.4	55.5	46.6	57.6
Other affective psychoses	99.1	69.2	55.6	62.7	52.6	46.9	47.1	—	73.1
Anxiety disorders ^(d)	45.1	51.2	52.8	62.4	50.6	—	—	—	51.6
Paranoid states	63.7	69.1	53.1	55.8	50.5	55.0	—	—	62.3
Other psychoses	140.9	54.3	57.7	93.1	61.7	—	39.0	—	93.8
Other neurotic disorders	67.9	50.9	51.6	48.7	39.0	—	—	—	60.7
Personality disorders ^(e)	78.8	65.6	97.9	53.8	57.0	—	39.7	41.0	69.6
Eating disorders	73.7	57.9	66.4	52.5	79.0	111.0	64.3	—	67.7
Substance abuse	74.5	70.0	—	49.0	73.0	—	—	—	68.2
Substance dependence	80.4	41.9	312.0	56.0	45.0	51.0	40.0	—	89.0
Acute alcoholic intoxication	41.0	—	—	—	—	—	—	—	41.0
Other drug dependence and abuse	—	—	65.0	55.0	—	—	—	—	60.0
Physiological malfunction arising from mental factors	49.0	—	—	—	—	—	—	—	49.0
Special syndromes or syndromes not elsewhere classified	36.0	—	—	49.0	—	—	—	—	42.5
Acute reaction to stress	48.0	65.5	81.0	70.0	—	—	—	—	71.0
Adjustment reaction excluding PTSD	63.1	51.3	48.2	67.7	41.0	—	—	36.0	59.2
Specific non-psychotic mental disorders ^(f)	49.8	96.8	104.9	45.3	55.3	—	420.0	120.0	89.6
Other non-psychotic mental conditions	61.9	61.1	111.2	64.4	—	—	—	55.0	66.7
V codes associated with mental illness ^(g)	40.0	42.0	—	—	—	—	—	—	41.0
Total	102.8	75.5	82.3	78.8	58.1	61.3	58.9	60.0	84.0

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

(g) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

— Nil.

Table A3.8b: Median length of stay for long-stay^(a) overnight separations with a mental health principal diagnosis^(b) by principal diagnosis, private hospitals, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT	Total
Senile and presenile organic conditions	56.9	163.7	195.3	74.3	43.9	41.0	—	n.a.	148.8
Other organic psychotic conditions	57.1	71.2	59.5	52.7	53.2	46.0	—	n.a.	60.1
Schizophrenic disorders	60.3	52.3	80.5	51.5	49.9	56.0	—	n.a.	62.7
Affective disorders ^(d)	56.0	53.3	61.2	63.1	49.8	44.6	42.3	n.a.	55.9
Other affective psychoses	55.5	63.6	55.7	64.5	54.0	38.0	—	n.a.	58.2
Anxiety disorders ^(d)	51.4	49.9	55.8	58.1	49.1	44.3	—	n.a.	53.1
Paranoid states	48.5	42.3	61.3	—	43.3	—	—	n.a.	52.8
Other psychoses	46.5	43.0	54.1	55.0	49.5	—	—	n.a.	51.2
Other neurotic disorders	58.1	49.4	65.9	66.0	46.0	—	82.0	n.a.	59.6
Personality disorders ^(e)	51.7	57.8	83.8	51.7	60.0	—	—	n.a.	57.1
Eating disorders	71.2	64.3	59.6	48.3	50.1	—	43.0	n.a.	64.6
Substance abuse	50.3	45.8	47.0	39.0	—	—	—	n.a.	47.2
Substance dependence	48.5	42.3	90.7	43.7	51.8	—	—	n.a.	62.9
Acute alcoholic intoxication	47.0	39.6	64.5	—	—	—	—	n.a.	45.5
Other drug dependence and abuse	40.9	44.8	55.0	—	43.0	—	—	n.a.	44.4
Physiological malfunction arising from mental factors	43.0	—	—	—	—	114.0	—	n.a.	78.5
Special syndromes or syndromes not elsewhere classified	—	41.0	—	42.5	42.0	—	—	n.a.	42.0
Acute reaction to stress	47.5	54.0	85.0	48.0	48.6	44.0	—	n.a.	51.4
Adjustment reaction excluding PTSD	45.2	91.4	56.3	53.1	62.0	53.0	—	n.a.	54.7
Specific non-psychotic mental disorders ^(f)	—	70.3	58.3	—	45.5	—	—	n.a.	59.6
Other non-psychotic mental conditions	139.7	48.0	40.0	50.5	—	—	47.0	n.a.	78.1
Total	56.3	63.3	71.9	59.8	50.2	46.9	47.3	n.a.	61.7

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

n.a. Not available

— Nil

Table A3.8c: Average length of stay for long-stay^(a) overnight separations with a mental health principal diagnosis^(b) by principal diagnosis, public psychiatric hospitals, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA^(c)	SA	Tas	ACT	NT	Total
Senile and presenile organic conditions	316.2	53.7	318.8	141.8	168.6	41.0	198.8
Other organic psychotic conditions	997.0	53.5	1555.2	197.9	490.7	—	861.3
Schizophrenic disorders	453.9	169.4	841.2	149.6	115.7	511.0	374.5
Affective disorders ^(d)	98.3	64.6	316.7	86.6	80.6	48.3	114.1
Other affective psychoses	420.8	56.9	1626.0	264.3	71.3	162.0	442.9
Anxiety disorders ^(d)	130.8	—	64.5	99.0	—	—	95.0
Paranoid states	184.8	71.0	2464.4	69.7	76.0	48.0	470.9
Other psychoses	493.6	311.0	133.9	52.8	53.0	—	203.8
Other neurotic disorders	167.7	—	54.0	66.5	—	265.0	120.9
Personality disorders ^(e)	153.8	43.7	146.4	90.9	62.8	37.0	113.9
Eating disorders	50.8	—	48.0	—	—	—	50.2
Substance abuse	46.8	57.0	—	56.7	—	—	51.2
Substance dependence	54.5	—	303.8	61.0	—	1545.0	76.6
Total	339.6	126.2	879.5	144.2	133.5	383.6	324.6

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

(g) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

.. Not applicable.

— Nil.

Table A3.8d: Median length of stay for long-stay^(a) overnight separations with a mental health principal diagnosis^(b) by principal diagnosis, public acute hospitals, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT	Total
Senile and presenile organic conditions	65.5	51.0	65.5	57.5	49.0	69.0	57.5	70.0	58.0
Other organic psychotic conditions	58.0	53.0	63.0	55.5	48.0	55.0	38.0	49.5	56.0
Schizophrenic disorders	54.0	54.0	49.0	54.0	44.0	45.0	52.0	56.5	52.0
Affective disorders ^(d)	51.0	49.0	47.0	50.0	49.0	49.0	47.0	43.0	49.0
Other affective psychoses	53.0	53.0	47.0	45.0	44.5	46.0	41.0	—	50.0
Anxiety disorders ^(d)	43.5	46.5	45.0	60.0	46.0	—	—	—	46.0
Paranoid states	50.0	58.0	47.5	57.5	50.5	55.0	—	—	53.0
Other psychoses	54.0	47.0	46.5	49.0	65.0	—	39.0	—	51.0
Other neurotic disorders	47.0	47.5	52.0	44.0	38.0	—	—	—	47.0
Personality disorders ^(e)	50.0	45.5	49.0	50.0	57.0	—	39.0	36.0	46.0
Eating disorders	65.0	53.0	53.0	48.0	54.0	65.0	64.5	—	54.5
Substance abuse	74.5	70.0	—	49.0	73.0	—	—	—	70.0
Substance dependence	46.5	42.0	60.5	60.0	47.0	51.0	40.0	—	44.5
Acute alcoholic intoxication	41.0	—	—	—	—	—	—	—	41.0
Other drug dependence and abuse	—	—	65.0	55.0	—	—	—	—	60.0
Physiological malfunction arising from mental factors	49.0	—	—	—	—	—	—	—	49.0
Special syndromes or syndromes not elsewhere classified	36.0	—	—	49.0	—	—	—	—	42.5
Acute reaction to stress	48.0	65.5	40.5	61.5	—	—	—	—	51.0
Adjustment reaction excluding PTSD	54.5	48.0	44.0	59.0	41.0	—	—	36.0	48.0
Specific non-psychotic mental disorders ^(f)	51.0	46.0	61.0	47.0	46.0	—	420.0	120.0	49.0
Other non-psychotic mental conditions	48.0	50.5	43.0	64.5	—	—	—	55.0	55.0
V codes associated with mental illness ^(g)	40.0	42.0	—	—	—	—	—	—	41.0
Total	55.0	51.0	50.0	53.0	47.0	47.0	48.0	51.0	52.0

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

(g) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

— Nil.

Table A3.8e: Median length of stay for long-stay^(a) overnight separations with a mental health principal diagnosis^(b) by principal diagnosis, private hospitals, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT	Total
Senile and presenile organic conditions	44.0	59.0	61.0	70.0	40.0	41.0	—	n.a.	54.0
Other organic psychotic conditions	43.0	50.5	49.5	45.0	51.0	46.0	—	n.a.	48.0
Schizophrenic disorders	50.0	46.5	51.0	49.0	45.0	56.0	—	n.a.	48.0
Affective disorders ^(d)	50.0	46.0	50.0	53.0	45.0	41.0	38.5	n.a.	48.0
Other affective psychoses	44.5	46.0	48.0	44.0	45.0	38.0	—	n.a.	45.0
Anxiety disorders ^(d)	44.0	43.0	49.0	47.0	44.0	45.0	—	n.a.	46.0
Paranoid states	48.5	42.0	61.0	—	42.0	—	—	n.a.	46.0
Other psychoses	46.5	39.0	48.5	55.0	49.5	—	—	n.a.	45.0
Other neurotic disorders	55.0	42.0	59.0	67.0	46.0	—	82.0	n.a.	53.0
Personality disorders ^(e)	44.0	53.0	68.5	48.0	60.5	—	—	n.a.	50.0
Eating disorders	63.5	62.0	56.5	47.0	45.0	—	43.0	n.a.	58.0
Substance abuse	42.0	39.5	43.0	39.0	—	—	—	n.a.	42.0
Substance dependence	42.0	40.0	45.0	46.0	41.0	—	—	n.a.	42.0
Acute alcoholic intoxication	45.5	39.0	64.5	—	—	—	—	n.a.	42.0
Other drug dependence and abuse	38.0	42.0	46.0	—	43.0	—	—	n.a.	40.0
Physiological malfunction arising from mental factors	43.0	—	—	—	—	114.0	—	n.a.	78.5
Special syndromes or syndromes not elsewhere classified	—	41.0	—	42.5	42.0	—	—	n.a.	42.0
Acute reaction to stress	47.5	54.0	85.0	48.0	46.0	44.0	—	n.a.	47.0
Adjustment reaction excluding PTSD	42.0	57.0	49.0	55.0	51.0	53.0	—	n.a.	48.0
Specific nonpsychotic mental disorders ^(f)	—	52.0	57.0	—	45.5	—	—	n.a.	52.5
Other non-psychotic mental conditions	151.0	48.0	40.0	50.5	—	—	47.0	n.a.	48.0
Total	48.0	48.0	49.0	49.0	45.0	41.0	43.0	n.a.	48.0

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

n.a. Not available.

— Nil.

TableA3.8f: Median length of stay for long-stay ^(a) overnight separations with a mental health principal diagnosis ^(b) by principal diagnosis, public psychiatric hospitals, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT	Total
Senile and presenile organic conditions	105.0	44.0	88.5	81.5	70.0	41.0	82.5
Other organic psychotic conditions	231.5	53.5	386.0	59.0	60.0	—	91.0
Schizophrenic disorders	63.0	61.0	122.5	65.0	59.5	60.0	67.0
Affective disorders ^(d)	51.0	49.5	54.5	55.5	50.0	48.0	52.0
Other affective psychoses	64.5	42.5	241.5	76.5	55.0	56.0	71.5
Anxiety disorders ^(d)	67.0	—	49.0	99.0	—	—	59.0
Paranoid states	42.0	71.0	64.0	51.5	69.0	48.0	56.0
Other psychoses	49.5	311.0	109.5	48.0	47.5	—	51.5
Other neurotic disorders	82.0	—	54.0	63.0	—	265.0	70.0
Personality disorders ^(e)	61.0	44.0	63.5	54.5	50.0	37.0	54.0
Eating disorders	44.0	—	48.0	—	—	—	47.0
Substance abuse	41.0	57.0	—	47.0	—	—	47.0
Substance dependence	42.0	—	248.0	61.0	—	1545.0	42.5
Acute alcoholic intoxication	46.0	—	—	—	60.0	—	51.0
Other drug dependence and abuse	42.0	—	—	51.0	—	132.0	46.5
Special syndromes or syndromes not elsewhere classified	42.0	—	—	—	—	—	42.0
Acute reaction to stress	55.0	50.0	—	—	—	—	52.5
Adjustment reaction excluding PTSD	53.0	41.0	61.0	55.0	70.5	38.5	53.0
Specific non-psychotic mental disorders ^(f)	125.0	59.0	217.0	89.0	163.0	—	118.0
Other non-psychotic mental conditions	1573.0	—	103.5	—	—	—	110.0
Observation for suspected mental condition	—	—	43.5	55.0	—	—	48.0
V codes associated with mental illness ^(g)	—	—	—	—	—	103.0	103.0
Total	56.0	52.0	104.0	65.0	58.0	56.0	62.0

(a) Separations with 36 patient days or greater.

(b) See classification inclusions list in Appendix 1.

(c) WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

(g) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

.. Not applicable.

— Nil.