AGED CARE STATISTICS SERIES Number 18

Residential aged care in Australia 2002–03

A statistical overview

Australian Institute of Health and Welfare Canberra

AIHW cat. no. AGE 38

© Australian Institute of Health and Welfare 2004

This work is copyright. Apart from any use as permitted under the Copyright Act 1968, no part may be reproduced without written permission from the Australian Institute of Health and Welfare. Requests and enquiries concerning reproduction and rights should be directed to the Head, Media and Publishing Unit, Australian Institute of Health of Welfare, GPO Box 570, Canberra ACT 2601.

This publication is part of the Australian Institute of Health and Welfare's Aged Care Statistics Series. A complete list of the Institute's publications is available from the Media and Publishing Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601, or via the Institute's web-site at http://www.aihw.gov.au

ISSN 1329-5705 ISBN 74024 384 6

Suggested citation

Australian Institute of Health and Welfare (AIHW) 2004. Residential aged care in Australia 2002–03: a statistical overview. AIHW cat. no. AGE 38. Canberra: AIHW (Aged Care Statistics Series no. 18).

Australian Institute of Health and Welfare

Board Chair Dr Sandra Hacker

Director
Dr Richard Madden

Any enquiries about or comments on this publication should be directed to:

Ageing and Aged Care Unit Australian Institute of Health and Welfare GPO Box 570 Canberra ACT 2601

Phone: (02) 6244 1000

Email: agedcare@aihw.gov.au

Published by the Australian Institute of Health and Welfare Printed by Elect Printing

Contents

| List of figu | res and tables | iii |
|--------------|---|-----|
| Preface | | ix |
| Acknowled | lgments | x |
| Abbreviation | ons | x |
| Main featu | res | 1 |
| The data ar | nd their limitations | 13 |
| Section 1 | Population and residential aged care service capacity | 17 |
| Section 2 | Residents and their characteristics | 27 |
| Section 3 | Admissions and separations | 51 |
| Section 4 | Characteristics of newly admitted residents | 65 |
| Section 5 | Resident dependency | 75 |
| Glossary | | 86 |
| References | | 90 |

List of figures and tables

| Figure 1: | Number of new aged care places and Community Aged Care Packages allocated to approved providers since the previous reporting date | 3 |
|------------|--|------------|
| Table 1: | Number of operational residential aged care places and Community Aged Care Packages and the provision ratio per 1,000 persons aged 70 years and over, 30 June 1995 to 30 June 2003 | |
| Table 2: | Dependency levels of permanent residents in residential aged care services, 30 June 1998 to 30 June 2003 (per cent) | 6 |
| Table 3: | Admissions and turnover, by type of care in residential aged care services, 1999–2003 | |
| Table 1.1: | Population, age by sex and state/territory, 30 June 2003 | 18 |
| Table 1.2: | Population, age by sex and remoteness, 30 June 2003 | 19 |
| Table 1.3: | Residential aged care places and Community Aged Care Packages, state/territory by remoteness, 30 June 2003 | 20 |
| Table 1.4: | Residential aged care places and Community Aged Care Packages per 1,000 persons aged 70 years and over, state/territory by remoteness, 30 June 2003 | 21 |
| Table 1.5: | Services, state/territory by remoteness, 30 June 2003 | 22 |
| Table 1.6: | Services, size by state/territory, 30 June 2003 | 22 |
| Table 1.7: | Services, size by remoteness, 30 June 2003 | 2 3 |
| Table 1.8: | Occupied place-days, type of care by state/territory and remoteness, 1 July 2002 to 30 June 2003 | 24 |
| Table 1.9: | Average occupancy rate, state/territory by remoteness, 1 July 2002 to 30 June 2003 | 2 <i>6</i> |
| Table 2.1: | All residents, age by sex and state/territory, 30 June 2003 | 28 |
| Table 2.2: | Permanent residents, age by sex and state/territory, 30 June 2003 | 29 |
| Table 2.3: | Respite residents, age by sex and state/territory, 30 June 2003 | 30 |
| Table 2.4: | Permanent residents, marital status by sex and state/territory, 30 June 2003 | 31 |

| Table 2.5: | Respite residents, marital status by sex and state/territory, 30 June 2003 | 32 |
|-------------|---|----|
| Table 2.6: | Permanent residents, Indigenous status by sex and state/territory, 30 June 2003 | 33 |
| Table 2.7: | Respite residents, Indigenous status by sex and state/territory, 30 June 2003 | 34 |
| Table 2.8: | Permanent residents, pension status by sex and state/territory, 30 June 2003 | 35 |
| Table 2.9: | Permanent residents, birthplace by sex and state/territory, 30 June 2003 | 36 |
| Table 2.10: | Respite residents, birthplace by sex and state/territory, 30 June 2003 | 38 |
| Table 2.11: | Permanent residents, preferred language by sex and state/territory, 30 June 2003 | 40 |
| Table 2.12: | Respite residents, preferred language by sex and state/territory, 30 June 2003 | 42 |
| Table 2.13: | All residents, age by sex and remoteness, 30 June 2003 | 44 |
| Table 2.14: | Permanent residents, length of stay to date by sex and state/territory, 30 June 2003 | 45 |
| Table 2.15: | Permanent residents, length of stay to date by sex and remoteness, 30 June 2003 | 47 |
| Table 2.16: | Age- and sex-specific usage rates for permanent residents, by English-speaking status, based on country of birth, 30 June 2003 (per 1,000 population) | 49 |
| Table 2.17: | Age- and sex-specific usage rates for permanent residents, by Indigenous status, 30 June 2003 (per 1,000 population) | 49 |
| Table 2.18: | Residency trends in residential aged care, 30 June 2003 | 50 |
| Table 3.1: | All admissions, age at admission by sex and state/territory, 1 July 2002 to 30 June 2003 | 52 |
| Table 3.2: | Permanent admissions, age at admission by sex and state/territory, 1 July 2002 to 30 June 2003 | 53 |
| Table 3.3: | Respite admissions, age at admission by sex and state/territory, 1 July 2002 to 30 June 2003 | 54 |
| Table 3.4: | All separations, separation mode by sex and state/territory, 1 July 2002 to 30 June 2003 | 55 |
| | | |

| Table 3.5: | Separations of permanent residents, separation mode by sex and state/territory, 1 July 2002 to 30 June 2003 | 56 |
|-------------|--|----|
| Table 3.6: | Separations of respite residents, separation mode by sex and state/territory, 1 July 2002 to 30 June 2003 | 57 |
| Table 3.7: | Separations of permanent residents, length of stay by sex and state/territory, 1 July 2002 to 30 June 2003 | 58 |
| Table 3.8: | Separations of permanent residents, length of stay by separation mode, 1 July 2002 to 30 June 2003 | 60 |
| Table 3.9: | Average length of stay (weeks) separations of permanent residents, state/territory by sex and remoteness, 1 July 2002 to 30 June 2003 | 61 |
| Table 3.10: | Average length of stay (weeks) separations of respite residents, state/territory by sex and remoteness, 1 July 2002 to 30 June 2003 | 62 |
| Table 3.11: | Movement trends in residential aged care, 1998-99 to 2002-03 | 63 |
| Table 3.12: | Residents, age at admission, per cent aged 80 years and over, 1998–1999 to 2002–03 | 63 |
| Table 4.1: | People admitted to residential aged care services for permanent care, marital status by sex and state/territory, 1 July 2002 to 30 June 2003 | 66 |
| Table 4.2: | People admitted to residential aged care services for respite care, marital status by sex and state/territory, 1 July 2002 to 30 June 2003 | 67 |
| Table 4.3: | People admitted to residential aged care services for permanent care, usual housing status by sex and state/territory, 1 July 2002 to 30 June 2003 | 68 |
| Table 4.4: | People admitted to residential aged care services for respite care, usual housing status by sex and state/territory, 1 July 2002 to 30 June 2003 | 69 |
| Table 4.5: | People admitted to residential aged care services for permanent care, prior living arrangement by sex and state/territory, 1 July 2002 to 30 June 2003 | 70 |
| Table 4.6: | People admitted to residential aged care services for respite care, prior living arrangement by sex and state/territory, 1 July 2002 to 30 June 2003 | 72 |
| Table 4.7: | People admitted to residential aged care services for permanent care, pension status by sex and state/territory, 1 July 2002 to 30 June 2003 | 74 |
| Table 5.1: | Permanent residents, level of dependency by sex and state/territory, 30 June 2003 | 76 |
| Table 5.2: | Permanent residents, age by sex and level of dependency, 30 June 2003 | 78 |

| Table 5.3: | People admitted to residential aged care services for permanent care, level of dependency by sex and state/territory, 1 July 2002 to 30 June 2003 | 79 |
|------------|--|----|
| Table 5.4: | People admitted to residential aged care services for permanent care, age at admission by sex and level of dependency, 1 July 2002 to 30 June 2003 | 81 |
| Table 5.5: | Separated permanent residents, separation mode by sex and level of dependency at separation, 1 July 2002 to 30 June 2003 | 82 |
| Table 5.6: | Separated permanent residents, length of stay by sex and level of dependency at separation, 1 July 2002 to 30 June 2003 | 83 |



Preface

This report presents statistics on the Australian residential aged care system over the period 1 July 2002 to 30 June 2003. It is the sixth such report in the Aged Care Statistics Series produced by the Ageing and Aged Care Unit of the Australian Institute of Health and Welfare, under an agreement with the Australian Department of Health and Ageing.

The statistics presented in this report were derived from information held on the Commonwealth System for the Payment of Aged Residential Care and from supplementary data provided by the Australian Department of Health and Ageing.

The information in this publication is presented in the following sections:

- Population and residential aged care service capacity;
- Residents and their characteristics;
- Admissions and separations;
- Characteristics of newly admitted residents; and
- Resident dependency.

Prior to 1 October 1997, data on residential aged care had been published by the then Australian Department of Health and Family Services in two report series — *Nursing Homes for the Aged: A Statistical Overview* and *Hostels for the Aged: A Statistical Overview*. From 1997, the Aged Care Statistics Series replaced those earlier publications, providing access to annual data on both nursing homes and hostels. The first publication in the series, entitled *Nursing Homes in Australia* 1995–96, was released in December 1997, followed by *Hostels in Australia* 1995–96, *Nursing Homes in Australia* 1996–97 and *Hostels in Australia* 1996–97 which were released in 1998. A supplementary report providing additional time-series data, *Nursing Homes in Australia* 1992–93, 1993–94 and 1994–95, was also released (in electronic format only) on the Internet early in 1998. Under a series of reforms to the structure of aged care services, nursing homes and hostels were amalgamated into one system from 1 October 1997. Beginning with the 1997–98 financial year, the Aged Care Statistics Series presented a single volume on residential aged care facilities or services rather than two annual reports (one on hostels, the other on nursing homes).

Acknowledgments

The report was compiled by Peter Braun. Contributions from a number of colleagues are gratefully acknowledged.

Technical support and advice from within the Australian Institute of Health and Welfare was given by Rod Hall and Michael Paxton of the Data and Information Technology Unit.

Richard Madden, Diane Gibson, Ann Peut and Jennifer Blakeslee of the Australian Institute of Health and Welfare provided critical comments and other valuable assistance with the compilation of the report.

Thanks are due to colleagues in the Ageing and Aged Care Division of the Australian Department of Health and Ageing for supplying the data behind this report, for supplying tables not easily calculated at the Institute and for making critical and helpful comments on early drafts. Particular thanks are due to Terry Owen, David Martin, Sean Ackland and Malcolm Blake.

Ainsley Morrissey arranged publication of the report.

Abbreviations

ABS Australian Bureau of Statistics
ACAT Aged Care Assessment Team

ACCMIS Aged and Community Care Management Information System

AIHW Australian Institute of Health and Welfare
ARIA Accessibility/Remoteness Index of Australia

CACP Community Aged Care Package

CHIPS Commonwealth Hostel Information Payment System (the previous

payment system for hostels)

DoHA Department of Health and Ageing (Australian Government)
DVA Department of Veterans' Affairs (Australian Government)

EACH Extended Aged Care at Home

FaCS Department of Family and Community Services (Australian

Government)

NHPS Nursing Home Payment System (the previous payment system for

nursing homes)

PCAI Personal Care Assessment Instrument
RCI Resident Classification Instrument

RCS Resident Classification Scale

System for the Payment of Aged Residential Care (the current payment system for residential care) SPARC

Main features

Operational places and packages

Residential aged care provision increased in absolute terms from 146,268 places at 30 June 2002 to 151,181 places at 30 June 2003 (Table 1). At the same time the provision of Community Aged Care Packages increased from 26,425 at 30 June 2002 to 27,881 at 30 June 2003. Community Aged Care Packages are designed to provide care services to those living at home who would otherwise be eligible for low-level residential care. These places and packages were delivered by mainstream services, Multi-Purpose Services and services receiving flexible funding under the Aboriginal and Torres Strait Islander Aged Care Strategy.

As at 30 June 2003, there were 2,927 mainstream residential aged care services in Australia providing a total of 149,232 places. In addition, 27,600 Community Aged Care Packages (CACPs) were provided by mainstream services.

Also at 30 June 2003, there were 90 Multi-Purpose Services providing 1,643 residential care places and 167 packages, and 26 services receiving flexible funding under the Aboriginal and Torres Strait Islander Aged Care Strategy providing 306 residential care places and 114 packages. At 30 June 2002, the comparable figures were 1,273 residential care places and 119 packages for Multi-Purpose Services, and 300 residential care places and 111 packages for services receiving flexible funding under the Aboriginal and Torres Strait Islander Aged Care Strategy.

Because aged care places and Community Aged Care Packages are intrinsically linked, they are usually combined to present an indication of the provision of aged care against the planning ratio. The planning ratio target for the current reporting year is 100 places and packages per 1,000 persons aged 70 years and over. The provision ratio declined in the late 1980s and early 1990s but stabilised in the mid-1990s at around 93–94 places and packages per 1,000 persons aged 70 years and over (AIHW 1995:381–2; AIHW 1997:384–5). Recently the ratio has risen as a consequence of new aged care places and packages being made available (see Table 1 and Figure 1).

Taking into account all places and packages, the combined ratio of residential aged care places and Community Aged Care Packages per 1,000 persons aged 70 years and over increased from 96.4 at 30 June 2002 to 98.1 at 30 June 2003. These changes result from an increase in Community Aged Care Packages from a provision ratio of 14.7 at 30 June 2002 to 15.3 at 30 June 2003, and an increase in the residential aged care ratio from 81.6 at 30 June 2002 to 82.8 at 30 June 2003.

The provision of aged care places and packages by remoteness within states and territories is presented in Tables 1.3 and 1.4.

Table 1: Number of operational residential aged care places and Community Aged Care Packages and the provision ratio per 1,000 persons aged 70 years and over (a), 30 June 1995 to 30 June 2003

| Year | Residential places | Community Aged Care Packages | Total | Places per 1,000 persons aged 70 years and over | Packages per 1,000 persons aged 70 years and over | Ratio per 1,000 persons aged 70 years and over ^(a) |
|------|--------------------|---------------------------------|---------|---|---|---|
| 1995 | 134,810 | 2,542 | 137,352 | 92.2 | 1.7 | 93.9 |
| 1996 | 136,851 | 4,431 | 141,282 | 90.6 | 2.9 | 93.5 |
| 1997 | 139,058 | 6,124 | 145,182 | 89.2 | 3.9 | 93.1 |
| 1998 | 139,917 | 10,046 | 149,963 | 87.1 | 6.3 | 93.3 |
| 1999 | 141,697 | 13,896 | 155,593 | 85.6 | 8.4 | 94.0 |
| 2000 | 142,342 | 18,308 | 160,650 | 83.6 | 10.8 | 94.4 |
| 2001 | 144,013 | 24,629 | 168,642 | 82.2 | 14.0 | 96.2 |
| 2002 | 146,268 | 26,425 | 172,693 | 81.6 | 14.7 | 96.4 |
| 2003 | 151,181 | 27,881 | 179,062 | 82.8 | 15.3 | 98.1 |

⁽a) The ratios are based on Australian Bureau of Statistics (ABS) population estimates released in January 2004, cat. no. 3101.0, and are recalculated back to 1997.

Notes

Because of the flexible nature of the services provided by Multi-Purpose Services and services receiving flexible funding under the Aboriginal and Torres Strait Islander Aged Care Strategy, only limited data are available on these services. Consequently, the remainder of this report presents data on residents of mainstream services only.

Allocated places and packages to approved providers

Given the time lags between residential places and Community Aged Care Packages being approved and allocated and then becoming operational, consideration of operational places and packages alone does not give the complete picture of aged care activity. There are a significant number of new residential places and Community Aged Care Packages allocated to approved providers from recent aged care approvals rounds. In the February 2004 round an additional 2,105 high care residential places, and 3,784 low care residential aged care places have been allocated to approved providers (Figure 1). The allocation of high care places has continued at a similar level as occurred during the previous two rounds. A similar number of Community Aged Care Packages was allocated as in the previous round. The ratio of allocated Community Aged Care Packages to residential aged care places has been much lower in the past three allocation rounds than has been the case in the preceding period.

Further statistics about Community Aged Care Packages will be published as a separate report in this series (AIHW 2004b forthcoming). More detailed information about Community Aged Care Package care recipients and the type of assistance they receive was published recently (AIHW 2004a).

The remainder of this report is concerned with residential aged care only.

From 1999, the data in this table include places and packages provided by Multi-Purpose Services and flexible funding under the Aboriginal and Torres Strait Islander Aged Care Strategy. In 1999 there were a total of 143.5 packages and 1,046.5 places.

^{2.} The ratios for 2003 differ from those published by the Australian Department of Health and Ageing which used small area projections based on the 1996 census for reporting purposes in 2003.




Figure 1: Number of new aged care places and Community Aged Care Packages allocated to approved providers since the previous reporting date

Residents and their characteristics¹

There were 142,846 residents in residential aged care services on 30 June 2003, compared with 138,929 residents in aged care services on 30 June 2002 and 134,899 residents at 30 June 1999 (Tables 2.1 and 2.18). Around half (51%) the residents in aged care services at 30 June 2003 were aged 85 years and over. In 1999, 48.6% were aged 85 years and over (Table 2.18). This pattern was very similar across the states and territories, with the exception of the Northern Territory where just 25% of residents were aged 85 years and over. Residents of services in very remote areas also tended to have a younger age profile, with 31% aged 85 years and over (Table 2.13).

Nationally, there were 6,208 residents aged under 65 years accommodated in aged care services, comprising 4% of all residents. For the Northern Territory, however, the proportion of residents aged under 65 years was considerably higher at 22% (Table 2.1). A higher proportion in the Northern Territory is to be expected given the higher proportion of Indigenous Australians in the Northern Territory. Aged care planning for Aboriginal and Torres Strait Islander people is based on those 50 years and over in light of their poorer health status. In very remote areas, 18% of residents were under 65 years of age (Table 2.13).

The majority of residents (72%) were female (Table 2.1). Female residents were on average older than male residents: 56% of female residents were 85 years of age or older, compared with 37% of male residents (Table 2.1).

1. As all of these measures refer to resident characteristics at a particular point in time they can be directly compared with the characteristics of the combined nursing home and hostel populations at the corresponding times in previous reports if desired.

Most permanent residents were in receipt of a government pension: 74% of permanent residents received a Centrelink pension and 16% an Australian Department of Veterans' Affairs pension (Table 2.8).

Of the 91% of permanent residents for whom data were reported on Indigenous status, 709 (about 0.6%) identified as Indigenous people (Table 2.6). Indigenous people had a higher representation among respite residents than among permanent residents, comprising 1% of those respite residents with known Indigenous status (Table 2.7). Data on Indigenous status were not available for about 11% of respite residents.

Age-specific usage rates based on the Australian Bureau of Statistics 2001 census (estimated resident population) give an estimate of the patterns of use for Indigenous people receiving permanent care. At 30 June 2003 these rates were 17.0 per 1,000 Indigenous persons aged 65–69 years, 32.0 per 1,000 Indigenous persons aged 70–74 years, and 80.4 per 1,000 aged 75 years and over (Table 2.17). Note that the same Indigenous population numbers were used in the denominator for these calculations as were used in the previous year's table (Table 2.18, AIHW 2003b), as reliable updated figures were not available.

A high percentage of all permanent residents reported their birthplace and preferred language. About 25% of residents were born overseas; 11% were born in the United Kingdom and Ireland, another 10% in 'other' areas of Europe (Table 2.9). Nationally, about 92% of residents indicated that English was their preferred language, while 6% preferred other European languages (Table 2.11).

Based on Australian Institute of Health and Welfare projections of ABS estimated resident population by country of birth, the number of people from culturally and linguistically diverse backgrounds receiving permanent care at 30 June 2003 was estimated to be 49.8 per 1,000 persons aged 75–84 years and 182.3 per 1,000 aged 85 years and over. The corresponding rates for English-speaking persons were higher at 55.8 and 256.9 respectively (Table 2.16).

About 97% of permanent residents reported their marital status prior to admission. Of these, 59% were widowed, 24% were either married or in a de facto relationship, 11% were never married and 6% were divorced or separated (Table 2.4). Female permanent residents were over two times more likely to be widowed and over two times less likely to be married or in de facto relationships than their male counterparts. Respite residents were more likely to be married at the time of admission, 33%, than were permanent residents, 24%. There were some 8% of respite residents who had never married (Table 2.5).

Length of stay²

Two standard measurements related to length of stay are the total length of stay of a departed resident up to the point of leaving residential aged care, and the length of stay of an existing resident up to a particular point in time (in this publication up to 30 June 2003).

The distribution of length of stay for existing permanent residents at 30 June 2003 was toward longer periods of stay (Table 2.14). Only 8% of permanent residents had been in residential aged care for less than 3 months. About 20% had been resident for between

2. Under the amalgamated aged care residential system introduced at 1 October 1997, length of stay refers to the period spent in the combined system which may include both time spent under low care (previously hostel) and high care (previously nursing home). This is not comparable to combining length of stay measures from the previous separate nursing home and hostel measures of length of stay.

3 months and 1 year, 49% for 1 to 5 years and 23% for 5 years or more. It should be noted that for existing residents, length of stay is an incomplete measure, showing the time that residents have already spent in residential aged care, but not how much more time will be spent before leaving. It also excludes residents during 2002–03 staying only a short time who have already left residential aged care at 30 June 2003.

This group is included in the measure of complete length of stay, (i.e. length of stay at the point a resident leaves residential aged care, often referred to as separation). Thus, for completed length of stay 19% of permanent residents stayed less than 3 months with 20% staying between 3 months and 1 year (Table 5.6). Just under 42% of permanent residents stayed between 1 and 5 years prior to separation, with 19% staying over 5 years.

Dependency levels

Resident dependency levels are indicated by the Resident Classification Scale (RCS)³. The RCS has eight categories which represent eight levels of care in descending order of need from 1 to 8. The level of Australian Government care subsidy is based on the level of care need indicated by each RCS category. Categories 1 to 4 represent high care and categories 5 to 8 represent low care. Among permanent residents on 30 June 2003, 1,246 (0.9%) were waiting to have an RCS assessment. Of those who did have their dependency level reported, 64% fell into high care categories (RCS 1 to 4) and 36% into low care categories (RCS 5 to 8, Table 5.1). RCS categories 1, 2 and 3 captured the highest proportion of permanent residents (20%, 25% and 15% respectively). The lowest level of care (RCS 8) contained just over 1% of residents on 30 June 2003.

There were few differences between male and female residents in relation to dependency levels. Younger residents demonstrated a slightly higher level of dependency than older residents, for example, 27% of those under 65 years were in the RCS 1 category as compared to 20% overall (Table 5.2).

Between 30 June 1998 and 30 June 2003, the proportion of residents classified as high care (RCS 1 to 4) rose from 58% to 64%, while those classified as low care (RCS 5 to 8) fell from 42% to 36% (Table 2). This decline has been most marked in RCS 8, reflecting an increasing emphasis on providing services to those with personal care needs, rather than primarily accommodation needs. Available residential care places have thus been targeted to a progressively more dependent group of people. During this same period the supply of Community Aged Care Packages, aimed at providing the equivalent of low care residential support to people still living in their own homes, has expanded significantly. This pattern is in keeping with established government policy which aims to provide a greater proportion of care for people in their homes who would otherwise be eligible for low care residential support. A parellel new program, Extended Aged Care at Home (EACH), for people with high care needs has moved from a successful pilot study to become a small but growing element in the array of community services.

-

^{3.} The RCS replaced the Resident Classification Instrument (RCI) previously used to measure dependency in nursing homes and the Personal Care Assessment Instrument (PCAI) formerly used to measure dependency in hostels. There are no direct links between the new RCS and the old RCI and PCAI classifications, although RCS categories 1 to 4 have commonly been roughly aligned with nursing home care under the previous system, and RCS categories 5 to 8 with hostel care. While this alignment is useful for some purposes, it is important to recognise that the new classification system differs from the old one in a number of ways. From 1 October 1997 all new residents were classified using the RCS categories, and existing residents were progressively reclassified using the RCS system.

Table 2: Dependency levels of permanent residents in residential aged care services, 30 June 1998 to 30 June 2003 (per cent)

| | RCS 1–RCS 4 | RCS 5-RCS 7 | RCS 8 | RCS 5-RCS 8 |
|----------|-------------|-------------------|---------------------|-------------|
| Sex/year | (high care) | (funded low care) | (nil basic subsidy) | (low care) |
| Females | | | | |
| 1998 | 57.1 | 38.4 | 4.5 | 42.9 |
| 1999 | 60.2 | 36.8 | 2.9 | 39.8 |
| 2000 | 61.2 | 36.5 | 2.2 | 38.7 |
| 2001 | 62.5 | 35.9 | 1.5 | 37.4 |
| 2002 | 63.1 | 35.7 | 1.2 | 36.9 |
| 2003 | 64.2 | 34.9 | 0.9 | 35.8 |
| Males | | | | |
| 1998 | 59.6 | 35.7 | 4.6 | 40.4 |
| 1999 | 62.2 | 34.4 | 3.4 | 37.8 |
| 2000 | 63.1 | 34.3 | 2.6 | 36.9 |
| 2001 | 64.1 | 33.9 | 2.0 | 35.9 |
| 2002 | 64.6 | 33.7 | 1.7 | 35.4 |
| 2003 | 64.8 | 34.0 | 1.2 | 35.2 |
| Persons | | | | |
| 1998 | 57.8 | 37.7 | 4.5 | 42.2 |
| 1999 | 60.8 | 36.2 | 3.1 | 39.2 |
| 2000 | 61.8 | 36.0 | 2.3 | 38.3 |
| 2001 | 63.1 | 35.4 | 1.7 | 37.1 |
| 2002 | 63.6 | 35.1 | 1.4 | 36.5 |
| 2003 | 64.4 | 34.6 | 1.0 | 35.6 |

Sources: AIHW 1999; AIHW 2000; AIHW 2001; AIHW 2002; AIHW 2003b; and Table 5.1.

The data in Table 2 refer to current residents of aged care services, covering all those in permanent residence as at 30 June in the year in question. The dependency profile of newly admitted residents provides a useful indication of possible future trends in residential care. The dependency levels of newly admitted permanent residents during the period from 1 July 2002 to 30 June 2003 suggest that we may expect similar proportions of people in residential aged care at high care levels in the future. After excluding the 1,789 residents whose dependency levels were not reported, 61% of newly admitted permanent residents were classified as high care and 38% as low care (Table 5.3). These proportions are lower than those for existing residents, although newly admitted residents are by definition at the beginning of their residential aged care stay — some will progress to higher levels of dependency in the course of their stay.

As would be expected, the dependency levels of residents who left residential care (through death or a move elsewhere) were much higher than those for both current and recently admitted residents (Table 5.5).

Patterns of use

Resident occupied place-days and occupancy rate

During the 12-month period from 1 July 2002 to 30 June 2003, 51.3 million place-days were used in aged care services in Australia, consisting of 50.3 million days for permanent care and just under 1 million days for respite care (Table 1.8). Overall, about 2% of occupied place-days were used for respite purposes. The average residential care occupancy rate was about 96% during the reporting period, the same as that reported for the previous year (Table 1.9).

Permanent care

There were 96,645 admissions to residential aged care from 1 July 2002 to 30 June 2003, of which 53% (51,200) were for permanent care. In 1998–99 there were fewer (86,064) admissions but the same proportion (53%) were for permanent care (Table 3.11). Between 1 July 2002 and 30 June 2003 there were 92,801 separations from residential aged care. Separations after a period of permanent care totalled 47,467, which accounted for 51% of total separations (Section 3). There were fewer separations in 1998–99 (85,018), but a similar proportion (52%) were after a period of permanent care (Table 3.11).

Among those leaving permanent care during 2002–03, 84% died, 4% returned to the community, 5% moved to another residential aged care service and 6% were discharged to hospitals (2% were not reported, Table 3.5). Among those who were reported as having died, 18% had stayed for less than 3 months, 19% for between 3 months and 1 year, 43% for 1 to 5 years and 20% for 5 years and more (Table 3.8). Those with shorter periods of stay were more likely to return to the community and less likely to die in residential aged care than those with longer periods of stay.

The average (mean) length of stay for permanent residents separating from residential care was approximately 3 years for women and 2 years for men. In aggregate, the average length of stay was 143 weeks (Table 3.9).

New admissions/separations data collections in the unified system permit year by year comparison of admissions and separations data since 1998 and the current complete average length of stay, for permanent resident separations from 1 July 2002 to 30 June 2003, is 143.0 weeks compared to 131.3 weeks for the corresponding 1998–99 separations. The overall trend is towards increasing average length of stay, although there was a minor decrease in the current reporting year over the previous year.

Respite care

On 30 June 2003, respite residents made up just under 2% of all residents, which is similar to the 30 June 2002 proportion and the proportion of respite residents in nursing homes and hostels combined on 30 June 1997. This figure under-represents the importance of respite care, however, as it accounted for some 47% of 96,645 admissions from 1 July 2002 to 30 June 2003 (Table 3.3). This is explained by the short-term nature of respite care; while a large number of respite residents (45,445) were admitted over the course of the 12-month period, there are relatively few respite residents (2,549) at any one point in time.

About 12% of respite separations had an unspecified destination on departure from the service (Table 3.6). Of those for whom data were available, 78% returned to the community. A further 15% moved to the same or another service, and 5% were discharged to hospitals. Deaths accounted for less than 2%.

For those leaving respite care during the year under review, the average length of stay was 3.1 weeks. There has been a decline from 3.5 weeks to 3.1 weeks (i.e. a change of two days) in the average length of stay since 1998, (Table 3.11). The longest average length of stay was in very remote areas (5.1 weeks, Table 3.10).

Turnover

Because of the different purpose and access patterns, turnover for permanent and respite admissions should be considered separately. Table 3 provides the calculations over the last five years of admissions; the method of calculation is defined in a note at the bottom of the table. The amount of turnover in the system is a function of the number of admissions, length of stay and the overall growth or reduction in the size of the system. Over this period, admissions for both permanent and respite care have grown, as has the number of new places. In the case of permanent residents there has also been an increase in the average length of stay. The turnover for permanent residents has remained quite steady since 1999, with the exception of an increase between 2002 and 2003, when length of stay decreased. While too early to assert a trend, this is a potentially interesting shift in the context of the marked stability in preceding years. Overall only one-third of permanent places are associated with new residents in a year. On the other hand, average length of stay has been declining for respite residents with the result that turnover of respite residents has increased since 2000. In 2003, on average every respite place was used by 17 people during the year.

Table 3: Admissions and turnover, by type of care in residential aged care services, 1999-2003

| _ | | | | | | |
|----------------------------|--------|--------|--------|--------|--------|--|
| Type of care/year | 1999 | 2000 | 2001 | 2002 | 2003 | |
| Permanent care | | | | | | |
| Admissions | 45,258 | 45,476 | 46,545 | 47,345 | 51,200 | |
| Turnover | 0.33 | 0.33 | 0.33 | 0.33 | 0.36 | |
| Respite care | | | | | | |
| Admissions | 40,806 | 42,531 | 43,606 | 43,309 | 45,445 | |
| Turnover | 15.79 | 15.73 | 16.04 | 17.17 | 17.07 | |
| Permanent and respite care | | | | | | |
| Admissions | 86,064 | 88,007 | 90,151 | 90,654 | 96,645 | |
| Turnover | 0.61 | 0.62 | 0.63 | 0.63 | 0.65 | |

Note: Turnover is calculated separately for permanent and respite residents by firstly allocating permanent and respite places according to the number of residents in each category as at 30 June, and then dividing the places by the number of appropriate admissions in the year. The inverse of the resulting number is then defined as the turnover.

Characteristics of newly admitted residents

Among permanent admissions, 69% were for people aged 80 years and over (74% of females and 60% of males, Table 3.2). There has been a steady increase in the proportion of admissions aged 80 years and over from 64.1% in 1998–99 (Table 3.12). The majority of permanent admissions were women (64%). Women had a much older age profile than men, with over 48% of women being admitted at age 85 years and over, compared with only 36% of men. This age profile is slightly younger than that of current permanent residents, of whom 51% were aged 85 years and over (56% of women and 37% of men). In both groups, women predominated and had an older age profile. The proportion of women among current residents was somewhat higher (72%) than that among newly admitted residents, consistent with their longer average length of stay.

Newly admitted permanent residents were more likely to be married or in a de facto relationship, and less likely to be never married, when compared with current permanent residents (Tables 4.1 and 2.4).

The proportion of people who were receiving an Australian Department of Veterans' Affairs pension was around 16% for current permanent residents and 19% for newly admitted permanent residents after excluding the unknown cases and cases where information was not disclosed. The corresponding proportions of people receiving an aged pension were 74% and 71% respectively (Tables 2.8 and 4.7).

Most residents were living in a house or flat prior to admission during the reporting period (Tables 4.3 and 4.4).

Of those clients providing information about living arrangements, 41% of newly admitted permanent residents lived alone prior to their admission, 22% lived with their spouse only and 12% lived with their children (and/or the children's families) (Table 4.5). On the same basis, for those admitted to respite care, 38% of new residents were living alone. High proportions were living with a spouse only (31%) or with their children (and/or the children's families), 17% (Table 4.6).

Differences between permanent and respite admissions

People admitted for respite care differed considerably from those admitted for permanent care with regard to their family and living arrangements. Those admitted for respite care were more likely, at the time of admission, to be living in the community compared to permanent residents. While the vast majority of people admitted for both permanent and respite care were either married or widowed, those admitted for respite care were more likely to be married and less likely to be widowed than those admitted for permanent care. While people admitted for respite care were less likely to be single and living alone than those permanently admitted, it is noteworthy that 37% of respite admissions were for people living alone at the time of entry. About 75% of respite admissions were for people living in a house or flat prior to admission. This proportion compares with 66% for permanent admissions. People admitted for respite care were slightly younger than those admitted for permanent care, with 64% of respite admissions aged 80 years and over compared with 69% of permanent admissions. There has been an increase in the proportion of respite admissions aged 80 years and over from 60% in 1998–99, as there has been for permanent residents (Table 3.11).

State and territory variations

Residential aged care services

The ratios of the combined number of Community Aged Care Packages and residential aged care places per 1,000 persons aged 70 years and over at the state/territory level were: Northern Territory (207.6), South Australia (103.3), Tasmania (100.8), Queensland (99.7), Western Australia (97.9), New South Wales (96.6), Victoria (96.1) and the Australian Capital Territory (92.9) (Table 1.4). The higher level of provision in the Northern Territory is a consequence of a comparatively young population profile and a comparatively large Indigenous population; as a result of their poorer health status, Indigenous people access residential aged care and Community Aged Care Packages at younger ages, on average, than do non-Indigenous people.

The ratios for residential aged care places per 1,000 persons aged 70 years and over varied across the states and territories. The Northern Territory had the highest level of provision at 105.5 places per 1,000 people aged 70 years and over, followed by South Australia (87.6) and Queensland (85.7). These were followed by Tasmania (84.1), Western Australia (82.7), New South Wales (81.6), Victoria (80.9) and the Australian Capital Territory (74.5).

If the population figures used in the denominator include Indigenous people aged between 50 years and 69 years as well as the general population aged 70 years and over, a different picture emerges. For the Northern Territory, the ratio reduces from 105.5 to 63.8, whereas the aggregate Australian ratio only reduces from 82.8 to 81.6.

The size of aged care services differed across jurisdictions. At the larger end of the continuum were services in the Australian Capital Territory (averaging 66 places per service), New South Wales (56) and Queensland (55) (Tables 1.3 and 1.5). The Australian average was 51 places. Around 61% of services in the Australian Capital Territory had more than 60 beds, compared to 34% of those in New South Wales and 30% of those in Queensland. The remaining states had a smaller proportion of this size (all less than 24%).

At the smaller end were services in the Northern Territory (averaging 35 places per service) and Tasmania (43). Tasmania had quite a large proportion of small services (20 or fewer beds) — 18%. In the Northern Territory, half the services (47%) fell into this category, and no services had more than 60 beds (Table 1.6). Note that the calculations on the average number of beds include the Multi-Purpose Services places and places funded under the Aboriginal and Torres Strait Islander Aged Care Strategy.

Occupied place-days for respite care accounted for just under 2% of total occupied place-days in Australia. This rate varied somewhat across the states and territories, with the smallest proportions provided in Victoria (1.6%) and the highest in the Northern Territory (5.1%). The overall occupancy rate ranged from 95% in the Northern Territory to 98% in each of South Australia, Tasmania and the Australian Capital Territory (Table 1.9). Australia-wide, the occupancy rate was 96%, consisting of major cities (96%), inner regional (97%), outer regional (96%), remote (93%) and very remote (87%). In this report, the occupancy rates were calculated by the Australian Department of Health and Ageing, which calculated place days and resident days over the entire reporting period for each of the cells (Table 1.9).

Resident characteristics

The age profiles of residents were similar in all states and territories, except in the Northern Territory where residents tended to be younger. In particular, one in five residents was aged under 65 years in the Northern Territory, compared to a national average of one in 22 (Table 2.1). This difference is largely explained by the larger proportion of Indigenous residents in Northern Territory aged care services, who tend to make use of these facilities at an earlier age than non-Indigenous residents.

Western Australia had the highest proportion of overseas-born permanent residents (39%) and overseas-born respite residents (39%) (Tables 2.9 and 2.10). This compares with the national average of 26% for permanent residents and 28% for respite residents. Tasmania, Queensland and the Northern Territory had the lowest proportions of overseas born permanent residents with 15%, 21% and 23% respectively. For respite residents the corresponding figures for these jurisdictions were 39%, 26% and 25%. The majority of migrant residents were born in the United Kingdom and Ireland.

In terms of preferred language spoken at home, some state- and territory-based variations were also apparent. Among permanent residents, the Northern Territory had the highest proportion preferring a language other than English with 31% having this preference (including 25% who preferred an Australian Indigenous language) (Table 2.11). For the other states and territories, the proportion of those who reported a preferred language other than English ranged from 11% in Victoria to 1% in Tasmania. The corresponding Australia– wide figure was 8%.

For permanent residents, their destination on separation also varied across the states and territories (Table 3.5). The Northern Territory had the highest proportion of persons returning to the community (6%). Tasmania had the highest percentage of separations through death (93%), while Western Australia had the lowest percentage of separations through death (76%) and the highest proportion moving to hospital (10%).

For respite residents, state and territory variations in destination on separation were also evident (Table 3.6). About 88% of respite separations returned to the community in Tasmania, compared with only 60% in New South Wales (with the national average being 69%). However, there was a high level of missing data on this variable for respite residents (12% nationally, but rising as high as 20% in New South Wales). After excluding the missing data, the pattern changes slightly. Tasmania and the Northern Territory had the highest proportions returning to the community (91% and 88% respectively), while South Australia had the lowest (70%). Victoria and the Australian Capital Territory also had high proportions returning to the community (85% and 82% respectively). A continuing pattern is that those states and territories with a lower rate of return to the community tended to have a higher rate of transfer to another service. Thus, in South Australia and Western Australia, 21% and 23% respectively of respite separations involved a transfer to another residential aged care service, compared with the national average of 15% after excluding the missing data.

The length of stay of residents at the time of separation also varied among the states and territories (Table 3.9). Permanent separations in the Australian Capital Territory had the longest average length of stay (155 weeks) and those in the Northern Territory had the shortest (137 weeks). Among those leaving respite care, the average length of stay varied from 2.4 weeks in Tasmania to 3.5 weeks in New South Wales and South Australia (Table 3.10).

Dependency levels among permanent residents differed across the states and territories. The proportion of permanent residents in high care categories (RCS 1 to 4) was highest in the

Northern Territory (77%) and lowest in Western Australia (60%). Tasmania (70%), New South Wales (67%) and South Australia (66%) also had higher proportions of such residents than the Australian average (64%) (Table 5.1).

The data and their limitations

Introduction

Residential aged care in Australia was restructured in 1997–98. The two separate categories of residential care (nursing homes and hostels) were combined into a single program from 1 October 1997. As a result, the two previous data collection systems (the Nursing Home Payment System (NHPS) and the Commonwealth Hostel Information Payment System (CHIPS)) were replaced on 1 October 1997 by a single system—the 'System for the Payment of Aged Residential Care' (SPARC). This new system is the primary data source for this report.

The new system inherited all existing records on the NHPS at 1 October 1997. For the data on the CHIPS, only those records that related to the following two groups of people were carried over:

- 1. those who were in a hostel at 1 October 1997; and
- 2. those who had a valid Aged Care Assessment Team (ACAT) assessment covering 1 October; they were regarded as potential residents.

In other words, the records for residents discharged from hostels before 1 October 1997 are not available on SPARC although they are still available on CHIPS.

SPARC contains information gathered through a number of instruments. Among those instruments, the following three are directly relevant to this report:

- 'Aged Care Application and Approval', a form completed by a person applying for admission to an aged care service or someone (normally a carer) on behalf of the applicant;
- 'Application for Classification', a form containing the Resident Classification Scale (RCS) and completed by the aged care service to determine the resident's overall level of care needs; and
- 'Monthly Claim Form', a form for claiming Australian Government benefits completed by the aged care service as part of the monthly funding cycle.

Population data are from the Australian Institute of Health and Welfare's general population databases supplied by the Australian Bureau of Statistics.

Resident information

All residents admitted to residential aged care must have a valid Aged Care Application and Approval form completed by an authorised Aged Care Assessment Team officer. This form is valid for 12 months from the date of the approval.

The information entered into SPARC from the Aged Care Application and Approval form is the major source for the following data items in the tables:

- sex
- date of birth
- marital status

- pension status
- Indigenous status
- country of birth
- preferred language
- resident's usual residence (prior to admission)
- resident's living arrangements (prior to admission).

Not all residents have all the above characteristics reported on SPARC.

Resident Classification Scale

The RCS application form is forwarded to state/territory offices of the Australian Department of Health and Ageing by aged care services for each resident admitted. On the basis of the information provided, residents are assigned to one of eight service-need categories for the purpose of funding. The information provided on the RCS status of residents is reported in Section 5 of this report. Normally, the RCS for a client is reviewed on the annual anniversary of admission by the service provider.

Admission and separation date

The monthly claim form is sent to approved services each calendar month as part of the payment cycle. It shows claim details for the previous month plus a 'forecast' schedule for the current month. The service checks the information and records data on separations and absences (hospital and social leave) for these residents. It also adds information on any newly admitted residents for the current month.

The claim form is the source for the following data items in the tables:

- date of admission;
- date of separation;
- separation mode; and
- admission type.

Tables using ABS Remoteness

The data supplied to the AIHW last year in order to produce tables involving regional breakdowns were in a developmental state involving the complex transition between ARIA and ARIA+ (ABS remoteness). Consequently, the reporting in the 2001-02 publication in this series was not calculated on the same basis as the underlying calculations in this and future years reporting. Caution should therefore be exercised in comparing regional level data across these two years for those tables involving regional breakdowns, although state/territory and Australian aggregate results will be comparable where available.

Calculation of supply ratios

As noted at Table 1, the ratios for 2003 differ from those published by the Australian Department of Health and Ageing which used small area projections based on the 1996 census for reporting purposes in 2003.

Populations used in the tables in this report

It should be noted that tables in this publication refer to several different subpopulations and, consequently, may not be directly comparable. The subpopulations covered in the tables in this report are summarised below. Data presented in Sections 2 to 5 relate to people in mainstream places and exclude those in places provided by Multi-Purpose Services or funded through flexible funding under the Aboriginal and Torres Strait Islander Aged Care Strategy.

Section 2: Residents and their characteristics

All tables in this section relate to the number of residents who were in mainstream aged care services on 30 June 2003. This population includes all approved residents and totalled 142,846.

Section 3: Admissions and separations

There were 51,200 admissions for permanent care (permanent admissions) and 45,445 admissions for respite care (respite admissions) over the period from 1 July 2002 to 30 June 2003. Tables 3.1 to 3.3 relate to these populations.

Tables 3.4 to 3.10 refer to separations from an aged care service over the period from 1 July 2002 to 30 June 2003. There were 47,467 separations of permanent residents and 45,334 separations of respite residents in that period.

Section 4: Characteristics of newly admitted residents

Tables in this section refer to the number of people admitted into residential aged care from 1 July 2002 to 30 June 2003. Each person is counted once. For the full year reporting, there were 50,154 new residents for permanent care and 32,514 new residents for respite care.

Section 5: Resident dependency

Data on RCS dependency are only reported for permanent residents, so that respite residents are not included in this section. Tables 5.1 and 5.2 in this section relate to the number of permanent residents as at 30 June 2003 (139,051 persons) who had been classified using the RCS. Permanent residents who did not have an RCS allocated (1,246 persons) are excluded from the tables. Tables 5.3 and 5.4 relate to people (48,365) who were admitted to residential aged care for permanent care during the period from 1 July 2002 to 30 June 2003. Multiple admissions are excluded from these tables. People without an RCS (1,789 people) are excluded from the tables.

Tables 5.5 and 5.6 represent those permanent residents (46,328) who separated from residential aged care during the period from 1 July 2002 to 30 June 2003. A total of 1,798 people without an RCS are excluded from the tables. Multiple separations are also excluded from these tables.

Data limitations

It should be noted that the accuracy of some specific data items may be limited. Such cases include:

- Reported date of birth implying that a resident is less than or equal to 10 years old are regarded as input errors and 100 years is added to the age. This only alters a handful of entries in any one year.
- Death indicator: In some cases, aged care services may not be equipped to care for some terminally ill residents. Accordingly, such residents are transferred to acute-care institutions prior to death; hence there is an under-enumeration of discharges due to death.
- Length of stay: The length of stay of a resident is based upon the time between the date of admission and the date of separation in relation to completed stays, and between the date of admission and 30 June 2003 for current residents' incomplete stays. When a person is transferred from one service to another, the date of admission to the first service is the date from which the length of stay is calculated.
- The data on the number of residential places stored in the Aged and Community Care
 Management Information System (ACCMIS) are sensitive to dates of entry and ACCMIS
 is updated on a weekly basis from SPARC. Consequently the reader may find minor
 reporting variations depending on the version of ACCMIS used in the variety of reports
 on aspects of residential aged care.
- Information on whether an admission was from an acute hospital, previously available on NHPS, is not available on SPARC; therefore, relevant tables are no longer included.

Section 1

Population and residential aged care service capacity

Population data in this section are derived from population estimates at 30 June 2003 compiled by the Australian Bureau of Statistics and released in January 2004. Other data are derived from the Australian Department of Health and Ageing database on approved residential aged care services at 30 June 2003.

Table 1.1: Population, age by sex and state/territory, 30 June 2003

| | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|---------------|-----------|-----------|-----------|-----------|-----------|---------|---------|---------|------------|
| Sex/age | | | | ı | Number | | | | |
| Females | | | | | | | | | |
| Under 65 | 2,869,419 | 2,130,183 | 1,659,096 | 853,153 | 643,654 | 204,303 | 147,173 | 90,278 | 8,597,259 |
| 65-69 | 126,262 | 93,126 | 65,388 | 33,577 | 30,930 | 9,726 | 4,637 | 1,433 | 365,079 |
| 70–74 | 115,589 | 84,634 | 57,274 | 28,764 | 28,939 | 8,733 | 3,714 | 982 | 328,629 |
| 75–79 | 105,148 | 77,591 | 50,678 | 24,746 | 27,813 | 7,775 | 3,446 | 681 | 297,878 |
| 80-84 | 78,338 | 57,132 | 37,837 | 18,343 | 21,110 | 5,958 | 2,467 | 442 | 221,627 |
| 85+ | 69,924 | 51,329 | 33,215 | 16,825 | 19,105 | 5,331 | 2,012 | 358 | 198,099 |
| Total females | 3,364,680 | 2,493,995 | 1,903,488 | 975,408 | 771,551 | 241,826 | 163,449 | 94,174 | 10,008,571 |
| Males | | | | | | | | | |
| Under 65 | 2,927,526 | 2,137,438 | 1,686,628 | 876,584 | 656,468 | 205,260 | 146,357 | 99,763 | 8,736,024 |
| 65-69 | 122,056 | 88,093 | 66,914 | 32,896 | 29,224 | 9,515 | 4,360 | 1,877 | 354,935 |
| 70–74 | 105,085 | 76,068 | 54,584 | 26,873 | 25,907 | 8,023 | 3,465 | 1,215 | 301,220 |
| 75–79 | 83,960 | 61,268 | 42,485 | 20,566 | 22,050 | 6,332 | 2,703 | 728 | 240,092 |
| 80-84 | 51,722 | 36,930 | 26,272 | 12,244 | 13,666 | 3,750 | 1,642 | 327 | 146,553 |
| 85+ | 31,615 | 23,602 | 16,404 | 7,709 | 8,555 | 2,388 | 874 | 267 | 91,414 |
| Total males | 3,321,964 | 2,423,399 | 1,893,287 | 976,872 | 755,870 | 235,268 | 159,401 | 104,177 | 9,870,238 |
| Persons | | | | , | • | * | | , | , , |
| Under 65 | 5,796,945 | 4,267,621 | 3,345,724 | 1,729,737 | 1,300,122 | 409,563 | 293,530 | 190,041 | 17,333,283 |
| 65–69 | 248,318 | 181,219 | 132,302 | 66,473 | 60,154 | 19,241 | 8,997 | 3,310 | 720,014 |
| 70–74 | 220,674 | 160,702 | 111,858 | 55,637 | 54,846 | 16,756 | 7,179 | 2,197 | 629,849 |
| 75–79 | 189,108 | 138,859 | 93,163 | 45,312 | 49,863 | 14,107 | 6,149 | 1,409 | 537,970 |
| 80–84 | 130,060 | 94,062 | 64,109 | 30,587 | 34,776 | 9,708 | 4,109 | 769 | 368,180 |
| 85+ | 101,539 | 74,931 | 49,619 | 24,534 | 27,660 | 7,719 | 2,886 | 625 | 289,513 |
| Total persons | 6,686,644 | 4,917,394 | 3,796,775 | - | 1,527,421 | 477,094 | 322,850 | 198,351 | 19,878,809 |
| - | | | | | Per cent | · | | | |
| Females | | | | | | | | | |
| Under 65 | 85.3 | 85.4 | 87.2 | 87.5 | 83.4 | 84.5 | 90.0 | 95.9 | 85.9 |
| 65–69 | 3.8 | 3.7 | 3.4 | 3.4 | 4.0 | 4.0 | 2.8 | 1.5 | 3.6 |
| 70–74 | 3.4 | 3.4 | 3.0 | 2.9 | 3.8 | 3.6 | 2.3 | 1.0 | 3.3 |
| 75–79 | 3.1 | 3.1 | 2.7 | 2.5 | 3.6 | 3.2 | 2.1 | 0.7 | 3.0 |
| 80–84 | 2.3 | 2.3 | 2.0 | 1.9 | 2.7 | 2.5 | 1.5 | 0.5 | 2.2 |
| 85+ | 2.1 | 2.1 | 1.7 | 1.7 | 2.5 | 2.2 | 1.2 | 0.4 | 2.0 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Under 65 | 88.1 | 88.2 | 89.1 | 89.7 | 86.8 | 87.2 | 91.8 | 95.8 | 88.5 |
| 65–69 | 3.7 | 3.6 | 3.5 | 3.4 | 3.9 | 4.0 | 2.7 | 1.8 | 3.6 |
| 70–74 | 3.2 | 3.1 | 2.9 | 2.8 | 3.4 | 3.4 | 2.2 | 1.2 | 3.1 |
| 75–79 | 2.5 | 2.5 | 2.2 | 2.1 | 2.9 | 2.7 | 1.7 | 0.7 | 2.4 |
| 80-84 | 1.6 | 1.5 | 1.4 | 1.3 | 1.8 | 1.6 | 1.0 | 0.3 | 1.5 |
| 85+ | 1.0 | 1.0 | 0.9 | 0.8 | 1.1 | 1.0 | 0.5 | 0.3 | 0.9 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Under 65 | 86.7 | 86.8 | 88.1 | 88.6 | 85.1 | 85.8 | 90.9 | 95.8 | 87.2 |
| 65–69 | 3.7 | 3.7 | 3.5 | 3.4 | 3.9 | 4.0 | 2.8 | 1.7 | 3.6 |
| 70–74 | 3.3 | 3.3 | 2.9 | 2.8 | 3.6 | 3.5 | 2.2 | 1.1 | 3.2 |
| 75–79 | 2.8 | 2.8 | 2.5 | 2.3 | 3.3 | 3.0 | 1.9 | 0.7 | 2.7 |
| 80-84 | 1.9 | 1.9 | 1.7 | 1.6 | 2.3 | 2.0 | 1.3 | 0.4 | 1.9 |
| 85+ | 1.5 | 1.5 | 1.3 | 1.3 | 1.8 | 1.6 | 0.9 | 0.3 | 1.5 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

Source: ABS estimated resident population at 30 June 2003, estimates released in January 2004 (cat. no. 3101.0).

Table 1.2: Population, age by sex and remoteness^(a), 30 June 2003

| | Major cities | Inner regional | Outer regional | Pomoto | Very remote | Australia |
|-------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | Major cities | regional | | Remote | remote | Australia |
| Sex/age | | | Number | | | |
| Females | 5.740.405 | 4 700 070 | 007.040 | 440.005 | 70.400 | 0.507.050 |
| Under 65 | 5,748,495 | 1,762,673 | 867,313 | 140,295 | 78,482 | 8,597,259 |
| 65–69 | 233,524 | 86,236 | 39,143 | 4,480 | 1,695 | 365,079 |
| 70–74 | 213,675 | 76,720 | 33,451 | 3,529 | 1,254 | 328,629 |
| 75–79 | 198,675 | 67,161 | 28,360 | 2,754 | 928 | 297,878 |
| 80–84 | 149,226 | 49,097 | 20,679 | 1,993 | 632 | 221,627 |
| 85+ Tatal famoria | 133,764 | 43,514 | 18,560 | 1,718 | 543 | 198,099 |
| Total females | 6,677,360 | 2,085,403 | 1,007,507 | 154,769 | 83,533 | 10,008,571 |
| Males | | | 0.40.040 | 4=0.000 | | |
| Under 65 | 5,786,921 | 1,781,577 | 918,240 | 158,822 | 90,463 | 8,736,024 |
| 65–69 | 219,800 | 85,144 | 42,510 | 5,398 | 2,082 | 354,935 |
| 70–74 | 187,749 | 73,174 | 34,613 | 4,174 | 1,509 | 301,220 |
| 75–79 | 153,427 | 57,222 | 25,653 | 2,815 | 975 | 240,092 |
| 80–84 | 95,899 | 33,864 | 14,669 | 1,567 | 554 | 146,553 |
| 85+ | 59,441 | 21,023 | 9,481 | 1,060 | 409 | 91,414 |
| Total males | 6,503,237 | 2,052,005 | 1,045,166 | 173,837 | 95,993 | 9,870,238 |
| Persons | | | | | | |
| Under 65 | 11,535,416 | 3,544,250 | 1,785,553 | 299,117 | 168,946 | 17,333,283 |
| 65–69 | 453,325 | 171,380 | 81,654 | 9,878 | 3,777 | 720,014 |
| 70–74 | 401,424 | 149,895 | 68,064 | 7,703 | 2,763 | 629,849 |
| 75–79 | 352,101 | 124,383 | 54,013 | 5,569 | 1,903 | 537,970 |
| 80–84 | 245,125 | 82,962 | 35,348 | 3,559 | 1,185 | 368,180 |
| 85+ | 193,205 | 64,538 | 28,040 | 2,778 | 952 | 289,513 |
| Total persons | 13,180,597 | 4,137,408 | 2,052,672 | 328,606 | 179,526 | 19,878,809 |
| | | | Per cent | : | | |
| Females | | | | | | |
| Under 65 | 86.1 | 84.5 | 86.1 | 90.6 | 94.0 | 85.9 |
| 65–69 | 3.5 | 4.1 | 3.9 | 2.9 | 2.0 | 3.6 |
| 70–74 | 3.2 | 3.7 | 3.3 | 2.3 | 1.5 | 3.3 |
| 75–79 | 3.0 | 3.2 | 2.8 | 1.8 | 1.1 | 3.0 |
| 80–84 | 2.2 | 2.4 | 2.1 | 1.3 | 8.0 | 2.2 |
| 85+ | 2.0 | 2.1 | 1.8 | 1.1 | 0.6 | 2.0 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | |
| Under 65 | 89.0 | 86.8 | 87.9 | 91.4 | 94.2 | 88.5 |
| 65–69 | 3.4 | 4.1 | 4.1 | 3.1 | 2.2 | 3.6 |
| 70–74 | 2.9 | 3.6 | 3.3 | 2.4 | 1.6 | 3.1 |
| 75–79 | 2.4 | 2.8 | 2.5 | 1.6 | 1.0 | 2.4 |
| 80-84 | 1.5 | 1.7 | 1.4 | 0.9 | 0.6 | 1.5 |
| 85+ | 0.9 | 1.0 | 0.9 | 0.6 | 0.4 | 0.9 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | |
| | | | | | | |
| Under 65 | 87.5 | 85.7 | 87.0 | 91.0 | 94.1 | 87.2 |
| Under 65 65–69 | 87.5 3.4 | 85.7 4.1 | 87.0 4.0 | 91.0 3.0 | 94.1 2.1 | 87.2 3.6 |
| 65–69 | 3.4 | 4.1 | 4.0 | 3.0 | 2.1 | 3.6 |
| 65–69 70–74 | 3.4 3.0 | 4.1 3.6 | 4.0 3.3 | 3.0 2.3 | 2.1 1.5 | 3.6 3.2 |
| 65–69 70–74 75–79 | 3.4 3.0 2.7 | 4.1 3.6 3.0 | 4.0 3.3 2.6 | 3.0 2.3 1.7 | 2.1 1.5 1.1 | 3.6 3.2 2.7 |
| 65–69 70–74 | 3.4 3.0 | 4.1 3.6 | 4.0 3.3 | 3.0 2.3 | 2.1 1.5 | 3.6 3.2 |

⁽a) The table is derived using the 30 June 2002 population estimates in the Australian Standard Geographical Classification Remoteness Structure as developed by the ABS, and population estimates from the state/territory ABS estimated resident population at 30 June 2003, released in January 2004 (cat. no. 3101.0).

Table 1.3: Residential aged care places and Community Aged Care Packages, state/territory by remoteness^(a), 30 June 2003

| | | Inner | Outer | | Very | |
|-----------|--------------|----------|----------|--------|--------|-----------|
| State/ | Major cities | regional | regional | Remote | remote | Australia |
| territory | | | Numbe | | | |
| Places | | | | | | |
| NSW | 36,287 | 11,999 | 3,816 | 198 | 13 | 52,313 |
| Vic | 26,774 | 8,683 | 2,377 | 53 | n.a. | 37,887 |
| Qld | 14,933 | 7,833 | 3,985 | 360 | 209 | 27,320 |
| WA | 9,828 | 1,446 | 1,221 | 274 | 140 | 12,909 |
| SA | 11,164 | 1,469 | 1,561 | 333 | 123 | 14,650 |
| Tas | n.a. | 2,949 | 1,050 | 36 | 25 | 4,060 |
| ACT | 1,515 | 0 | n.a. | n.a. | n.a. | 1,515 |
| NT | n.a. | n.a. | 252 | 170 | 105 | 527 |
| Australia | 100,501 | 34,379 | 14,262 | 1,424 | 615 | 151,181 |
| Packages | | | | | | |
| NSW | 6,590 | 2,297 | 676 | 44 | 21 | 9,628 |
| Vic | 5,289 | 1,610 | 206 | 14 | n.a. | 7,119 |
| Qld | 2,037 | 1,247 | 875 | 131 | 165 | 4,455 |
| WA | 1,668 | 305 | 206 | 147 | 49 | 2,375 |
| SA | 1,783 | 484 | 243 | 72 | 29 | 2,611 |
| Tas | n.a. | 546 | 234 | 24 | 6 | 810 |
| ACT | 372 | 0 | n.a. | n.a. | n.a. | 372 |
| NT | n.a. | n.a. | 124 | 122 | 265 | 511 |
| Australia | 17,739 | 6,489 | 2,564 | 554 | 535 | 27,881 |
| Total | | | | | | |
| NSW | 42,877 | 14,296 | 4,492 | 242 | 34 | 61,941 |
| Vic | 32,063 | 10,293 | 2,583 | 67 | n.a. | 45,006 |
| Qld | 16,970 | 9,080 | 4,860 | 491 | 374 | 31,775 |
| WA | 11,496 | 1,751 | 1,427 | 421 | 189 | 15,284 |
| SA | 12,947 | 1,953 | 1,804 | 405 | 152 | 17,261 |
| Tas | n.a. | 3,495 | 1,284 | 60 | 31 | 4,870 |
| ACT | 1,887 | 0 | n.a. | n.a. | n.a. | 1,887 |
| NT | n.a. | n.a. | 376 | 292 | 370 | 1,038 |
| Australia | 118,240 | 40,868 | 16,826 | 1,978 | 1,150 | 179,062 |
| | | | Per cen | nt | | |
| NSW | 69.2 | 23.1 | 7.3 | 0.4 | 0.1 | 100.0 |
| Vic | 71.2 | 22.9 | 5.7 | 0.1 | n.a. | 100.0 |
| Qld | 53.4 | 28.6 | 15.3 | 1.5 | 1.2 | 100.0 |
| WA | 75.2 | 11.5 | 9.3 | 2.8 | 1.2 | 100.0 |
| SA | 75.0 | 11.3 | 10.5 | 2.3 | 0.9 | 100.0 |
| Tas | n.a. | 71.8 | 26.4 | 1.2 | 0.6 | 100.0 |
| ACT | 100.0 | 0.0 | n.a. | n.a. | n.a. | 100.0 |
| NT | n.a. | n.a. | 36.2 | 28.1 | 35.6 | 100.0 |
| Australia | 66.0 | 22.8 | 9.4 | 1.1 | 0.6 | 100.0 |

⁽a) Refers to the location of the services. The table uses the Australian Standard Geographical Classification Remoteness Structure as developed by the ABS. Previous categotations were based on an allocation to Remoteness by DoHA which has since been refined. Caution should therefore be exercised when comparing this year's and lasr year's results at levels below state/territory.

Note These figures include places and packages provided by Multi-Purpose Services and places and packages funded under the Aboriginal and Torres Strait Islander Aged Care Strategy.

n.a. Not applicable.

Table 1.4: Residential aged care places and Community Aged Care Packages per 1,000 persons aged 70 years and over, state/territory by remoteness^(a), 30 June 2003

| | | | | | | | Total (70+ and Indigenous |
|-----------|--------------|-------------|---------------|--------|----------------|-------------|------------------------------|
| State/ | Major cities | Inner | ıter regional | Remote | Very remote | Total (70+) | population aged 50–69 years) |
| territory | Major Cities | regional Oc | iter regional | Ratio | Terriote | 10tai (70+) | 30–03 years) |
| Places | | | | ratio | | | |
| NSW | 83.5 | 81.2 | 69.2 | 62.7 | 26.5 | 81.6 | 80.5 |
| Vic | 81.0 | 81.7 | 77.2 | 67.5 | n.a. | 80.9 | 80.6 |
| Qld | 88.9 | 82.2 | 83.8 | 71.2 | 70.9 | 85.7 | 83.9 |
| WA | 85.5 | 68.3 | 85.2 | 65.3 | 98.3 | 82.7 | 80.8 |
| SA | 90.7 | 76.2 | 80.5 | 73.4 | 153.6 | 87.6 | 86.9 |
| Tas | n.a. | 92.1 | 68.7 | 49.3 | 96.9 | 84.1 | 82.3 |
| ACT | 74.6 | 0.0 | n.a. | n.a. | n.a. | 74.5 | 74.0 |
| NT | n.a. | n.a. | 84.9 | 148.2 | 118.8 | 105.4 | 63.8 |
| Australia | 84.3 | 81.5 | 76.9 | 72.6 | 90.4 | 82.8 | 81.6 |
| Packages | | | | | | | |
| NSW | 15.2 | 15.5 | 12.3 | 13.9 | 42.8 | 15.0 | 14.8 |
| Vic | 16.0 | 15.2 | 6.7 | 17.8 | n.a. | 15.2 | 15.1 |
| Qld | 12.1 | 13.1 | 18.4 | 25.9 | 56.0 | 14.0 | 13.7 |
| WA | 14.5 | 14.4 | 14.4 | 35.0 | 34.4 | 15.2 | 14.9 |
| SA | 14.5 | 25.1 | 12.5 | 15.9 | 36.2 | 15.6 | 15.5 |
| Tas | n.a. | 17.1 | 15.3 | 32.9 | 23.3 | 16.8 | 16.4 |
| ACT | 18.3 | 0.0 | n.a. | n.a. | n.a. | 18.3 | 18.2 |
| NT | n.a. | n.a. | 41.8 | 106.4 | 299.8 | 102.2 | 61.9 |
| Australia | 14.9 | 15.4 | 13.8 | 28.3 | 78.6 | 15.3 | 15.1 |
| Total | | | | | | | |
| NSW | 98.6 | 96.7 | 81.5 | 76.6 | 69.3 | 96.6 | 95.3 |
| Vic | 96.9 | 96.9 | 83.9 | 85.3 | n.a. | 96.1 | 95.7 |
| Qld | 101.1 | 95.3 | 102.2 | 97.1 | 127.0 | 99.7 | 97.6 |
| WA | 100.0 | 82.7 | 99.6 | 100.3 | 132.6 | 97.9 | 95.7 |
| SA | 105.1 | 101.3 | 93.0 | 89.2 | 189.9 | 103.3 | 102.4 |
| Tas | n.a. | 109.2 | 84.0 | 82.2 | 120.2 | 100.8 | 98.8 |
| ACT | 92.9 | 0.0 | n.a. | n.a. | n.a. | 92.9 | 92.2 |
| NT | n.a. | n.a. | 126.6 | 254.6 | 418.6 | 207.6 | 125.7 |
| Australia | 99.2 | 96.9 | 90.7 | 100.9 | 169.0 | 98.1 | 96.7 |

⁽a) Refers to the location of the places. The table uses the Australian Standard Geographical Classification Remoteness Structure as developed by the ABS. Previous categorations were based on an allocation to Remoteness by DoHA which has since been refined. Caution should therefore be exercised when comparing this year's and last year's results at levels below state/territory.

Notes

n.a. Not applicable

These figures include places and packages provided by Multi-Purpose Services and places and packages funded under the Aboriginal and Torres Strait Islander Aged Care Strategy.

The 2003 Australian Standard Geographical Classification population figures were derived at the AIHW from the 2002 ASGC population figures and the ABS estimated resident population figures for state/territory 30 June 2003 (January 2004). The Indigenous population aged 50–69 years uses the ABS Census data, estimated resident population at 30 June 2001.

Table 1.5: Services, state/territory by remoteness^(a), 30 June 2003

| | | Inner | Outer | _ , | Very | |
|-----------|--------------|----------|----------|--------|--------|-----------|
| State/ | Major cities | regional | regional | Remote | remote | Australia |
| territory | | | Numb | | | |
| NSW | 580 | 244 | 98 | 8 | 1 | 931 |
| Vic | 517 | 217 | 73 | 4 | n.a. | 811 |
| Qld | 245 | 151 | 85 | 11 | 8 | 500 |
| WA | 196 | 27 | 25 | 6 | 5 | 259 |
| SA | 205 | 36 | 50 | 5 | 0 | 296 |
| Tas | n.a. | 56 | 29 | 3 | 4 | 92 |
| ACT | 23 | 0 | n.a. | n.a. | n.a. | 23 |
| NT | n.a. | n.a. | 6 | 7 | 2 | 15 |
| Australia | 1,766 | 731 | 366 | 44 | 20 | 2,927 |
| | | | Per ce | nt | | |
| NSW | 62.3 | 26.2 | 10.5 | 0.9 | 0.1 | 100.0 |
| Vic | 63.7 | 26.8 | 9.0 | 0.5 | n.a. | 100.0 |
| Qld | 49.0 | 30.2 | 17.0 | 2.2 | 1.6 | 100.0 |
| WA | 75.7 | 10.4 | 9.7 | 2.3 | 1.9 | 100.0 |
| SA | 69.3 | 12.2 | 16.9 | 1.7 | 0.0 | 100.0 |
| Tas | n.a. | 60.9 | 31.5 | 3.3 | 4.3 | 100.0 |
| ACT | 100.0 | 0.0 | n.a. | n.a. | n.a. | 100.0 |
| NT | n.a. | n.a. | 40.0 | 46.7 | 13.3 | 100.0 |
| Australia | 60.3 | 25.0 | 12.5 | 1.5 | 0.7 | 100.0 |

⁽a) Refers to the location of the services. The table uses the Australian Standard Geographical Classification Remoteness Structure as developed by the ABS. Previous categorations were based on an allocation to Remoteness by DoHA which has since been refined. Caution should therefore be exercised when comparing this year's and last year's results at levels below state/territory.

Table 1.6: Services, size by state/territory, 30 June 2003

| Number | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|-----------|--------|-------|-------|-------|----------|-------|-------|-------|-----------|
| of places | Number | | | | | | | | |
| 1–20 | 75 | 93 | 44 | 28 | 19 | 17 | 1 | 7 | 284 |
| 21–40 | 270 | 329 | 160 | 81 | 118 | 35 | 3 | 3 | 999 |
| 41–60 | 274 | 251 | 148 | 89 | 90 | 23 | 5 | 5 | 885 |
| 61–80 | 172 | 60 | 74 | 39 | 38 | 10 | 10 | 0 | 403 |
| 81–100 | 71 | 39 | 43 | 12 | 21 | 1 | 1 | 0 | 188 |
| 101–120 | 33 | 20 | 16 | 8 | 5 | 4 | 1 | 0 | 87 |
| 121+ | 36 | 19 | 15 | 2 | 5 | 2 | 2 | 0 | 81 |
| Total | 931 | 811 | 500 | 259 | 296 | 92 | 23 | 15 | 2,927 |
| | | | | | Per cent | | | | |
| 1–20 | 8.1 | 11.5 | 8.8 | 10.8 | 6.4 | 18.5 | 4.3 | 46.7 | 9.7 |
| 21–40 | 29.0 | 40.6 | 32.0 | 31.3 | 39.9 | 38.0 | 13.0 | 20.0 | 34.1 |
| 41–60 | 29.4 | 30.9 | 29.6 | 34.4 | 30.4 | 25.0 | 21.7 | 33.3 | 30.2 |
| 61–80 | 18.5 | 7.4 | 14.8 | 15.1 | 12.8 | 10.9 | 43.5 | 0.0 | 13.8 |
| 81–100 | 7.6 | 4.8 | 8.6 | 4.6 | 7.1 | 1.1 | 4.3 | 0.0 | 6.4 |
| 101–120 | 3.5 | 2.5 | 3.2 | 3.1 | 1.7 | 4.3 | 4.3 | 0.0 | 3.0 |
| 121+ | 3.9 | 2.3 | 3.0 | 0.8 | 1.7 | 2.2 | 8.7 | 0.0 | 2.8 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

n.a. Not applicable.

Table 1.7: Services, size by remoteness^(a), 30 June 2003

| Number of | Major cities | Inner regional | Outer regional | Remote | Very remote | Australia | | |
|-----------|--------------|-------------------|----------------|--------|-------------|-----------|--|--|
| places | Number | | | | | | | |
| 1–20 | 69 | 85 | 85 | 28 | 17 | 284 | | |
| 21–40 | 539 | 281 | 168 | 10 | 1 | 999 | | |
| 41–60 | 597 | 209 | 73 | 4 | 2 | 885 | | |
| 61–80 | 285 | 95 | 21 | 2 | 0 | 403 | | |
| 81–100 | 140 | 34 | 14 | 0 | 0 | 188 | | |
| 101–120 | 68 | 17 | 2 | 0 | 0 | 87 | | |
| 121+ | 68 | 10 | 3 | 0 | 0 | 81 | | |
| Australia | 1,766 | 731 | 366 | 44 | 20 | 2,927 | | |
| | | | Per ce | ent | | | | |
| 1–20 | 3.9 | 11.6 | 23.2 | 63.6 | 85.0 | 9.7 | | |
| 21–40 | 30.5 | 38.4 | 45.9 | 22.7 | 5.0 | 34.1 | | |
| 41–60 | 33.8 | 28.6 | 19.9 | 9.1 | 10.0 | 30.2 | | |
| 61–80 | 16.1 | 13.0 | 5.7 | 4.5 | 0.0 | 13.8 | | |
| 81–100 | 7.9 | 4.7 | 3.8 | 0.0 | 0.0 | 6.4 | | |
| 101–120 | 3.9 | 2.3 | 0.5 | 0.0 | 0.0 | 3.0 | | |
| 121+ | 3.9 | 1.4 | 0.8 | 0.0 | 0.0 | 2.8 | | |
| Australia | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | |

⁽a) Refers to the location of the services. The table uses the Australian Standard Geographical Classification Remoteness Structure as developed by the ABS. Previous allocations were based on an allocation to Remoteness by DoHA which has since been refined. Caution should therefore be exercised when comparing this year's and last year's results at levels below state/territory.

Table 1.8: Occupied place-days, type of care by state/territory and remoteness^(a), 1 July 2002 to 30 June 2003

| | | Inner | Outer | | Very | _ | |
|--------------------|--------------|------------|-----------|---------|---------|------------|--|
| State/ | Major cities | regional | regional | Remote | remote | Australia | |
| territory | Number | | | | | | |
| Permanent care | | | | | | | |
| NSW | 12,376,220 | 4,019,781 | 1,177,085 | 43,879 | 4,327 | 17,621,292 | |
| Vic | 8,842,261 | 2,851,477 | 721,093 | 16,806 | n.a. | 12,431,637 | |
| Qld | 5,086,809 | 2,682,136 | 1,329,910 | 79,047 | 51,417 | 9,229,319 | |
| WA | 3,359,785 | 441,475 | 310,002 | 54,042 | 29,468 | 4,194,772 | |
| SA | 3,791,349 | 473,912 | 495,818 | 63,014 | 0 | 4,824,093 | |
| Tas | n.a. | 1,014,338 | 338,813 | 11,236 | 7,868 | 1,372,255 | |
| ACT | 520,402 | 0 | n.a. | n.a. | n.a. | 520,402 | |
| NT | n.a. | n.a. | 63,964 | 54,525 | 5,885 | 124,374 | |
| Australia | 33,976,826 | 11,483,119 | 4,436,685 | 322,549 | 98,965 | 50,318,144 | |
| Respite care | | | | | | | |
| NSW | 278,506 | 98,264 | 35,652 | 706 | 0 | 413,128 | |
| Vic | 121,240 | 61,194 | 16,250 | 468 | n.a. | 199,152 | |
| Qld | 80,500 | 50,697 | 21,371 | 1,409 | 948 | 154,925 | |
| WA | 50,536 | 9,491 | 7,963 | 1,572 | 1,732 | 71,294 | |
| SA | 65,016 | 13,108 | 11,598 | 2,494 | 0 | 92,216 | |
| Tas | n.a. | 20,108 | 7,523 | 564 | 211 | 28,406 | |
| ACT | 13,288 | 0 | n.a. | n.a. | n.a. | 13,288 | |
| NT | n.a. | n.a. | 2,923 | 3,428 | 306 | 6,657 | |
| Australia | 609,086 | 252,862 | 103,280 | 10,641 | 3,197 | 979,066 | |
| Permanent and resp | ite care | | | | | | |
| NSW | 12,654,726 | 4,118,045 | 1,212,737 | 44,585 | 4,327 | 18,034,420 | |
| Vic | 8,963,501 | 2,912,671 | 737,343 | 17,274 | n.a. | 12,630,789 | |
| Qld | 5,167,309 | 2,732,833 | 1,351,281 | 80,456 | 52,365 | 9,384,244 | |
| WA | 3,410,321 | 450,966 | 317,965 | 55,614 | 31,200 | 4,266,066 | |
| SA | 3,856,365 | 487,020 | 507,416 | 65,508 | 0 | 4,916,309 | |
| Tas | n.a. | 1,034,446 | 346,336 | 11,800 | 8,079 | 1,400,661 | |
| ACT | 533,690 | 0 | n.a. | n.a. | n.a. | 533,690 | |
| NT | n.a. | n.a. | 66,887 | 57,953 | 6,191 | 131,031 | |
| Australia | 34,585,912 | 11,735,981 | 4,539,965 | 333,190 | 102,162 | 51,297,210 | |

(continued)

Table 1.8 (continued): Occupied place-days, type of care by state/territory and remoteness^(a), 1 July 2002 to 30 June 2003

| | | Inner | Outer | | Very | | |
|------------------|--------------|----------|----------|--------|--------|-----------|--|
| State/ | Major cities | regional | regional | Remote | remote | Australia | |
| territory | Per cent | | | | | | |
| Permanent care | | | | | | | |
| NSW | 70.2 | 22.8 | 6.7 | 0.2 | 0.0 | 100.0 | |
| Vic | 71.1 | 22.9 | 5.8 | 0.1 | n.a. | 100.0 | |
| Qld | 55.1 | 29.1 | 14.4 | 0.9 | 0.6 | 100.0 | |
| WA | 80.1 | 10.5 | 7.4 | 1.3 | 0.7 | 100.0 | |
| SA | 78.6 | 9.8 | 10.3 | 1.3 | 0.0 | 100.0 | |
| Tas | n.a. | 73.9 | 24.7 | 0.8 | 0.0 | 100.0 | |
| ACT | 100.0 | 0.0 | n.a. | n.a. | n.a. | 100.0 | |
| NT | n.a. | n.a. | 51.4 | 43.8 | 4.7 | 100.0 | |
| Australia | 67.5 | 22.8 | 8.8 | 0.6 | 0.2 | 100.0 | |
| Respite care | | | | | | | |
| NSW | 67.4 | 23.8 | 8.6 | 0.2 | 0.0 | 100.0 | |
| Vic | 60.9 | 30.7 | 8.2 | 0.2 | n.a. | 100.0 | |
| Qld | 52.0 | 32.7 | 13.8 | 0.9 | 0.6 | 100.0 | |
| WA | 70.9 | 13.3 | 11.2 | 2.2 | 2.4 | 100.0 | |
| SA | 70.5 | 14.2 | 12.6 | 2.7 | 0.0 | 100.0 | |
| Tas | n.a. | 70.8 | 26.5 | 2.0 | 0.0 | 100.0 | |
| ACT | 100.0 | 0.0 | n.a. | n.a. | n.a. | 100.0 | |
| NT | n.a. | n.a. | 43.9 | 51.5 | 4.6 | 100.0 | |
| Australia | 62.2 | 25.8 | 10.5 | 1.1 | 0.3 | 100.0 | |
| Permanent and re | spite care | | | | | | |
| NSW | 70.2 | 22.8 | 6.7 | 0.2 | 0.0 | 100.0 | |
| Vic | 71.0 | 23.1 | 5.8 | 0.1 | n.a. | 100.0 | |
| Qld | 55.1 | 29.1 | 14.4 | 0.9 | 0.6 | 100.0 | |
| WA | 79.9 | 10.6 | 7.5 | 1.3 | 0.7 | 100.0 | |
| SA | 78.4 | 9.9 | 10.3 | 1.3 | 0.0 | 100.0 | |
| Tas | n.a. | 73.9 | 24.7 | 0.8 | 0.0 | 100.0 | |
| ACT | 100.0 | 0.0 | n.a. | n.a. | n.a. | 100.0 | |
| NT | n.a. | n.a. | 51.0 | 44.2 | 4.7 | 100.0 | |
| Australia | 67.4 | 22.9 | 8.9 | 0.6 | 0.2 | 100.0 | |

⁽a) Refers to the location of the services. The table uses the Australian Standard Geographical Classification Remoteness Structure as developed by the ABS. Previous categorations were based on an allocation to Remoteness by DoHA DoHA which has since been refined. Caution should therefore be exercised when comparing this year's and last year's results at levels below state/territory.

n.a. Not applicable.

Table 1.9: Average occupancy rate, state/territory by remoteness^(a), 1 July 2002 to 30 June 2003

| | Major | Inner | Outer | | Very | |
|-----------|--------|------------------|----------|--------|------------------|-----------|
| State/ | cities | regional | regional | Remote | remote | Australia |
| territory | | | Per | cent | | |
| NSW | 96.2 | 97.0 | 96.3 | 96.4 | 99.0 | 96.4 |
| Vic | 94.5 | 95.0 | 96.3 | 89.5 | n.a. | 94.7 |
| Qld | 96.2 | 97.6 | 95.5 | 88.6 | 88.8 | 96.4 |
| WA | 96.2 | 95.4 | 92.4 | 93.3 | 79.4 | 95.6 |
| SA | 97.4 | 97.4 | 96.3 | 96.7 | 0 ^(b) | 97.3 |
| Tas | n.a. | 98.1 | 97.3 | 90.1 | 96.5 | 97.8 |
| ACT | 97.7 | O _(p) | n.a. | n.a. | n.a. | 97.7 |
| NT | n.a. | n.a. | 96.1 | 93.7 | 89.5 | 94.7 |
| Australia | 95.9 | 96.7 | 95.9 | 92.9 | 86.6 | 96.0 |

Refers to the location of the services. The table uses the Australian Standard Geographical Classification Remoteness Structure as developed by the ABS. Previous categorisations were based on an allocation to Remoteness by DoHA which has since been refined. Caution should therefore be exercised when comparing comparing this year's and last year's results at levels below state/territory.

⁽b) No places in this region.(c) The average occupancy rate =

⁽The sum of resident bed days in the period/The sum of available places in the period)*100, for each cell, where / represents division and $\ensuremath{^*}$ represents multiplication.

This is a more refined calculation of occupancy than previously published and was supplied by DoHA.

n.a. Not applicable.

Section 2

Residents and their characteristics

These tables are based on those residents in residential aged care services at 30 June 2003. Some basic characteristics of the residents are presented.

Table 2.1: All residents, age by sex and state/territory^(a), 30 June 2003

| | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|----------------------|------------------------|------------------------|------------------------|----------------------|------------------------|---------------------|--------------------|------------------|-------------------------|
| Sex/age | | | | | Number | | | | |
| Females | | | | | | | | | |
| Under 65 | 1,066 | 685 | 629 | 267 | 211 | 78 | 24 | 37 | 2,997 |
| 65–69 | 737 | 553 | 415 | 205 | 176 | 67 | 25 | 18 | 2,196 |
| 70–74 | 1,860 | 1,171 | 909 | 372 | 444 | 126 | 51 | 11 | 4,944 |
| 75–79 | 4,190 | 3,051 | 2,158 | 986 | 1,184 | 317 | 132 | 28 | 12,046 |
| 80–84 | 8,014 | 5,813 | 4,125 | 1,857 | 2,267 | 646 | 249 | 40 | 23,011 |
| 85–89 | 9,989 | 6,982 | 5,165 | 2,415 | 2,762 | 820 | 293 | 33 | 28,459 |
| 90–94 | 7,312 | 5,382 | 3,720 | 1,860 | 2,198 | 584 | 224 | 19 | 21,299 |
| 95+ | 2,745 | 2,088 | 1,362 | 732 | 919 | 220 2,858 | 75 4.073 | 4 | 8,145 |
| Total females Males | 35,913 | 25,725 | 18,483 | 8,694 | 10,161 | 2,000 | 1,073 | 190 | 103,097 |
| Under 65 | 1,197 | 785 | 665 | 227 | 189 | 78 | 30 | 40 | 3,211 |
| 65–69 | 853 | 562 | 443 | 177 | 152 | 71 | 21 | 16 | 2,295 |
| 70–74 | 1,492 | 1,021 | 714 | 353 | 319 | 83 | 54 | 30 | 4,066 |
| 75–79 | 2,487 | 1,649 | 1,296 | 534 | 630 | 178 | 60 | 20 | 6,854 |
| 80–84 | 3,134 | 2,079 | 1,673 | 666 | 899 | 216 | 110 | 28 | 8,805 |
| 85–89 | 2,794 | 2,084 | 1,613 | 643 | 841 | 230 | 80 | 18 | 8,303 |
| 90-94 | 1,553 | 1,256 | 926 | 417 | 501 | 137 | 45 | 8 | 4,843 |
| 95+ | 429 | 337 | 273 | 144 | 139 | 35 | 9 | 6 | 1,372 |
| Total males | 13,939 | 9,773 | 7,603 | 3,161 | 3,670 | 1,028 | 409 | 166 | 39,749 |
| Persons | | | | | | | | | |
| Under 65 | 2,263 | 1,470 | 1,294 | 494 | 400 | 156 | 54 | 77 | 6,208 |
| 65–69 | 1,590 | 1,115 | 858 | 382 | 328 | 138 | 46 | 34 | 4,491 |
| 70–74 | 3,352 | 2,192 | 1,623 | 725 | 763 | 209 | 105 | 41 | 9,010 |
| 75–79 | 6,677 | 4,700 | 3,454 | 1,520 | 1,814 | 495 | 192 | 48 | 18,900 |
| 80–84 | 11,148 | 7,892 | 5,798 | 2,523 | 3,166 | 862 | 359 | 68 | 31,816 |
| 85–89 | 12,783 | 9,066 | 6,778 | 3,058 | 3,603 | 1,050 | 373 | 51 | 36,762 |
| 90–94 95+ | 8,865 2,174 | 6,638 | 4,646 | 2,277 | 2,699 | 721 | 269 | 27 10 | 26,142 |
| Total persons | 3,174 49,852 | 2,425 35,498 | 1,635 26,086 | 876 11,855 | 1,058 13,831 | 255 3,886 | 84 1,482 | 10 356 | 9,517 142,846 |
| Total persons | 49,032 | 33,430 | 20,000 | 11,000 | Per cent | 3,000 | 1,402 | 330 | 142,040 |
| Females | | | | | | | | | |
| Under 65 | 3.0 | 2.7 | 3.4 | 3.1 | 2.1 | 2.7 | 2.2 | 19.5 | 2.9 |
| 65–69 | 2.1 | 2.1 | 2.2 | 2.4 | 1.7 | 2.3 | 2.3 | 9.5 | 2.1 |
| 70–74 | 5.2 | 4.6 | 4.9 | 4.3 | 4.4 | 4.4 | 4.8 | 5.8 | 4.8 |
| 75–79 | 11.7 | 11.9 | 11.7 | 11.3 | 11.7 | 11.1 | 12.3 | 14.7 | 11.7 |
| 80–84 | 22.3 | 22.6 | 22.3 | 21.4 | 22.3 | 22.6 | 23.2 | 21.1 | 22.3 |
| 85–89 | 27.8 | 27.1 | 27.9 | 27.8 | 27.2 | 28.7 | 27.3 | 17.4 | 27.6 |
| 90–94 | 20.4 | 20.9 | 20.1 | 21.4 | 21.6 | 20.4 | 20.9 | 10.0 | 20.7 |
| 95+ | 7.6 100.0 | 8.1 | 7.4 100.0 | 8.4 | 9.0 100.0 | 7.7 | 7.0 | 2.1 100.0 | 7.9 100.0 |
| Total females Males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Under 65 | 8.6 | 8.0 | 8.7 | 7.2 | 5.1 | 7.6 | 7.3 | 24.1 | 8.1 |
| 65–69 | 6.1 | 5.8 | 5.8 | 5.6 | 4.1 | 6.9 | 5.1 | 9.6 | 5.8 |
| 70–74 | 10.7 | 10.4 | 9.4 | 11.2 | 8.7 | 8.1 | 13.2 | 18.1 | 10.2 |
| 75–79 | 17.8 | 16.9 | 17.0 | 16.9 | 17.2 | 17.3 | 14.7 | 12.0 | 17.2 |
| 80–84 | 22.5 | 21.3 | 22.0 | 21.1 | 24.5 | 21.0 | 26.9 | 16.9 | 22.2 |
| 85–89 | 20.0 | 21.3 | 21.2 | 20.3 | 22.9 | 22.4 | 19.6 | 10.8 | 20.9 |
| 90–94 | 11.1 | 12.9 | 12.2 | 13.2 | 13.7 | 13.3 | 11.0 | 4.8 | 12.2 |
| 95+ | 3.1 | 3.4 | 3.6 | 4.6 | 3.8 | 3.4 | 2.2 | 3.6 | 3.5 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Under 65 | 4.5 | 4.1 | 5.0 | 4.2 | 2.9 | 4.0 | 3.6 | 21.6 | 4.3 |
| 65–69 | 3.2 | 3.1 | 3.3 | 3.2 | 2.4 | 3.6 | 3.1 | 9.6 | 3.1 |
| 70–74 75–70 | 6.7 | 6.2 | 6.2 | 6.1 | 5.5 | 5.4 | 7.1 | 11.5 | 6.3 |
| 75–79 80 84 | 13.4 | 13.2 | 13.2 | 12.8 | 13.1 | 12.7 | 13.0 | 13.5 | 13.2 |
| 80–84 85–89 | 22.4 25.6 | 22.2 25.5 | 22.2 26.0 | 21.3 25.8 | 22.9 26.1 | 22.2 27.0 | 24.2 25.2 | 19.1 14.3 | 22.3 25.7 |
| 85–89 90–94 | 25.6 17.8 | 25.5 18.7 | 26.0 17.8 | 25.8 19.2 | 26. i 19.5 | 27.0 18.6 | 25.2 18.2 | 7.6 | 25.7 18.3 |
| 50-3 -1 | | | 6.3 | | 7.6 | 6.6 | 5.7 | 2.8 | 6.7 |
| 95+ | 64 | n o | | , 4 | | | | | |
| 95+ Total persons | 6.4 100.0 | 6.8 100.0 | 100.0 | 7.4 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services.

Table 2.2: Permanent residents, age by sex and state/territory^(a), 30 June 2003

| - | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|----------------|-----------------|------------------------|----------------|----------------|-----------------|--------------|------------|----------|------------------|
| Sex/age | | | | | Number | | | | |
| Females | | | | | | | | | |
| Under 65 | 1,042 | 673 | 617 | 260 | 205 | 77 | 22 | 34 | 2,930 |
| 65–69 | 725 | 544 | 404 | 202 | 174 | 65 | 25 | 17 | 2,156 |
| 70–74 | 1,811 | 1,151 | 894 | 366 | 431 | 124 | 50 | 11 | 4,838 |
| 75–79 | 4,077 | 2,995 | 2,132 | 976 | 1,158 | 311 | 130 | 24 | 11,803 |
| 80–84 | 7,853 | 5,728 | 4,068 | 1,831 | 2,220 | 636 | 244 | 39 | 22,619 |
| 85–89 | 9,798 | 6,896 | 5,110 | 2,395 | 2,714 | 802 | 284 | 33 | 28,032 |
| 90–94 | 7,217 | 5,323 | 3,674 | 1,843 | 2,171 | 576 | 222 | 18 | 21,044 |
| 95+ | 2,728 | 2,076 | 1,353 | 729 | 916 | 219 | 75 | 4 | 8,100 |
| Total females | 35, 251 | 25,386 | 18,252 | 8,602 | 9,989 | 2,810 | 1,052 | 180 | 101,522 |
| Males | | | | | | | | | |
| Under 65 | 1,168 | 771 | 656 | 219 | 184 | 76 | 30 | 39 | 3,143 |
| 65–69 | 833 | 547 | 433 | 170 | 149 | 67 | 19 | 15 | 2,233 |
| 70–74 | 1,437 | 995 | 702 | 342 | 309 | 82 | 52 | 26 | 3,945 |
| 75–79 | 2,401 | 1,606 | 1,267 | 521 | 612 | 169 | 60 | 18 | 6,654 |
| 80–84 | 3,048 | 2,031 | 1,632 | 651 | 876 | 209 | 107 | 25 | 8,579 |
| 85–89 | 2,711 | 2,039 | 1,585 | 632 | 818 | 227 | 80 | 18 | 8,110 |
| 90–94 | 1,519 | 1,239 | 912 | 409 | 496 | 135 | 44 | 7 | 4,761 |
| 95+ | 420 | 333 | 269 | 142 | 136 | 35 | 9 | 6 | 1,350 |
| Total males | 13,537 | 9,561 | 7,456 | 3,086 | 3,580 | 1,000 | 401 | 154 | 38,775 |
| Persons | 0.040 | 4 4 4 4 | 4.070 | 470 | 200 | 450 | | 70 | 0.070 |
| Under 65 | 2,210 | 1,444 | 1,273 | 479 | 389 | 153 | 52 | 73 | 6,073 |
| 65–69 | 1,558 | 1,091 2,146 | 837 | 372 708 | 323 | 132 | 44 | 32 37 | 4,389 |
| 70–74 | 3,248 | | 1,596 | | 740 | 206 | 102 | | 8,783 |
| 75–79 80–84 | 6,478 | 4,601 | 3,399 | 1,497 | 1,770 3,096 | 480 | 190 | 42 64 | 18,457 |
| | 10,901 | 7,759 | 5,700 | 2,482 | 3,532 | 845 | 351 | | 31,198 |
| 85–89 90–94 | 12,509 8,736 | 8,935 6,562 | 6,695 4,586 | 3,027 2,252 | 3,532 2,667 | 1,029 711 | 364 266 | 51 25 | 36,142 25,805 |
| 95+ | 3,148 | 2,409 | 1,622 | 2,232 871 | 1,052 | 254 | 84 | 10 | 9,450 |
| Total persons | 48,788 | 2,409 34,947 | 25,708 | 11,688 | 1,052 13,569 | 3,810 | 1,453 | 334 | 140,297 |
| Total persons | 40,700 | 34,341 | 25,700 | 11,000 | Per cent | 3,010 | 1,400 | 334 | 140,231 |
| Females | | | | | rei ceiit | | | | |
| Under 65 | 3.0 | 2.7 | 3.4 | 3.0 | 2.1 | 2.7 | 2.1 | 18.9 | 2.9 |
| 65–69 | 2.1 | 2.1 | 2.2 | 2.3 | 1.7 | 2.3 | 2.4 | 9.4 | 2.1 |
| 70–74 | 5.1 | 4.5 | 4.9 | 4.3 | 4.3 | 4.4 | 4.8 | 6.1 | 4.8 |
| 75–79 | 11.6 | 11.8 | 11.7 | 11.3 | 11.6 | 11.1 | 12.4 | 13.3 | 11.6 |
| 80–84 | 22.3 | 22.6 | 22.3 | 21.3 | 22.2 | 22.6 | 23.2 | 21.7 | 22.3 |
| 85–89 | 27.8 | 27.2 | 28.0 | 27.8 | 27.2 | 28.5 | 27.0 | 18.3 | 27.6 |
| 90–94 | 20.5 | 21.0 | 20.1 | 21.4 | 21.7 | 20.5 | 21.1 | 10.0 | 20.7 |
| 95+ | 7.7 | 8.2 | 7.4 | 8.5 | 9.2 | 7.8 | 7.1 | 2.2 | 8.0 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Under 65 | 8.6 | 8.1 | 8.8 | 7.1 | 5.1 | 7.6 | 7.5 | 25.3 | 8.1 |
| 65–69 | 6.2 | 5.7 | 5.8 | 5.5 | 4.2 | 6.7 | 4.7 | 9.7 | 5.8 |
| 70–74 | 10.6 | 10.4 | 9.4 | 11.1 | 8.6 | 8.2 | 13.0 | 16.9 | 10.2 |
| 75–79 | 17.7 | 16.8 | 17.0 | 16.9 | 17.1 | 16.9 | 15.0 | 11.7 | 17.2 |
| 80–84 | 22.5 | 21.2 | 21.9 | 21.1 | 24.5 | 20.9 | 26.7 | 16.2 | 22.1 |
| 85–89 | 20.0 | 21.3 | 21.3 | 20.5 | 22.8 | 22.7 | 20.0 | 11.7 | 20.9 |
| 90–94 | 11.2 | 13.0 | 12.2 | 13.3 | 13.9 | 13.5 | 11.0 | 4.5 | 12.3 |
| 95+ | 3.1 | 3.5 | 3.6 | 4.6 | 3.8 | 3.5 | 2.2 | 3.9 | 3.5 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Under 65 | 4.5 | 4.1 | 5.0 | 4.1 | 2.9 | 4.0 | 3.6 | 21.9 | 4.3 |
| 65–69 | 3.2 | 3.1 | 3.3 | 3.2 | 2.4 | 3.5 | 3.0 | 9.6 | 3.1 |
| 70–74 | 6.7 | 6.1 | 6.2 | 6.1 | 5.5 | 5.4 | 7.0 | 11.1 | 6.3 |
| 75–79 | 13.3 | 13.2 | 13.2 | 12.8 | 13.0 | 12.6 | 13.1 | 12.6 | 13.2 |
| | 22.3 | 22.2 | 22.2 | 21.2 | 22.8 | 22.2 | 24.2 | 19.2 | 22.2 |
| 80–84 | | | | | | | | | 0-0 |
| 85–89 | 25.6 | 25.6 | 26.0 | 25.9 | 26.0 | 27.0 | 25.1 | 15.3 | 25.8 |
| 85–89 90–94 | 25.6 17.9 | 18.8 | 17.8 | 19.3 | 19.7 | 18.7 | 18.3 | 7.5 | 18.4 |
| 85–89 | 25.6 | | | | | | | | |

⁽a) Refers to the location of the services.

Table 2.3: Respite residents, age by sex and state/territory^(a), 30 June 2003

| | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|---------------|-----------|------------|----------|----------|-----------------|---------|-----------|-----------|--------------------|
| Sex/age | | | | N | lumber | | | | |
| Females | | | | | | | | | |
| Under 65 | 24 | 12 | 12 | 7 | 6 | 1 | 2 | 3 | 67 |
| 65–69 | 12 | 9 | 11 | 3 | 2 | 2 | 0 | 1 | 40 |
| 70–74 | 49 | 20 | 15 | 6 | 13 | 2 | 1 | 0 | 106 |
| 75–79 | 113 | 56 | 26 | 10 | 26 | 6 | 2 | 4 | 243 |
| 80–84 | 161 | 85 | 57 | 26 | 47 | 10 | 5 | 1 | 392 |
| 85–89 | 191 | 86 | 55 | 20 | 48 | 18 | 9 | 0 | 427 |
| 90–94 | 95 | 59 | 46 | 17 | 27 | 8 | 2 | 1 | 255 |
| 95+ | 17 | 12 | 9 | 3 | 3 | 1 | 0 | 0 | 45 |
| Total females | 662 | 339 | 231 | 92 | 172 | 48 | 21 | 10 | 1,575 |
| Males | | | | | | | | | |
| Under 65 | 29 | 14 | 9 | 8 | 5 | 2 | 0 | 1 | 68 |
| 65–69 | 20 | 15 | 10 | 7 | 3 | 4 | 2 | 1 | 62 |
| 70–74 | 55 | 26 | 12 | 11 | 10 | 1 | 2 | 4 | 121 |
| 75–79 | 86 | 43 | 29 | 13 | 18 | 9 | 0 | 2 | 200 |
| 80–84 | 86 | 48 | 41 | 15 | 23 | 7 | 3 | 3 | 226 |
| 85–89 | 83 | 45 | 28 | 11 | 23 | 3 | 0 | 0 | 193 |
| 90–94 | 34 | 17 | 14 | 8 | 5 | 2 | 1 | 1 | 82 |
| 95+ | 9 | 4 | 4 | 2 | 3 | 0 | 0 | 0 | 22 |
| Total males | 402 | 212 | 147 | 75 | 90 | 28 | 8 | 12 | 974 |
| Persons | | | | | | | | | |
| Under 65 | 53 | 26 | 21 | 15 | 11 | 3 | 2 | 4 | 135 |
| 65–69 | 32 | 24 | 21 | 10 | 5 | 6 | 2 | 2 | 102 |
| 70–74 | 104 | 46 | 27 | 17 | 23 | 3 | 3 | 4 | 227 |
| 75–79 | 199 | 99 | 55 | 23 | 44 | 15 | 2 | 6 | 443 |
| 80–84 | 247 | 133 | 98 | 41 | 70 | 17 | 8 | 4 | 618 |
| 85–89 | 274 | 131 | 83 | 31 | 71 | 21 | 9 | 0 | 620 |
| 90–94 95+ | 129 26 | 76 16 | 60 13 | 25 5 | 32 | 10 1 | 3 0 | 2 | 337 |
| | 1,064 | 551 | 378 | 167 | 6 262 | 76 | 29 | 22 | 67 2,549 |
| Total persons | 1,004 | 331 | 310 | | | 70 | 23 | 22 | 2,549 |
| Females | | | | <u>F</u> | er cent | | | | |
| Under 65 | 3.6 | 3.5 | 5.2 | 7.6 | 3.5 | 2.1 | 9.5 | 30.0 | 4.3 |
| 65–69 | 1.8 | 2.7 | 4.8 | 3.3 | 1.2 | 4.2 | 0.0 | 10.0 | 2.5 |
| 70–74 | 7.4 | 5.9 | 6.5 | 6.5 | 7.6 | 4.2 | 4.8 | 0.0 | 6.7 |
| 75–79 | 17.1 | 16.5 | 11.3 | 10.9 | 15.1 | 12.5 | 9.5 | 40.0 | 15.4 |
| 80–84 | 24.3 | 25.1 | 24.7 | 28.3 | 27.3 | 20.8 | 23.8 | 10.0 | 24.9 |
| 85–89 | 28.9 | 25.4 | 23.8 | 21.7 | 27.9 | 37.5 | 42.9 | 0.0 | 27.1 |
| 90-94 | 14.4 | 17.4 | 19.9 | 18.5 | 15.7 | 16.7 | 9.5 | 10.0 | 16.2 |
| 95+ | 2.6 | 3.5 | 3.9 | 3.3 | 1.7 | 2.1 | 0.0 | 0.0 | 2.9 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Under 65 | 7.2 | 6.6 | 6.1 | 10.7 | 5.6 | 7.1 | 0.0 | 8.3 | 7.0 |
| 65–69 | 5.0 | 7.1 | 6.8 | 9.3 | 3.3 | 14.3 | 25.0 | 8.3 | 6.4 |
| 70–74 | 13.7 | 12.3 | 8.2 | 14.7 | 11.1 | 3.6 | 25.0 | 33.3 | 12.4 |
| 75–79 | 21.4 | 20.3 | 19.7 | 17.3 | 20.0 | 32.1 | 0.0 | 16.7 | 20.5 |
| 80–84 | 21.4 | 22.6 | 27.9 | 20.0 | 25.6 | 25.0 | 37.5 | 25.0 | 23.2 |
| 85–89 | 20.6 | 21.2 | 19.0 | 14.7 | 25.6 | 10.7 | 0.0 | 0.0 | 19.8 |
| 90–94 | 8.5 | 8.0 | 9.5 | 10.7 | 5.6 | 7.1 | 12.5 | 8.3 | 8.4 |
| 95+ | 2.2 | 1.9 | 2.7 | 2.7 | 3.3 | 0.0 | 0.0 | 0.0 | 2.3 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Under 65 | 5.0 | 4.7 | 5.6 | 9.0 | 4.2 | 3.9 | 6.9 | 18.2 | 5.3 |
| 65–69 | 3.0 | 4.4 | 5.6 | 6.0 | 1.9 | 7.9 | 6.9 | 9.1 | 4.0 |
| 70–74 | 9.8 | 8.3 | 7.1 | 10.2 | 8.8 | 3.9 | 10.3 | 18.2 | 8.9 |
| 75–79 | 18.7 | 18.0 | 14.6 | 13.8 | 16.8 | 19.7 | 6.9 | 27.3 | 17.4 |
| 80–84 | 23.2 | 24.1 | 25.9 | 24.6 | 26.7 | 22.4 | 27.6 | 18.2 | 24.2 |
| 85–89 | 25.8 | 23.8 | 22.0 | 18.6 | 27.1 | 27.6 | 31.0 | 0.0 | 24.3 |
| 90–94 | 12.1 | 13.8 | 15.9 | 15.0 | 12.2 | 13.2 | 10.3 | 9.1 | 13.2 |
| 95+ | 2.4 | 2.9 | 3.4 | 3.0 | 2.3 | 1.3 | 0.0 | 0.0 | 2.6 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services.

Table 2.4: Permanent residents, marital status by sex and state/territory $^{(\!a\!)}$, 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|------------------|--------|--------|--------|--------|----------|-------|-------|-------|-----------|
| marital status | | | | | Number | | | | |
| Females | | | | | | | | | |
| Divorced | 1,261 | 795 | 578 | 327 | 257 | 88 | 55 | 10 | 3,371 |
| Married/de facto | 5,578 | 4,132 | 3,356 | 1,365 | 1,770 | 451 | 177 | 28 | 16,857 |
| Separated | 375 | 226 | 184 | 76 | 88 | 24 | 14 | 7 | 994 |
| Single | 3,112 | 2,309 | 1,451 | 551 | 712 | 227 | 49 | 7 | 8,418 |
| Widowed | 23,890 | 17,489 | 12,147 | 6,088 | 6,957 | 1,972 | 714 | 118 | 69,375 |
| Not reported | 1,035 | 435 | 536 | 195 | 205 | 48 | 43 | 10 | 2,507 |
| Total females | 35,251 | 25,386 | 18,252 | 8,602 | 9,989 | 2,810 | 1,052 | 180 | 101,522 |
| Males | | | | | | | | | |
| Divorced | 1,160 | 733 | 583 | 269 | 235 | 65 | 39 | 15 | 3,099 |
| Married/de facto | 5,017 | 3,870 | 2,993 | 1,235 | 1,610 | 424 | 177 | 36 | 15,362 |
| Separated | 508 | 282 | 285 | 143 | 94 | 27 | 18 | 10 | 1,367 |
| Single | 2,409 | 1,538 | 1,214 | 406 | 429 | 153 | 36 | 46 | 6,231 |
| Widowed | 3,997 | 2,918 | 2,140 | 959 | 1,143 | 315 | 126 | 41 | 11,639 |
| Not reported | 446 | 220 | 241 | 74 | 69 | 16 | 5 | 6 | 1,077 |
| Total males | 13,537 | 9,561 | 7,456 | 3,086 | 3,580 | 1,000 | 401 | 154 | 38,775 |
| Persons | | | | | | | | | |
| Divorced | 2,421 | 1,528 | 1,161 | 596 | 492 | 153 | 94 | 25 | 6,470 |
| Married/de facto | 10,595 | 8,002 | 6,349 | 2,600 | 3,380 | 875 | 354 | 64 | 32,219 |
| Separated | 883 | 508 | 469 | 219 | 182 | 51 | 32 | 17 | 2,361 |
| Single | 5,521 | 3,847 | 2,665 | 957 | 1,141 | 380 | 85 | 53 | 14,649 |
| Widowed | 27,887 | 20,407 | 14,287 | 7,047 | 8,100 | 2,287 | 840 | 159 | 81,014 |
| Not reported | 1,481 | 655 | 777 | 269 | 274 | 64 | 48 | 16 | 3,584 |
| Total persons | 48,788 | 34,947 | 25,708 | 11,688 | 13,569 | 3,810 | 1,453 | 334 | 140,297 |
| | | | | | Per cent | | | | |
| Females | | | | | | | | | |
| Divorced | 3.6 | 3.1 | 3.2 | 3.8 | 2.6 | 3.1 | 5.2 | 5.6 | 3.3 |
| Married/de facto | 15.8 | 16.3 | 18.4 | 15.9 | 17.7 | 16.0 | 16.8 | 15.6 | 16.6 |
| Separated | 1.1 | 0.9 | 1.0 | 0.9 | 0.9 | 0.9 | 1.3 | 3.9 | 1.0 |
| Single | 8.8 | 9.1 | 7.9 | 6.4 | 7.1 | 8.1 | 4.7 | 3.9 | 8.3 |
| Widowed | 67.8 | 68.9 | 66.6 | 70.8 | 69.6 | 70.2 | 67.9 | 65.6 | 68.3 |
| Not reported | 2.9 | 1.7 | 2.9 | 2.3 | 2.1 | 1.7 | 4.1 | 5.6 | 2.5 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Divorced | 8.6 | 7.7 | 7.8 | 8.7 | 6.6 | 6.5 | 9.7 | 9.7 | 8.0 |
| Married/de facto | 37.1 | 40.5 | 40.1 | 40.0 | 45.0 | 42.4 | 44.1 | 23.4 | 39.6 |
| Separated | 3.8 | 2.9 | 3.8 | 4.6 | 2.6 | 2.7 | 4.5 | 6.5 | 3.5 |
| Single | 17.8 | 16.1 | 16.3 | 13.2 | 12.0 | 15.3 | 9.0 | 29.9 | 16.1 |
| Widowed | 29.5 | 30.5 | 28.7 | 31.1 | 31.9 | 31.5 | 31.4 | 26.6 | 30.0 |
| Not reported | 3.3 | 2.3 | 3.2 | 2.4 | 1.9 | 1.6 | 1.2 | 3.9 | 2.8 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Divorced | 5.0 | 4.4 | 4.5 | 5.1 | 3.6 | 4.0 | 6.5 | 7.5 | 4.6 |
| Married/de facto | 21.7 | 22.9 | 24.7 | 22.2 | 24.9 | 23.0 | 24.4 | 19.2 | 23.0 |
| Separated | 1.8 | 1.5 | 1.8 | 1.9 | 1.3 | 1.3 | 2.2 | 5.1 | 1.7 |
| Single | 11.3 | 11.0 | 10.4 | 8.2 | 8.4 | 10.0 | 5.8 | 15.9 | 10.4 |
| Widowed | 57.2 | 58.4 | 55.6 | 60.3 | 59.7 | 60.0 | 57.8 | 47.6 | 57.7 |
| Not reported | 3.0 | 1.9 | 3.0 | 2.3 | 2.0 | 1.7 | 3.3 | 4.8 | 2.6 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services.

Table 2.5: Respite residents, marital status by sex and state/territory^(a), 30 June 2003

| Personable | Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|---|------------------|-------|-------|-------|-------|--------|-------|-------|-------|---------------------|
| Divorced | marital status | | | | | Number | | | | |
| Married/de facto | Females | | | | | | | | | |
| Separated | | | | | | | | 1 | 1 | 52 |
| Single | Married/de facto | 116 | | 42 | 21 | 36 | 5 | 5 | 1 | 302 |
| Widowed 447 229 173 62 119 36 15 8 1,0 Not reported 2 1 2 0 1 0 0 0 Total females 662 339 231 92 172 48 21 10 1,5 Males Divorced 28 10 10 2 3 2 1 1 Married/de facto 211 122 82 45 49 18 7 4 5 Separated 10 5 5 4 3 0 0 1 Single 50 14 8 8 6 3 0 1 Persons 100 1 2 0 0 0 0 0 Total males 402 212 14 5 6 4 2 2 2 Persons 1 4 5 6 <td>Separated</td> <td></td> <td></td> <td>3</td> <td></td> <td>4</td> <td>4</td> <td>0</td> <td>0</td> <td>25</td> | Separated | | | 3 | | 4 | 4 | 0 | 0 | 25 |
| Not reported 2 | Single | 59 | 20 | 7 | 5 | 9 | 1 | 0 | 0 | 101 |
| Total females | Widowed | 447 | 229 | 173 | 62 | 119 | 36 | 15 | 8 | 1,089 |
| Maried/de facto 28 | Not reported | 2 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 6 |
| Divorced 28 | Total females | 662 | 339 | 231 | 92 | 172 | 48 | 21 | 10 | 1,575 |
| Married/de facto 211 122 82 45 49 18 7 4 5 Separated 10 5 5 4 3 0 0 1 Single 50 14 8 8 6 3 0 1 Widowed 103 60 40 16 29 5 0 5 2 Not reported 0 1 2 0 0 0 0 0 Persons Divorced 55 21 14 5 6 4 2 2 2 1 Married/de facto 327 198 124 66 85 23 12 5 8 Separated 21 7 8 5 7 4 0 1 1 1 Midowed 550 289 213 78 148 41 15 13 1,3 Not report | Males | | | | | | | | | |
| Separated 10 5 5 4 3 0 0 1 Single 50 14 8 8 6 3 0 1 Widowed 103 60 40 16 29 5 0 5 2 Not reported 0 1 2 0 0 0 0 0 Total males 402 212 147 75 90 28 8 12 9 Persons Divorced 55 21 14 5 6 4 2 2 1 Separated 21 7 8 5 7 4 0 1 2 2 | Divorced | 28 | 10 | 10 | 2 | 3 | 2 | 1 | 1 | 57 |
| Single 50 | Married/de facto | 211 | 122 | 82 | 45 | 49 | 18 | 7 | 4 | 538 |
| Widowed 103 60 40 16 29 5 0 5 2 Not reported 0 1 2 0 0 0 0 0 Porsons Divorced 55 21 14 5 6 4 2 2 1 Married/de facto 327 198 124 66 85 23 12 5 8 Separated 21 7 8 5 7 4 0 1 | Separated | 10 | 5 | 5 | 4 | 3 | 0 | 0 | 1 | 28 |
| Not reported 0 | Single | 50 | 14 | 8 | 8 | 6 | 3 | 0 | 1 | 90 |
| Total males | Widowed | 103 | 60 | 40 | 16 | 29 | 5 | 0 | 5 | 258 |
| Divorced 55 | Not reported | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 3 |
| Divorced 55 21 14 5 6 4 2 2 2 1 Married/de facto 327 198 124 66 85 23 12 5 8 8 8 9 7 4 0 1 1 1 1 1 1 1 1 1 | Total males | 402 | 212 | 147 | 75 | 90 | 28 | 8 | 12 | 974 |
| Married/de facto 327 198 124 66 85 23 12 5 8 Separated 21 7 8 5 7 4 0 1 Single 109 34 15 13 15 4 0 1 1 Widowed 550 289 213 78 148 41 15 13 1,3 Not reported 2 2 4 0 1 0 0 0 0 Total persons 1,064 551 378 167 262 76 29 22 2,5 Per cent | Persons | | | | | | | | | |
| Separated 21 7 8 5 7 4 0 1 Single 109 34 15 13 15 4 0 1 1 Widowed 550 289 213 78 148 41 15 13 1,3 Not reported 2 2 4 0 1 0 0 0 0 Total persons 1,064 551 378 167 262 76 29 22 2,5 Total persons 1,064 551 378 167 262 76 29 22 2,5 Total persons 1,064 551 378 167 262 76 29 22 2,5 Total persons 1,064 551 378 167 262 76 29 22 2,5 Total persons 1,07 1,08 1,2 18.2 20.9 10. | Divorced | 55 | 21 | 14 | 5 | 6 | 4 | 2 | 2 | 109 |
| Single 109 34 15 13 15 4 0 1 1 Widowed 550 289 213 78 148 41 15 13 1,3 Not reported 2 2 4 0 1 0 0 0 Total persons 1,064 551 378 167 262 76 29 22 2,5 Total persons 1,064 551 378 167 262 76 29 22 2,5 Total persons 1,064 551 378 167 262 76 29 22 2,5 Total persons Per cent Total persons Per cent Divorced 4.1 3.2 1.7 3.3 1.7 4.2 4.8 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 | Married/de facto | 327 | 198 | 124 | 66 | 85 | 23 | 12 | 5 | 840 |
| Single 109 34 15 13 15 4 0 1 1 Widowed 550 289 213 78 148 41 15 13 1,3 Not reported 2 2 4 0 1 0 0 0 Total persons 1,064 551 378 167 262 76 29 22 2,5 Total persons 1,064 551 378 167 262 76 29 22 2,5 Total persons 1,064 551 378 167 262 76 29 22 2,5 Total persons Per cent Total persons Per cent Divorced 4.1 3.2 1.7 3.3 1.7 4.2 4.8 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 | Separated | 21 | 7 | 8 | 5 | 7 | 4 | 0 | 1 | 53 |
| Widowed 550 289 213 78 148 41 15 13 1,3 Not reported 2 2 4 0 1 0 0 0 Total persons 1,064 551 378 167 262 76 29 22 2,5 Females Divorced 4.1 3.2 1.7 3.3 1.7 4.2 4.8 10.0 15 Separated 1.7 0.6 1.3 1.1 2.3 8.3 0.0 0.0 Single 8.9 5.9 3.0 5.4 5.2 2.1 0.0 0.0 Widowed 67.5 67.6 74.9 67.4 69.2 75.0 71.4 80.0 60 Not reported 0.3 0.3 0.9 0.0 0.6 0.0 0.0 0.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0< | • | 109 | 34 | 15 | | 15 | 4 | 0 | 1 | 191 |
| Not reported 2 2 4 0 1 0 0 0 Total persons 1,064 551 378 167 262 76 29 22 2,5 Fermales Divorced 4.1 3.2 1.7 3.3 1.7 4.2 4.8 10.0 15 Married/de facto 17.5 22.4 18.2 22.8 20.9 10.4 23.8 10.0 19 Separated 1.7 0.6 1.3 1.1 2.3 8.3 0.0 0.0 Widowed 67.5 67.6 74.9 67.4 69.2 75.0 71.4 80.0 66 Not reported 0.3 0.3 0.9 0.0 0.6 0.0 0.0 0.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 | - | 550 | 289 | | | | 41 | 15 | 13 | 1,347 |
| Total persons 1,064 551 378 167 262 76 29 22 2,5 Fermales Divorced 4.1 3.2 1.7 3.3 1.7 4.2 4.8 10.0 19 Separated 1.7 0.6 1.3 1.1 2.3 8.3 0.0 0.0 Single 8.9 5.9 3.0 5.4 5.2 2.1 0.0 0.0 0.0 Widowed 67.5 67.6 74.9 67.4 69.2 75.0 71.4 80.0 66 Not reported 0.3 0.3 0.9 0.0 0.6 0.0 0.0 0.0 0.0 Mates 100.0 | Not reported | 2 | | | 0 | 1 | 0 | | | 9 |
| Females Divorced 4.1 3.2 1.7 3.3 1.7 4.2 4.8 10.0 1.8 Married/de facto 17.5 22.4 18.2 22.8 20.9 10.4 23.8 10.0 11 Separated 1.7 0.6 1.3 1.1 2.3 8.3 0.0 0.0 Single 8.9 5.9 3.0 5.4 5.2 2.1 0.0 0.0 Widowed 67.5 67.6 74.9 67.4 69.2 75.0 71.4 80.0 60 Not reported 0.3 0.3 0.9 0.0 0.6 0.0 0.0 0.0 100.0 <td< td=""><td>•</td><td></td><td></td><td>378</td><td></td><td></td><td></td><td></td><td></td><td>2,549</td></td<> | • | | | 378 | | | | | | 2,549 |
| Females Divorced 4.1 3.2 1.7 3.3 1.7 4.2 4.8 10.0 3.8 Married/de facto 17.5 22.4 18.2 22.8 20.9 10.4 23.8 10.0 19 Separated 1.7 0.6 1.3 1.1 2.3 8.3 0.0 0.0 0.0 Single 8.9 5.9 3.0 5.4 5.2 2.1 0.0 0.0 0.0 Widowed 67.5 67.6 74.9 67.4 69.2 75.0 71.4 80.0 60 Not reported 0.3 0.3 0.9 0.0 0.6 0.0 0.0 0.0 100 | | , | | | | | | | | , |
| Married/de facto 17.5 22.4 18.2 22.8 20.9 10.4 23.8 10.0 13 Separated 1.7 0.6 1.3 1.1 2.3 8.3 0.0 0.0 Single 8.9 5.9 3.0 5.4 5.2 2.1 0.0 0.0 0.0 Widowed 67.5 67.6 74.9 67.4 69.2 75.0 71.4 80.0 66 Not reported 0.3 0.3 0.9 0.0 0.6 0.0 0.0 0.0 0.0 Total females 100.0 | Females | | | | | | | | | |
| Separated 1.7 0.6 1.3 1.1 2.3 8.3 0.0 0.0 Single 8.9 5.9 3.0 5.4 5.2 2.1 0.0 0.0 Widowed 67.5 67.6 74.9 67.4 69.2 75.0 71.4 80.0 68 Not reported 0.3 0.3 0.9 0.0 0.6 0.0 0.0 0.0 0.0 Total females 100.0 <td>Divorced</td> <td>4.1</td> <td>3.2</td> <td>1.7</td> <td>3.3</td> <td>1.7</td> <td>4.2</td> <td>4.8</td> <td>10.0</td> <td>3.3</td> | Divorced | 4.1 | 3.2 | 1.7 | 3.3 | 1.7 | 4.2 | 4.8 | 10.0 | 3.3 |
| Single 8.9 5.9 3.0 5.4 5.2 2.1 0.0 0.0 6 Widowed 67.5 67.6 74.9 67.4 69.2 75.0 71.4 80.0 66 Not reported 0.3 0.3 0.9 0.0 0.6 0.0 0.0 0.0 0.0 Total females 100.0 | Married/de facto | 17.5 | 22.4 | 18.2 | 22.8 | 20.9 | 10.4 | 23.8 | 10.0 | 19.2 |
| Single 8.9 5.9 3.0 5.4 5.2 2.1 0.0 0.0 6 Widowed 67.5 67.6 74.9 67.4 69.2 75.0 71.4 80.0 66 Not reported 0.3 0.3 0.9 0.0 0.6 0.0 0.0 0.0 0.0 Total females 100.0 | Separated | 1.7 | 0.6 | 1.3 | 1.1 | 2.3 | 8.3 | 0.0 | 0.0 | 1.6 |
| Not reported 0.3 0.3 0.9 0.0 0.6 0.0 0.0 0.0 Total females 100.0 100. | | 8.9 | 5.9 | 3.0 | 5.4 | 5.2 | 2.1 | 0.0 | 0.0 | 6.4 |
| Total females 100.0 | Widowed | 67.5 | 67.6 | 74.9 | 67.4 | 69.2 | 75.0 | 71.4 | 80.0 | 69.1 |
| Total females 100.0 | Not reported | 0.3 | 0.3 | 0.9 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.4 |
| Divorced 7.0 4.7 6.8 2.7 3.3 7.1 12.5 8.3 4.8 Married/de facto 52.5 57.5 55.8 60.0 54.4 64.3 87.5 33.3 55 Separated 2.5 2.4 3.4 5.3 3.3 0.0 0.0 8.3 55 Single 12.4 6.6 5.4 10.7 6.7 10.7 0.0 8.3 55 Widowed 25.6 28.3 27.2 21.3 32.2 17.9 0.0 41.7 26 Not reported 0.0 0.5 1.4 0.0< | Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 |
| Divorced 7.0 4.7 6.8 2.7 3.3 7.1 12.5 8.3 4.8 Married/de facto 52.5 57.5 55.8 60.0 54.4 64.3 87.5 33.3 55 Separated 2.5 2.4 3.4 5.3 3.3 0.0 0.0 8.3 55 Single 12.4 6.6 5.4 10.7 6.7 10.7 0.0 8.3 55 Widowed 25.6 28.3 27.2 21.3 32.2 17.9 0.0 41.7 20 Not reported 0.0 0.5 1.4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 100.0 <t< td=""><td>Males</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<> | Males | | | | | | | | | |
| Married/de facto 52.5 57.5 55.8 60.0 54.4 64.3 87.5 33.3 55 Separated 2.5 2.4 3.4 5.3 3.3 0.0 0.0 8.3 25 Single 12.4 6.6 5.4 10.7 6.7 10.7 0.0 8.3 25 Widowed 25.6 28.3 27.2 21.3 32.2 17.9 0.0 41.7 26 Not reported 0.0 0.5 1.4 0.0 | | 7.0 | 4.7 | 6.8 | 2.7 | 3.3 | 7.1 | 12.5 | 8.3 | 5.9 |
| Separated 2.5 2.4 3.4 5.3 3.3 0.0 0.0 8.3 3.3 Single 12.4 6.6 5.4 10.7 6.7 10.7 0.0 8.3 3.3 Widowed 25.6 28.3 27.2 21.3 32.2 17.9 0.0 41.7 20 Not reported 0.0 0.5 1.4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 100.0 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>55.2</td> | | | | | | | | | | 55.2 |
| Single 12.4 6.6 5.4 10.7 6.7 10.7 0.0 8.3 9 Widowed 25.6 28.3 27.2 21.3 32.2 17.9 0.0 41.7 20 Not reported 0.0 0.5 1.4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 100.0 | | | | | | | | | | 2.9 |
| Widowed 25.6 28.3 27.2 21.3 32.2 17.9 0.0 41.7 20 Not reported 0.0 0.5 1.4 0.0 | | | | | | | | | | 9.2 |
| Not reported 0.0 0.5 1.4 0.0 0.0 0.0 0.0 0.0 0.0 Total males 100.0 <td>•</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>26.5</td> | • | | | | | | | | | 26.5 |
| Total males 100.0 | | | | | | | | | | 0.3 |
| Persons Divorced 5.2 3.8 3.7 3.0 2.3 5.3 6.9 9.1 4.0 Married/de facto 30.7 35.9 32.8 39.5 32.4 30.3 41.4 22.7 33.2 Separated 2.0 1.3 2.1 3.0 2.7 5.3 0.0 4.5 33.2 Single 10.2 6.2 4.0 7.8 5.7 5.3 0.0 4.5 33.2 Widowed 51.7 52.5 56.3 46.7 56.5 53.9 51.7 59.1 55.2 | | | | | | | | | | 100.0 |
| Divorced 5.2 3.8 3.7 3.0 2.3 5.3 6.9 9.1 4 Married/de facto 30.7 35.9 32.8 39.5 32.4 30.3 41.4 22.7 33 Separated 2.0 1.3 2.1 3.0 2.7 5.3 0.0 4.5 33 Single 10.2 6.2 4.0 7.8 5.7 5.3 0.0 4.5 33 Widowed 51.7 52.5 56.3 46.7 56.5 53.9 51.7 59.1 55 | | 100.0 | 700.0 | 700.0 | 700.0 | 700.0 | 700.0 | 700.0 | 700.0 | 700.0 |
| Married/de facto 30.7 35.9 32.8 39.5 32.4 30.3 41.4 22.7 33.7 Separated 2.0 1.3 2.1 3.0 2.7 5.3 0.0 4.5 33.7 Single 10.2 6.2 4.0 7.8 5.7 5.3 0.0 4.5 Widowed 51.7 52.5 56.3 46.7 56.5 53.9 51.7 59.1 55.7 | | 5.2 | 3.8 | 3.7 | 3.0 | 23 | 53 | 6.0 | 0.1 | 4.3 |
| Separated 2.0 1.3 2.1 3.0 2.7 5.3 0.0 4.5 5.7 Single 10.2 6.2 4.0 7.8 5.7 5.3 0.0 4.5 Widowed 51.7 52.5 56.3 46.7 56.5 53.9 51.7 59.1 55.7 | | | | | | | | | | 33.0 |
| Single 10.2 6.2 4.0 7.8 5.7 5.3 0.0 4.5 Widowed 51.7 52.5 56.3 46.7 56.5 53.9 51.7 59.1 55.7 | | | | | | | | | | 2.1 |
| Widowed 51.7 52.5 56.3 46.7 56.5 53.9 51.7 59.1 55 | • | | | | | | | | | 7.5 |
| | • | | | | | | | | | |
| NOTEDUTED UZ U4 11 UU U4 UU UU UU | | | | | | | | | | 52.8 0.4 |
| | | | | | | | | | | 0.4 100.0 |

⁽a) Refers to the location of the services.

Table 2.6: Permanent residents, Indigenous status by sex and state/territory^(a), 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|-------------------|---------|--------|--------|--------|----------|-------|-------|-------|-----------|
| Indigenous status | | | | | Number | | | | |
| Females | | | | | | | | | |
| Indigenous | 81 | 16 | 106 | 100 | 14 | 4 | 2 | 75 | 398 |
| Non-Indigenous | 31,130 | 23,892 | 16,875 | 7,866 | 8,749 | 2,726 | 1,008 | 85 | 92,331 |
| Not reported | 4,040 | 1,478 | 1,271 | 636 | 1,226 | 80 | 42 | 20 | 8,793 |
| Total females | 35, 251 | 25,386 | 18,252 | 8,602 | 9,989 | 2,810 | 1,052 | 180 | 101,522 |
| Males | | | | | | | | | |
| Indigenous | 50 | 7 | 110 | 78 | 1 | 6 | 1 | 58 | 311 |
| Non-Indigenous | 11,688 | 8,967 | 6,747 | 2,747 | 3,038 | 961 | 378 | 78 | 34,604 |
| Not reported | 1,799 | 587 | 599 | 261 | 541 | 33 | 22 | 18 | 3,860 |
| Total males | 13,537 | 9,561 | 7,456 | 3,086 | 3,580 | 1,000 | 401 | 154 | 38,775 |
| Persons | | | | | | | | | |
| Indigenous | 131 | 23 | 216 | 178 | 15 | 10 | 3 | 133 | 709 |
| Non-Indigenous | 42,818 | 32,859 | 23,622 | 10,613 | 11,787 | 3,687 | 1,386 | 163 | 126,935 |
| Not reported | 5,839 | 2,065 | 1,870 | 897 | 1,767 | 113 | 64 | 38 | 12,653 |
| Total persons | 48,788 | 34,947 | 25,708 | 11,688 | 13,569 | 3,810 | 1,453 | 334 | 140,297 |
| | | | | | Per cent | | | | |
| Females | | | | | | | | | |
| Indigenous | 0.2 | 0.1 | 0.6 | 1.2 | 0.1 | 0.1 | 0.2 | 41.7 | 0.4 |
| Non-Indigenous | 88.3 | 94.1 | 92.5 | 91.4 | 87.6 | 97.0 | 95.8 | 47.2 | 90.9 |
| Not reported | 11.5 | 5.8 | 7.0 | 7.4 | 12.3 | 2.8 | 4.0 | 11.1 | 8.7 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Indigenous | 0.4 | 0.1 | 1.5 | 2.5 | 0.0 | 0.6 | 0.2 | 37.7 | 0.8 |
| Non-Indigenous | 86.3 | 93.8 | 90.5 | 89.0 | 84.9 | 96.1 | 94.3 | 50.6 | 89.2 |
| Not reported | 13.3 | 6.1 | 8.0 | 8.5 | 15.1 | 3.3 | 5.5 | 11.7 | 10.0 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Indigenous | 0.3 | 0.1 | 8.0 | 1.5 | 0.1 | 0.3 | 0.2 | 39.8 | 0.5 |
| Non-Indigenous | 87.8 | 94.0 | 91.9 | 90.8 | 86.9 | 96.8 | 95.4 | 48.8 | 90.5 |
| Not reported | 12.0 | 5.9 | 7.3 | 7.7 | 13.0 | 3.0 | 4.4 | 11.4 | 9.0 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services.

Table 2.7: Respite residents, Indigenous status by sex and state/territory^(a), 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|-------------------|-------|-------|-------|-------|----------|-------|-------|-------|-----------|
| Indigenous status | | | | | Number | | | | |
| Females | | | | | | | | | |
| Indigenous | 2 | 0 | 2 | 4 | 0 | 0 | 0 | 6 | 14 |
| Non-Indigenous | 560 | 318 | 212 | 87 | 155 | 46 | 17 | 2 | 1,397 |
| Not reported | 100 | 21 | 17 | 1 | 17 | 2 | 4 | 2 | 164 |
| Total females | 662 | 339 | 231 | 92 | 172 | 48 | 21 | 10 | 1,575 |
| Males | | | | | | | | | |
| Indigenous | 2 | 0 | 1 | 3 | 0 | 0 | 0 | 4 | 10 |
| Non-Indigenous | 329 | 201 | 125 | 70 | 82 | 27 | 6 | 6 | 846 |
| Not reported | 71 | 11 | 21 | 2 | 8 | 1 | 2 | 2 | 118 |
| Total males | 402 | 212 | 147 | 75 | 90 | 28 | 8 | 12 | 974 |
| Persons | | | | | | | | | |
| Indigenous | 4 | 0 | 3 | 7 | 0 | 0 | 0 | 10 | 24 |
| Non-Indigenous | 889 | 519 | 337 | 157 | 237 | 73 | 23 | 8 | 2,243 |
| Not reported | 171 | 32 | 38 | 3 | 25 | 3 | 6 | 4 | 282 |
| Total persons | 1,064 | 551 | 378 | 167 | 262 | 76 | 29 | 22 | 2,549 |
| | | | | | Per cent | | | | |
| Females | | | | | | | | | |
| Indigenous | 0.3 | 0.0 | 0.9 | 4.3 | 0.0 | 0.0 | 0.0 | 60.0 | 0.9 |
| Non-Indigenous | 84.6 | 93.8 | 91.8 | 94.6 | 90.1 | 95.8 | 81.0 | 20.0 | 88.7 |
| Not reported | 15.1 | 6.2 | 7.4 | 1.1 | 9.9 | 4.2 | 19.0 | 20.0 | 10.4 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Indigenous | 0.5 | 0.0 | 0.7 | 4.0 | 0.0 | 0.0 | 0.0 | 33.3 | 1.0 |
| Non-Indigenous | 81.8 | 94.8 | 85.0 | 93.3 | 91.1 | 96.4 | 75.0 | 50.0 | 86.9 |
| Not reported | 17.7 | 5.2 | 14.3 | 2.7 | 8.9 | 3.6 | 25.0 | 16.7 | 12.1 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Indigenous | 0.4 | 0.0 | 0.8 | 4.2 | 0.0 | 0.0 | 0.0 | 45.5 | 0.9 |
| Non-Indigenous | 83.6 | 94.2 | 89.2 | 94.0 | 90.5 | 96.1 | 79.3 | 36.4 | 88.0 |
| Not reported | 16.1 | 5.8 | 10.1 | 1.8 | 9.5 | 3.9 | 20.7 | 18.2 | 11.1 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services.

Table 2.8: Permanent residents, pension status by sex and state/territory^(a), 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|----------------------|--------|--------|--------|--------|--------|-------|-------|-------|-----------|
| pension status | | | | Nu | ımber | | | | |
| Females | | | | | | | | | |
| FaCS pension | 26,068 | 19,384 | 13,864 | 6,497 | 7,881 | 2,127 | 718 | 160 | 76,698 |
| DVA pension | 4,652 | 3,467 | 2,981 | 1,238 | 1,343 | 483 | 109 | 9 | 14,281 |
| Self-funded retirees | 4,506 | 2,514 | 1,399 | 865 | 761 | 201 | 225 | 11 | 10,482 |
| Unknown | 23 | 20 | 8 | 0 | 4 | 2 | 0 | 0 | 57 |
| Total females | 35,249 | 25,385 | 18,251 | 8,600 | 9,989 | 2,813 | 1,052 | 180 | 101,518 |
| Males | | | | | | | | | |
| FaCS pension | 9,258 | 6,791 | 5,013 | 2,028 | 2,419 | 644 | 233 | 137 | 26,522 |
| DVA pension | 2,708 | 1,808 | 1,816 | 744 | 863 | 280 | 70 | 12 | 8,301 |
| Self-funded retirees | 1,559 | 952 | 621 | 314 | 296 | 83 | 96 | 5 | 3,926 |
| Unknown | 11 | 12 | 5 | 0 | 1 | 0 | 1 | 0 | 30 |
| Total males | 13,536 | 9,563 | 7,455 | 3,086 | 3,579 | 1,007 | 400 | 154 | 38,779 |
| Persons | | | | | | | | | |
| FaCS pension | 35,326 | 26,175 | 18,876 | 8,525 | 10,300 | 2,771 | 951 | 297 | 103,220 |
| DVA pension | 7,360 | 5,275 | 4,797 | 1,982 | 2,206 | 763 | 179 | 21 | 22,582 |
| Self-funded retirees | 6,065 | 3,466 | 2,020 | 1,179 | 1,057 | 284 | 321 | 16 | 14,407 |
| Unknown | 34 | 32 | 13 | 0 | 5 | 2 | 1 | 0 | 87 |
| Total persons | 48,784 | 34,948 | 25,706 | 11,686 | 13,568 | 3,820 | 1,452 | 334 | 140,297 |
| | | | | Pe | r cent | | | | |
| Females | | | | | | | | | |
| FaCS pension | 74.0 | 76.4 | 76.0 | 75.5 | 78.9 | 75.6 | 68.3 | 88.9 | 75.6 |
| DVA pension | 13.2 | 13.7 | 16.3 | 14.4 | 13.4 | 17.2 | 10.4 | 5.0 | 14.1 |
| Self-funded retirees | 12.8 | 9.9 | 7.7 | 10.1 | 7.6 | 7.1 | 21.4 | 6.1 | 10.3 |
| Unknown | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| FaCS pension | 68.4 | 71.0 | 67.2 | 65.7 | 67.6 | 64.0 | 58.3 | 89.0 | 68.4 |
| DVA pension | 20.0 | 18.9 | 24.4 | 24.1 | 24.1 | 27.8 | 17.5 | 7.8 | 21.4 |
| Self-funded retirees | 11.5 | 10.0 | 8.3 | 10.2 | 8.3 | 8.2 | 24.0 | 3.2 | 10.1 |
| Unknown | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.1 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| FaCS pension | 72.4 | 74.9 | 73.4 | 73.0 | 75.9 | 72.5 | 65.5 | 88.9 | 73.6 |
| DVA pension | 15.1 | 15.1 | 18.7 | 17.0 | 16.3 | 20.0 | 12.3 | 6.3 | 16.1 |
| Self-funded retirees | 12.4 | 9.9 | 7.9 | 10.1 | 7.8 | 7.4 | 22.1 | 4.8 | 10.3 |
| Unknown | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.1 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services.

^{1. &#}x27;FACS' refers to the Australian Department of Family and Community Services; 'DVA' refers to the Australian Department of Veterans' Affairs. FaCS pensions are administered by Centrelink.

^{2.} The category 'Unknown' refers to residents not yet assessed by Centrelink or DVA at the time of reporting.

^{3.} The table supplied by the Australian Department of Health and Ageing (DoHA) has been adjusted slightly to retain consistency with other tables as different updates of the data were used (see 'Data limitations', page 16).

Table 2.9: Permanent residents, birthplace (a) by sex and state/territory (b), 30 June 2003

| | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|--------------------------------------|----------|----------|--------|----------|--------|-------|-------|-------|-----------|
| Sex/birthplace | | | | | Number | | | | |
| Females | | | | | | | | | |
| Australia | 26,964 | 18,677 | 14,613 | 5,298 | 7,326 | 2,384 | 667 | 141 | 76,070 |
| Other Oceania/New Zealand/Antarctica | 338 | 152 | 294 | 59 | 32 | 17 | 11 | 1 | 904 |
| UK and Ireland | 3,240 | 2,377 | 1,916 | 1,932 | 1,378 | 279 | 185 | 22 | 11,329 |
| North/West Europe | 700 | 802 | 383 | 241 | 310 | 60 | 49 | 5 | 2,550 |
| South/East Europe | 2,114 | 2,278 | 509 | 553 | 701 | 30 | 81 | 4 | 6,270 |
| North Africa/Middle East | 292 | 225 | 27 | 30 | 23 | 3 | 6 | 0 | 606 |
| Sub-Saharan Africa/South Africa | 164 | 101 | 52 | 65 | 9 | 6 | 5 | 2 | 404 |
| Southeast Asia | 201 | 119 | 54 | 105 | 32 | 3 | 12 | 1 | 527 |
| Northeast Asia | 427 | 144 | 53 | 28 | 19 | 5 | 6 | 2 | 684 |
| Southern Asia/Central Asia | 201 | 234 | 66 | 149 | 31 | 8 | 11 | 0 | 700 |
| North America | 84 | 35 | 51 | 31 | 17 | 6 | 4 | 1 | 229 |
| Other America/Caribbean | 103 | 26 | 29 | 15 | 7 | 0 | 3 | 1 | 184 |
| Other | 11 | 9 | 2 | 2 | . 1 | 0 | 0 | 0 | 25 |
| Not stated/Not classified | 412 | 207 | 203 | 94 | 103 | 9 | 12 | 0 | 1,040 |
| Total females | 35.251 | 25,386 | 18,252 | 8,602 | 9.989 | 2,810 | 1,052 | 180 | 101.522 |
| Males | 33,231 | 20,000 | 10,232 | 0,002 | 9,909 | 2,010 | 1,002 | 700 | 101,322 |
| Australia | 9,855 | 6,595 | 5,764 | 1,863 | 2,447 | 839 | 243 | 116 | 27,722 |
| Other Oceania/New Zealand/Antarctica | 128 | 62 | 120 | 30 | 2,447 | 2 | 3 | 0 | 356 |
| UK and Ireland | 1,225 | 908 | 820 | 618 | 529 | 96 | 61 | 18 | 4,275 |
| North/West Europe | 299 | 291 | 183 | 86 | 109 | 18 | 22 | 9 | 1,017 |
| South/East Europe | 1,261 | 1,234 | 340 | 301 | 390 | 34 | 49 | 9 | 3,618 |
| North Africa/Middle East | 1,201 | 93 | 11 | 11 | 10 | 1 | 49 | 0 | 275 |
| | | | | 18 | 4 | | 0 | | |
| Sub-Saharan Africa/South Africa | 54 84 | 43 | 19 | | | 2 | 4 | 0 | 140 |
| Southeast Asia | | 69 56 | 28 | 46 12 | 10 | 0 | | 0 | 241 |
| Northeast Asia | 176 | 56 | 21 | | 7 | 0 | 7 | 1 | 280 |
| Southern Asia/Central Asia | 68 | 77 10 | 20 | 49 | 16 | 1 | 6 | 1 | 238 |
| North America | 39 | 18 | 25 | 8 | 7 | 4 | 5 | 0 | 106 |
| Other America/Caribbean | 32 | 14 | 9 | 4 | 3 | 0 | 0 | 0 | 62 |
| Other | 6 | 8 | 1 | 0 | 1 | 0 | 0 | 0 | 16 |
| Not stated/Not classified | 161 | 93 | 95 | 40 | 36 | 3 | 1 | 0 | 429 |
| Total males | 13,537 | 9,561 | 7,456 | 3,086 | 3,580 | 1,000 | 401 | 154 | 38,775 |
| Persons | 00.040 | 05.070 | 00.077 | 7 404 | 0.770 | 0.000 | 0.10 | 0.5-7 | 400 700 |
| Australia | 36,819 | | 20,377 | 7,161 | | 3,223 | 910 | 257 | 103,792 |
| Other Oceania/New Zealand/Antarctica | 466 | 214 | 414 | 89 | 43 | 19 | 14 | 1 | 1,260 |
| UK and Ireland | 4,465 | 3,285 | 2,736 | 2,550 | 1,907 | 375 | 246 | 40 | 15,604 |
| North/West Europe | 999 | 1,093 | 566 | 327 | 419 | 78 | 71 | 14 | 3,567 |
| South/East Europe | 3,375 | 3,512 | 849 | 854 | 1,091 | 64 | 130 | 13 | 9,888 |
| North Africa/Middle East | 441 | 318 | 38 | 41 | 33 | 4 | 6 | 0 | 881 |
| Sub–Saharan Africa/South Africa | 218 | 144 | 71 | 83 | 13 | 8 | 5 | 2 | 544 |
| Southeast Asia | 285 | 188 | 82 | 151 | 42 | 3 | 16 | 1 | 768 |
| Northeast Asia | 603 | 200 | 74 | 40 | 26 | 5 | 13 | 3 | 964 |
| Southern Asia/Central Asia | 269 | 311 | 86 | 198 | 47 | 9 | 17 | 1 | 938 |
| North America | 123 | 53 | 76 | 39 | 24 | 10 | 9 | 1 | 335 |
| Other America/Caribbean | 135 | 40 | 38 | 19 | 10 | 0 | 3 | 1 | 246 |
| Other | 17 | 17 | 3 | 2 | 2 | 0 | 0 | 0 | 41 |
| Not stated/Not classified | 573 | 300 | 298 | 134 | 139 | 12 | 13 | 0 | 1,469 |
| Total persons | 48,788 | 34,947 | 25,708 | 11,688 | 13,569 | 3,810 | 1,453 | 334 | 140,297 |

Table 2.9 (continued): Permanent residents, birthplace^(a) by sex and state/territory^(b), 30 June 2003

| 30 Julie 2003 | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|--------------------------------------|-------|-------|-------|-------|----------|-------|-------|-------|-----------|
| Sex/birthplace | | | | | Per cent | | | | |
| Females | | | | | | | | | |
| Australia | 76.5 | 73.6 | 80.1 | 61.6 | 73.3 | 84.8 | 63.4 | 78.3 | 74.9 |
| Other Oceania/New Zealand/Antarctica | 1.0 | 0.6 | 1.6 | 0.7 | 0.3 | 0.6 | 1.0 | 0.6 | 0.9 |
| UK and Ireland | 9.2 | 9.4 | 10.5 | 22.5 | 13.8 | 9.9 | 17.6 | 12.2 | 11.2 |
| North/West Europe | 2.0 | 3.2 | 2.1 | 2.8 | 3.1 | 2.1 | 4.7 | 2.8 | 2.5 |
| South/East Europe | 6.0 | 9.0 | 2.8 | 6.4 | 7.0 | 1.1 | 7.7 | 2.2 | 6.2 |
| North Africa/Middle East | 0.8 | 0.9 | 0.1 | 0.4 | 0.2 | 0.1 | 0.6 | 0.0 | 0.6 |
| Sub-Saharan Africa/South Africa | 0.5 | 0.3 | 0.1 | 0.8 | 0.2 | 0.1 | 0.5 | 1.1 | 0.4 |
| Southeast Asia | 0.5 | 0.4 | 0.3 | 1.2 | 0.1 | 0.2 | 1.1 | 0.6 | 0.4 |
| Northeast Asia | 1.2 | 0.5 | 0.3 | 0.3 | 0.3 | 0.1 | 0.6 | 1.1 | 0.5 |
| | | | | | | | | | |
| Southern Asia/Central Asia | 0.6 | 0.9 | 0.4 | 1.7 | 0.3 | 0.3 | 1.0 | 0.0 | 0.7 |
| North America | 0.2 | 0.1 | 0.3 | 0.4 | 0.2 | 0.2 | 0.4 | 0.6 | 0.2 |
| Other America/Caribbean | 0.3 | 0.1 | 0.2 | 0.2 | 0.1 | 0.0 | 0.3 | 0.6 | 0.2 |
| Other | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Not stated/Not classified | 1.2 | 8.0 | 1.1 | 1.1 | 1.0 | 0.3 | 1.1 | 0.0 | 1.0 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Australia | 72.8 | 69.0 | 77.3 | 60.4 | 68.4 | 83.9 | 60.6 | 75.3 | 71.5 |
| Other Oceania/New Zealand/Antarctica | 0.9 | 0.6 | 1.6 | 1.0 | 0.3 | 0.2 | 0.7 | 0.0 | 0.9 |
| UK and Ireland | 9.0 | 9.5 | 11.0 | 20.0 | 14.8 | 9.6 | 15.2 | 11.7 | 11.0 |
| North/West Europe | 2.2 | 3.0 | 2.5 | 2.8 | 3.0 | 1.8 | 5.5 | 5.8 | 2.6 |
| South/East Europe | 9.3 | 12.9 | 4.6 | 9.8 | 10.9 | 3.4 | 12.2 | 5.8 | 9.3 |
| North Africa/Middle East | 1.1 | 1.0 | 0.1 | 0.4 | 0.3 | 0.1 | 0.0 | 0.0 | 0.7 |
| Sub-Saharan Africa/South Africa | 0.4 | 0.4 | 0.3 | 0.6 | 0.1 | 0.2 | 0.0 | 0.0 | 0.4 |
| Southeast Asia | 0.6 | 0.7 | 0.4 | 1.5 | 0.3 | 0.0 | 1.0 | 0.0 | 0.6 |
| Northeast Asia | 1.3 | 0.6 | 0.3 | 0.4 | 0.2 | 0.0 | 1.7 | 0.6 | 0.7 |
| Southern Asia/Central Asia | 0.5 | 8.0 | 0.3 | 1.6 | 0.4 | 0.1 | 1.5 | 0.6 | 0.6 |
| North America | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 | 0.4 | 1.2 | 0.0 | 0.3 |
| Other America/Caribbean | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.2 |
| Other | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Not stated/Not classified | 1.2 | 1.0 | 1.3 | 1.3 | 1.0 | 0.3 | 0.2 | 0.0 | 1.1 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Australia | 75.5 | 72.3 | 79.3 | 61.3 | 72.0 | 84.6 | 62.6 | 76.9 | 74.0 |
| Other Oceania/New Zealand/Antarctica | 1.0 | 0.6 | 1.6 | 0.8 | 0.3 | 0.5 | 1.0 | 0.3 | 0.9 |
| UK and Ireland | 9.2 | 9.4 | 10.6 | 21.8 | 14.1 | 9.8 | 16.9 | 12.0 | 11.1 |
| North/West Europe | 2.0 | 3.1 | 2.2 | 2.8 | 3.1 | 2.0 | 4.9 | 4.2 | 2.5 |
| South/East Europe | 6.9 | 10.0 | 3.3 | 7.3 | 8.0 | 1.7 | 8.9 | 3.9 | 7.0 |
| North Africa/Middle East | 0.9 | 0.9 | 0.1 | 0.4 | 0.2 | 0.1 | 0.4 | 0.0 | 0.6 |
| Sub–Saharan Africa/South Africa | 0.4 | 0.4 | 0.3 | 0.7 | 0.1 | 0.2 | 0.3 | 0.6 | 0.4 |
| Southeast Asia | 0.6 | 0.5 | 0.3 | 1.3 | 0.3 | 0.1 | 1.1 | 0.3 | 0.5 |
| Northeast Asia | 1.2 | 0.6 | 0.3 | 0.3 | 0.2 | 0.1 | 0.9 | 0.9 | 0.7 |
| Southern Asia/Central Asia | 0.6 | 0.9 | 0.3 | 1.7 | 0.3 | 0.2 | 1.2 | 0.3 | 0.7 |
| North America | 0.3 | 0.9 | 0.3 | 0.3 | 0.3 | 0.2 | 0.6 | 0.3 | 0.7 |
| | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 | 0.0 | 0.0 | 0.3 | 0.2 |
| Other America/Caribbean | | | | | | | | | |
| Other | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Not stated/Not classified | 1.2 | 0.9 | 1.2 | 1.1 | 1.0 | 0.3 | 0.9 | 0.0 | 1.0 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) ABS cat. no. 1269.0, 1998.

⁽b) Refers to the location of the services.

Table 2.10: Respite residents, birthplace (a) by sex and state/territory (b), 30 June 2003

| | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|--------------------------------------|-------|-----|---------|---------|------|-----|-----|----|-----------|
| Sex/birthplace | | | | | Numb | oer | | | |
| Females | | | | | | | | | |
| Australia | 489 | 248 | 180 | 59 | 133 | 38 | 14 | 7 | 1,168 |
| Other Oceania/New Zealand/Antarctica | 10 | 2 | 4 | 0 | 0 | 1 | 0 | 0 | 17 |
| UK and Ireland | 63 | 27 | 33 | 14 | 17 | 8 | 1 | 2 | 165 |
| North/West Europe | 18 | 16 | 1 | 5 | 3 | 1 | 1 | 0 | 45 |
| South/East Europe | 57 | 36 | 10 | 9 | 13 | 0 | 2 | 1 | 128 |
| North Africa/Middle East | 12 | 1 | 0 | 0 | 3 | 0 | 0 | 0 | 16 |
| Sub-Saharan Africa/South Africa | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 3 |
| Southeast Asia | 4 | 4 | 1 | 0 | 1 | 0 | 0 | 0 | 10 |
| Northeast Asia | 4 | 1 | 2 | 0 | 0 | 0 | 2 | 0 | 9 |
| Southern Asia/Central Asia | 3 | 3 | 0 | 2 | 1 | 0 | 1 | 0 | 10 |
| North America | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| Other America/Caribbean | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Other | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Not stated/Not classified | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| Total females | 662 | 339 | 231 | 92 | 172 | 48 | 21 | 10 | 1,575 |
| Males | | | | | | | | | , |
| Australia | 277 | 138 | 109 | 43 | 66 | 17 | 5 | 9 | 664 |
| Other Oceania/New Zealand/Antarctica | 4 | 1 | 5 | 0 | 1 | 0 | 1 | 1 | 13 |
| UK and Ireland | 54 | 29 | 12 | 19 | 9 | 9 | 1 | 1 | 134 |
| North/West Europe | 10 | 9 | 7 | 2 | 5 | 1 | 1 | 1 | 36 |
| South/East Europe | 36 | 29 | 5 | 7 | 8 | 1 | 0 | 0 | 86 |
| North Africa/Middle East | 7 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 10 |
| Sub-Saharan Africa/South Africa | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 4 |
| Southeast Asia | 5 | 2 | 1 | 2 | 0 | 0 | 0 | 0 | 10 |
| Northeast Asia | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 5 |
| Southern Asia/Central Asia | 3 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 6 |
| North America | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 |
| Other America/Caribbean | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Other Other | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Not stated/Not classified | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total males | 402 | 212 | 147 | 75 | 90 | 28 | 8 | 12 | 974 |
| | 402 | 212 | 147 | 75 | 90 | 20 | 0 | 12 | 9/4 |
| Persons Australia | 766 | 386 | 289 | 102 | 199 | 55 | 19 | 16 | 1,832 |
| Other Oceania/New Zealand/Antarctica | 14 | 3 | 209 | 0 | 1 | 1 | 1 | 10 | 30 |
| UK and Ireland | 117 | 56 | 9 45 | 33 | 26 | 17 | 2 | 3 | 299 |
| | 28 | | | 33 7 | | 2 | 2 | | |
| North/West Europe | | 25 | 8 | | 8 | | | 1 | 81 |
| South/East Europe | 93 | 65 | 15 | 16 | 21 | 1 | 2 | 1 | 214 |
| North Africa/Middle East | 19 | 3 | 1 | 0 | 3 | 0 | 0 | 0 | 26 |
| Sub–Saharan Africa/South Africa | 1 | 1 | 1 | 4 | 0 | 0 | 0 | 0 | 7 |
| Southeast Asia | 9 | 6 | 2 | 2 | 1 | 0 | 0 | 0 | 20 |
| Northeast Asia | 7 | 2 | 3 | 0 | 0 | 0 | 2 | 0 | 14 |
| Southern Asia/Central Asia | 6 | 4 | 1 | 2 | 2 | 0 | 1 | 0 | 16 |
| North America | 1 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 5 |
| Other America/Caribbean | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Other | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Not stated/Not classified | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 |
| Total persons | 1,064 | 551 | 378 | 167 | 262 | 76 | 29 | 22 | 2,549 |

Table 2.10 (continued): Respite residents, birthplace^(a) by sex and state/territory^(b), 30 June 2003

| 30 Julie 2003 | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|--------------------------------------|------------|-------|-------|-------|-------|--------|------------|------------|------------|
| Sex/birthplace | , | | | | Per | | | | |
| Females | | | | | | ,,,,,, | | | |
| Australia | 73.9 | 73.2 | 77.9 | 64.1 | 77.3 | 79.2 | 66.7 | 70.0 | 74.2 |
| Other Oceania/New Zealand/Antarctica | 1.5 | 0.6 | 1.7 | 0.0 | 0.0 | 2.1 | 0.0 | 0.0 | 1.1 |
| UK and Ireland | 9.5 | 8.0 | 14.3 | 15.2 | 9.9 | 16.7 | 4.8 | 20.0 | 10.5 |
| North/West Europe | 2.7 | 4.7 | 0.4 | 5.4 | 1.7 | 2.1 | 4.8 | 0.0 | 2.9 |
| South/East Europe | 8.6 | 10.6 | 4.3 | 9.8 | 7.6 | 0.0 | 9.5 | 10.0 | 8.1 |
| North Africa/Middle East | 1.8 | 0.3 | 0.0 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | 1.0 |
| Sub-Saharan Africa/South Africa | 0.0 | 0.3 | 0.0 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 |
| | | 1.2 | | | | | | | |
| Southeast Asia | 0.6 0.6 | 0.3 | 0.4 | 0.0 | 0.6 | 0.0 | 0.0 9.5 | 0.0 0.0 | 0.6 0.6 |
| Northeast Asia | | | 0.9 | | | 0.0 | | | |
| Southern Asia/Central Asia | 0.5 | 0.9 | 0.0 | 2.2 | 0.6 | 0.0 | 4.8 | 0.0 | 0.6 |
| North America | 0.2 | 0.0 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 |
| Other America/Caribbean | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 |
| Other | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Not stated/Not classified | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.1 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Australia | 68.9 | 65.1 | 74.1 | 57.3 | 73.3 | 60.7 | 62.5 | 75.0 | 68.2 |
| Other Oceania/New Zealand/Antarctica | 1.0 | 0.5 | 3.4 | 0.0 | 1.1 | 0.0 | 12.5 | 8.3 | 1.3 |
| UK and Ireland | 13.4 | 13.7 | 8.2 | 25.3 | 10.0 | 32.1 | 12.5 | 8.3 | 13.8 |
| North/West Europe | 2.5 | 4.2 | 4.8 | 2.7 | 5.6 | 3.6 | 12.5 | 8.3 | 3.7 |
| South/East Europe | 9.0 | 13.7 | 3.4 | 9.3 | 8.9 | 3.6 | 0.0 | 0.0 | 8.8 |
| North Africa/Middle East | 1.7 | 0.9 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 |
| Sub-Saharan Africa/South Africa | 0.2 | 0.0 | 0.7 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 |
| Southeast Asia | 1.2 | 0.9 | 0.7 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 |
| Northeast Asia | 0.7 | 0.5 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 |
| Southern Asia/Central Asia | 0.7 | 0.5 | 0.7 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 0.6 |
| North America | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 |
| Other America/Caribbean | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 |
| Other | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 |
| Not stated/Not classified | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Australia | 72.0 | 70.1 | 76.5 | 61.1 | 76.0 | 72.4 | 65.5 | 72.7 | 71.9 |
| Other Oceania/New Zealand/Antarctica | 1.3 | 0.5 | 2.4 | 0.0 | 0.4 | 1.3 | 3.4 | 4.5 | 1.2 |
| UK and Ireland | 11.0 | 10.2 | 11.9 | 19.8 | 9.9 | 22.4 | 6.9 | 13.6 | 11.7 |
| North/West Europe | 2.6 | 4.5 | 2.1 | 4.2 | 3.1 | 2.6 | 6.9 | 4.5 | 3.2 |
| South/East Europe | 8.7 | 11.8 | 4.0 | 9.6 | 8.0 | 1.3 | 6.9 | 4.5 | 8.4 |
| North Africa/Middle East | 1.8 | 0.5 | 0.3 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 1.0 |
| Sub-Saharan Africa/South Africa | 0.1 | 0.2 | 0.3 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 |
| Southeast Asia | 8.0 | 1.1 | 0.5 | 1.2 | 0.4 | 0.0 | 0.0 | 0.0 | 0.8 |
| Northeast Asia | 0.7 | 0.4 | 0.8 | 0.0 | 0.0 | 0.0 | 6.9 | 0.0 | 0.5 |
| Southern Asia/Central Asia | 0.6 | 0.7 | 0.3 | 1.2 | 0.8 | 0.0 | 3.4 | 0.0 | 0.6 |
| North America | 0.1 | 0.0 | 0.8 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 |
| Other America/Caribbean | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 |
| Other | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Not stated/Not classified | 0.0 | 0.0 | 0.3 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.1 |
| Total persons | | 100.0 | | 100.0 | | | 100.0 | | 100.0 |

⁽a) ABS cat. no. 1269.0, 1998.

⁽b) Refers to the location of the services.

Table 2.11: Permanent residents, preferred language^(a) by sex and state/territory^(b), 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|-----------------------------------|--------|--------|--------|--------|--------|-------|-------|-----|-----------|
| preferred language | ' | | | l | Number | | | | |
| Females | | | | | | | | | |
| Australian Indigenous | 6 | 0 | 5 | 44 | 0 | 0 | 0 | 45 | 100 |
| English | 32,591 | 22,752 | 17,723 | 8,004 | 9,238 | 2,771 | 973 | 122 | 94,174 |
| Other Northern European | 226 | 338 | 96 | 78 | 117 | 18 | 15 | 1 | 889 |
| Southern European | 1,048 | 1,216 | 216 | 271 | 341 | 5 | 30 | 3 | 3,130 |
| Eastern European | 716 | 716 | 132 | 149 | 206 | 11 | 26 | 2 | 1,958 |
| Southwest Asian and North African | 104 | 62 | 1 | 0 | 1 | 0 | 1 | 0 | 169 |
| Southern Asian | 28 | 19 | 1 | 2 | 4 | 2 | 1 | 0 | 57 |
| Southeast Asian | 65 | 44 | 8 | 12 | 9 | 0 | 5 | 0 | 143 |
| Eastern Asian | 331 | 124 | 29 | 26 | 17 | 1 | 1 | 2 | 531 |
| African (excluding North African) | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 3 |
| Oceanic | 16 | 3 | 4 | 0 | 0 | 1 | 0 | 0 | 24 |
| Other | 66 | 75 | 23 | 10 | 21 | 1 | 0 | 3 | 199 |
| Not stated | 54 | 35 | 13 | 6 | 35 | 0 | 0 | 2 | 145 |
| Total females | 35,251 | 25,386 | 18,252 | 8,602 | 9,989 | 2,810 | 1,052 | 180 | 101,522 |
| Males | | | | | | | | | |
| Australian Indigenous | 4 | 0 | 7 | 29 | 0 | 0 | 0 | 37 | 77 |
| English | 12,306 | 8,328 | 7,193 | 2,805 | 3,229 | 984 | 360 | 108 | 35,313 |
| Other Northern European | 64 | 109 | 27 | 27 | 38 | 2 | 2 | 3 | 272 |
| Southern European | 463 | 593 | 91 | 139 | 159 | 3 | 13 | 2 | 1,463 |
| Eastern European | 384 | 360 | 85 | 55 | 115 | 10 | 20 | 1 | 1,030 |
| Southwest Asian and North African | 58 | 29 | 0 | 0 | 1 | 0 | 0 | 0 | 88 |
| Southern Asian | 8 | 4 | 1 | 2 | 1 | 0 | 0 | 0 | 16 |
| Southeast Asian | 35 | 31 | 6 | 3 | 4 | 0 | 2 | 0 | 81 |
| Eastern Asian | 140 | 53 | 15 | 13 | 5 | 0 | 4 | 1 | 231 |
| African (excluding North African) | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 3 |
| Oceanic | 3 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 10 |
| Other | 41 | 38 | 18 | 5 | 8 | 1 | 0 | 2 | 113 |
| Not stated | 30 | 11 | 9 | 8 | 20 | 0 | 0 | 0 | 78 |
| Total males | 13,537 | 9,561 | 7,456 | 3,086 | 3,580 | 1,000 | 401 | 154 | 38,775 |
| Persons | | | | | | | | | |
| Australian Indigenous | 10 | 0 | 12 | 73 | 0 | 0 | 0 | 82 | 177 |
| English | | 31,080 | 24,916 | | 12,467 | | 1,333 | 230 | 129,487 |
| Other Northern European | 290 | 447 | 123 | 105 | 155 | 20 | 17 | 4 | 1,161 |
| Southern European | 1,511 | 1,809 | 307 | 410 | 500 | 8 | 43 | 5 | 4,593 |
| Eastern European | 1,100 | 1,076 | 217 | 204 | 321 | 21 | 46 | 3 | 2,988 |
| Southwest Asian and North African | 162 | 91 | 1 | 0 | 2 | 0 | 1 | 0 | 257 |
| Southern Asian | 36 | 23 | 2 | 4 | 5 | 2 | 1 | 0 | 73 |
| Southeast Asian | 100 | 75 | 14 | 15 | 13 | 0 | 7 | 0 | 224 |
| Eastern Asian | 471 | 177 | 44 | 39 | 22 | 1 | 5 | 3 | 762 |
| African (excluding North African) | 1 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 6 |
| Oceanic | 19 | 7 | 7 | 0 | 0 | 1 | 0 | 0 | 34 |
| Other | 107 | 113 | 41 | 15 | 29 | 2 | 0 | 5 | 312 |
| Not stated | 84 | 46 | 22 | 14 | 55 | 0 | 0 | 2 | 223 |
| Total persons | 48,788 | 34,947 | 25,708 | 11,688 | 13,569 | 3,810 | 1,453 | 334 | 140,297 |

Table 2.11 (continued): Permanent residents, preferred language^(a) by sex and state/territory^(b), 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|-----------------------------------|-------|-------|-------|-------|----------|-------|-------|-------|-----------|
| preferred language | | | | F | Per cent | | | | |
| Females | | | | | | | | | |
| Australian Indigenous | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 25.0 | 0.1 |
| English | 92.5 | 89.6 | 97.1 | 93.0 | 92.5 | 98.6 | 92.5 | 67.8 | 92.8 |
| Other Northern European | 0.6 | 1.3 | 0.5 | 0.9 | 1.2 | 0.6 | 1.4 | 0.6 | 0.9 |
| Southern European | 3.0 | 4.8 | 1.2 | 3.2 | 3.4 | 0.2 | 2.9 | 1.7 | 3.1 |
| Eastern European | 2.0 | 2.8 | 0.7 | 1.7 | 2.1 | 0.4 | 2.5 | 1.1 | 1.9 |
| Southwest Asian and North African | 0.3 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.2 |
| Southern Asian | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.1 |
| Southeast Asian | 0.2 | 0.2 | 0.0 | 0.1 | 0.1 | 0.0 | 0.5 | 0.0 | 0.1 |
| Eastern Asian | 0.9 | 0.5 | 0.2 | 0.3 | 0.2 | 0.0 | 0.1 | 1.1 | 0.5 |
| African (excluding North African) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Oceanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other | 0.2 | 0.3 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 1.7 | 0.2 |
| Not stated | 0.2 | 0.1 | 0.1 | 0.1 | 0.4 | 0.0 | 0.0 | 1.1 | 0.1 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Australian Indigenous | 0.0 | 0.0 | 0.1 | 0.9 | 0.0 | 0.0 | 0.0 | 24.0 | 0.2 |
| English | 90.9 | 87.1 | 96.5 | 90.9 | 90.2 | 98.4 | 89.8 | 70.1 | 91.1 |
| Other Northern European | 0.5 | 1.1 | 0.4 | 0.9 | 1.1 | 0.2 | 0.5 | 1.9 | 0.7 |
| Southern European | 3.4 | 6.2 | 1.2 | 4.5 | 4.4 | 0.3 | 3.2 | 1.3 | 3.8 |
| Eastern European | 2.8 | 3.8 | 1.1 | 1.8 | 3.2 | 1.0 | 5.0 | 0.6 | 2.7 |
| Southwest Asian and North African | 0.4 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 |
| Southern Asian | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Southeast Asian | 0.3 | 0.3 | 0.1 | 0.1 | 0.1 | 0.0 | 0.5 | 0.0 | 0.2 |
| Eastern Asian | 1.0 | 0.6 | 0.2 | 0.4 | 0.1 | 0.0 | 1.0 | 0.6 | 0.6 |
| African (excluding North African) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Oceanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other | 0.3 | 0.4 | 0.2 | 0.2 | 0.2 | 0.1 | 0.0 | 1.3 | 0.3 |
| Not stated | 0.2 | 0.1 | 0.1 | 0.3 | 0.6 | 0.0 | 0.0 | 0.0 | 0.2 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | • |
| Australian Indigenous | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 24.6 | 0.1 |
| English | 92.0 | 88.9 | 96.9 | 92.5 | 91.9 | 98.6 | 91.7 | 68.9 | 92.3 |
| Other Northern European | 0.6 | 1.3 | 0.5 | 0.9 | 1.1 | 0.5 | 1.2 | 1.2 | 0.8 |
| Southern European | 3.1 | 5.2 | 1.2 | 3.5 | 3.7 | 0.2 | 3.0 | 1.5 | 3.3 |
| Eastern European | 2.3 | 3.1 | 0.8 | 1.7 | 2.4 | 0.6 | 3.2 | 0.9 | 2.1 |
| Southwest Asian and North African | 0.3 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.2 |
| Southern Asian | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.1 |
| Southeast Asian | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.5 | 0.0 | 0.2 |
| Eastern Asian | 1.0 | 0.5 | 0.2 | 0.3 | 0.2 | 0.0 | 0.3 | 0.9 | 0.5 |
| African (excluding North African) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Oceanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | 0.1 | 0.0 | 1.5 | 0.2 |
| Not stated | 0.2 | 0.1 | 0.1 | 0.1 | 0.4 | 0.0 | 0.0 | 0.6 | 0.2 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) ABS cat. no. 1267.0, (1997).

⁽b) Refers to the location of the services.

Table 2.12: Respite residents, preferred language^(a) by sex and state/territory^(b), 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|-----------------------------------|-------|-----|-----|-----|------|-----|-----|----|-----------|
| preferred language | | | | | Numl | ber | | | |
| Females | | | | | | | | | |
| Australian Indigenous | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 |
| English | 609 | 294 | 222 | 82 | 155 | 47 | 19 | 5 | 1,433 |
| Other Northern European | 3 | 7 | 0 | 2 | 3 | 0 | 0 | 0 | 15 |
| Southern European | 27 | 15 | 4 | 5 | 7 | 0 | 0 | 1 | 59 |
| Eastern European | 14 | 15 | 2 | 2 | 4 | 0 | 0 | 0 | 37 |
| Southwest Asian and North African | 3 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 5 |
| Southern Asian | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 4 |
| Southeast Asian | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 4 |
| Eastern Asian | 1 | 1 | 1 | 0 | 0 | 0 | 2 | 0 | 5 |
| African (excluding North African) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Oceanic | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 5 |
| Not stated | 1 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 4 |
| Total females | 662 | 339 | 231 | 92 | 172 | 48 | 21 | 10 | 1,575 |
| Males | | | | | | | | | |
| Australian Indigenous | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 4 | 8 |
| English | 368 | 183 | 137 | 65 | 82 | 28 | 8 | 8 | 879 |
| Other Northern European | 3 | 3 | 2 | 1 | 4 | 0 | 0 | 0 | 13 |
| Southern European | 14 | 15 | 4 | 4 | 2 | 0 | 0 | 0 | 39 |
| Eastern European | 11 | 8 | 2 | 1 | 1 | 0 | 0 | 0 | 23 |
| Southwest Asian and North African | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Southern Asian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Southeast Asian | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Eastern Asian | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 4 |
| African (excluding North African) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Oceanic | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Not stated | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 |
| Total males | 402 | 212 | 147 | 75 | 90 | 28 | 8 | 12 | 974 |
| Persons | | | | | | | | | |
| Australian Indigenous | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 8 | 12 |
| English | 977 | 477 | 359 | 147 | 237 | 75 | 27 | 13 | 2,312 |
| Other Northern European | 6 | 10 | 2 | 3 | 7 | 0 | 0 | 0 | 28 |
| Southern European | 41 | 30 | 8 | 9 | 9 | 0 | 0 | 1 | 98 |
| Eastern European | 25 | 23 | 4 | 3 | 5 | 0 | 0 | 0 | 60 |
| Southwest Asian and North African | 5 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 8 |
| Southern Asian | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 4 |
| Southeast Asian | 3 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 6 |
| Eastern Asian | 3 | 2 | 2 | 0 | 0 | 0 | 2 | 0 | 9 |
| African (excluding North African) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Oceanic | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other | 2 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 6 |
| Not stated | 1 | 2 | 1 | 0 | 2 | 0 | 0 | 0 | 6 |
| Total persons | 1,064 | 551 | 378 | 167 | 262 | 76 | 29 | 22 | 2,549 |

Table 2.12 (continued): Respite residents, preferred language^(a) by sex and state/territory^(b), 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|-----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-----------|
| preferred language | | | | | Per o | ent | | | |
| Females | | | | | | | | | |
| Australian Indigenous | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.0 | 0.3 |
| English | 92.0 | 86.7 | 96.1 | 89.1 | 90.1 | 97.9 | 90.5 | 50.0 | 91.0 |
| Other Northern European | 0.5 | 2.1 | 0.0 | 2.2 | 1.7 | 0.0 | 0.0 | 0.0 | 1.0 |
| Southern European | 4.1 | 4.4 | 1.7 | 5.4 | 4.1 | 0.0 | 0.0 | 10.0 | 3.7 |
| Eastern European | 2.1 | 4.4 | 0.9 | 2.2 | 2.3 | 0.0 | 0.0 | 0.0 | 2.3 |
| Southwest Asian and North African | 0.5 | 0.3 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.3 |
| Southern Asian | 0.2 | 0.3 | 0.0 | 1.1 | 0.0 | 2.1 | 0.0 | 0.0 | 0.3 |
| Southeast Asian | 0.2 | 0.3 | 0.4 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.3 |
| Eastern Asian | 0.2 | 0.3 | 0.4 | 0.0 | 0.0 | 0.0 | 9.5 | 0.0 | 0.3 |
| African (excluding North African) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Oceanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other | 0.3 | 0.6 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 |
| Not stated | 0.2 | 0.6 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.3 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Australian Indigenous | 0.0 | 0.0 | 0.0 | 5.3 | 0.0 | 0.0 | 0.0 | 33.3 | 0.8 |
| English | 91.5 | 86.3 | 93.2 | 86.7 | 91.1 | 100.0 | 100.0 | 66.7 | 90.2 |
| Other Northern European | 0.7 | 1.4 | 1.4 | 1.3 | 4.4 | 0.0 | 0.0 | 0.0 | 1.3 |
| Southern European | 3.5 | 7.1 | 2.7 | 5.3 | 2.2 | 0.0 | 0.0 | 0.0 | 4.0 |
| Eastern European | 2.7 | 3.8 | 1.4 | 1.3 | 1.1 | 0.0 | 0.0 | 0.0 | 2.4 |
| Southwest Asian and North African | 0.5 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 |
| Southern Asian | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Southeast Asian | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 |
| Eastern Asian | 0.5 | 0.5 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 |
| African (excluding North African) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Oceanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 |
| Not stated | 0.0 | 0.0 | 0.7 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 0.2 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Australian Indigenous | 0.0 | 0.0 | 0.0 | 2.4 | 0.0 | 0.0 | 0.0 | 36.4 | 0.5 |
| English | 91.8 | 86.6 | 95.0 | 88.0 | 90.5 | 98.7 | 93.1 | 59.1 | 90.7 |
| Other Northern European | 0.6 | 1.8 | 0.5 | 1.8 | 2.7 | 0.0 | 0.0 | 0.0 | 1.1 |
| Southern European | 3.9 | 5.4 | 2.1 | 5.4 | 3.4 | 0.0 | 0.0 | 4.5 | 3.8 |
| Eastern European | 2.3 | 4.2 | 1.1 | 1.8 | 1.9 | 0.0 | 0.0 | 0.0 | 2.4 |
| Southwest Asian and North African | 0.5 | 0.4 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.3 |
| Southern Asian | 0.1 | 0.2 | 0.0 | 0.6 | 0.0 | 1.3 | 0.0 | 0.0 | 0.2 |
| Southeast Asian | 0.3 | 0.2 | 0.3 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.2 |
| Eastern Asian | 0.3 | 0.4 | 0.5 | 0.0 | 0.0 | 0.0 | 6.9 | 0.0 | 0.4 |
| African (excluding North African) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Oceanic | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other | 0.2 | 0.5 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 |
| Not stated | 0.1 | 0.4 | 0.3 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.2 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) ABS cat. no. 1267.0, (1997)(b) Refers to the location of the services.

Table 2.13: All residents, age by sex and remoteness^(a), 30 June 2003

| | Major cities | Inner regional | Outer regional | Remote | Very remote | Australia |
|---|---|---|---|--|---|---|
| Sex/age | | | Numb | er | | |
| Females | | | | | | |
| Under 65 | 1,922 | 691 | 319 | 41 | 24 | 2,997 |
| 65-69 | 1,453 | 508 | 202 | 30 | 3 | 2,196 |
| 70–74 | 3,323 | 1,158 | 423 | 24 | 16 | 4,944 |
| 75–79 | 8,185 | 2,759 | 998 | 75 | 29 | 12,046 |
| 80-84 | 15,662 | 5,210 | 2,005 | 111 | 23 | 23,011 |
| 85-89 | 19,120 | 6,695 | 2,487 | 127 | 30 | 28,459 |
| 90-94 | 14,502 | 4,858 | 1,818 | 106 | 15 | 21,299 |
| 95+ | 5,742 | 1,738 | 620 | 34 | 11 | 8,145 |
| Total females | 69,909 | 23,617 | 8,872 | 548 | 151 | 103,097 |
| Males | , | -,- | -,- | | | , |
| Under 65 | 2,135 | 661 | 339 | 49 | 27 | 3,211 |
| 65–69 | 1,499 | 508 | 245 | 26 | 17 | 2,295 |
| 70–74 | 2,678 | 923 | 400 | 47 | 18 | 4,066 |
| 75–79 | 4,521 | 1,569 | 683 | 64 | 17 | 6,854 |
| 80–84 | 5,906 | 2,009 | 811 | 59 | 20 | 8,805 |
| 85–89 | 5,437 | 2,037 | 748 | 62 | 19 | 8,303 |
| 90–94 | 3,114 | 1,231 | 446 | 42 | 10 | 4,843 |
| 95+ | 886 | 334 | 133 | 15 | 4 | 1,372 |
| Total males | 26,176 | 9,272 | 3,805 | 364 | 132 | 39,749 |
| | 20,170 | 9,212 | 3,003 | 304 | 132 | 39,749 |
| Persons Under 65 | 4,057 | 1,352 | 658 | 90 | 51 | 6,208 |
| | · | | | | 20 | |
| 65–69 | 2,952 | 1,016 | 447 | 56 | | 4,491 |
| 70–74 | 6,001 | 2,081 | 823 | 71 | 34 | 9,010 |
| 75–79 | 12,706 | 4,328 | 1,681 | 139 | 46 | 18,900 |
| 80–84 | 21,568 | 7,219 | 2,816 | 170 | 43 | 31,816 |
| 85–89 | 24,557 | 8,732 | 3,235 | 189 | 49 | 36,762 |
| 90–94 | 17,616 | 6,089 | 2,264 | 148 | 25 | 26,142 |
| 95+ | 6,628 | 2,072 | 753 | 49 | 15 | 9,517 |
| Total persons | 96,085 | 32,889 | 12,677 | 912 | 283 | 142,846 |
| Females | | | Per ce | ent | | |
| Under 65 | 2.7 | 2.9 | 3.6 | 7.5 | 15.9 | 2.9 |
| 65–69 | 2.1 | 2.9 | 2.3 | 7.5 5.5 | 2.0 | 2.9 |
| 70–74 | 4.8 | 4.9 | 4.8 | 4.4 | 10.6 | 4.8 |
| 75–7 9 | 11.7 | 11.7 | 11.2 | 13.7 | 19.2 | 11.7 |
| 80–84 | 22.4 | 22.1 | 22.6 | 20.3 | 15.2 | 22.3 |
| 85–89 | 27.3 | 28.3 | | | | 22.3 |
| | 21.3 | ۷٥.٥ | | | 100 | |
| | 20.7 | | 28.0 | 23.2 | 19.9 | 27.6 |
| | 20.7 | 20.6 | 20.5 | 19.3 | 9.9 | 27.6 20.7 |
| 90–94 95+ | 8.2 | 20.6 7.4 | 20.5 7.0 | 19.3 6.2 | 9.9 7.3 | 27.6 20.7 7.9 |
| 95+ Total females | | 20.6 | 20.5 | 19.3 | 9.9 | 27.6 20.7 |
| 95+ Total females Males | 8.2 100.0 | 20.6 7.4 100.0 | 20.5 7.0 100.0 | 19.3 6.2 100.0 | 9.9 7.3 100.0 | 27.6 20.7 7.9 100.0 |
| 95+ Total females Males Under 65 | 8.2 100.0 8.2 | 20.6 7.4 100.0 7.1 | 20.5 7.0 100.0 8.9 | 19.3 6.2 100.0 | 9.9 7.3 100.0 20.5 | 27.6 20.7 7.9 100.0 |
| 95+ Total females Males Under 65 65–69 | 8.2 100.0 8.2 5.7 | 20.6 7.4 100.0 7.1 5.5 | 20.5 7.0 100.0 8.9 6.4 | 19.3 6.2 100.0 13.5 7.1 | 9.9 7.3 100.0 20.5 12.9 | 27.6 20.7 7.9 100.0 8.1 5.8 |
| 95+ Total females Males Under 65 65–69 70–74 | 8.2 100.0 8.2 5.7 10.2 | 20.6 7.4 100.0 7.1 5.5 10.0 | 20.5 7.0 100.0 8.9 6.4 10.5 | 19.3 6.2 100.0 13.5 7.1 12.9 | 9.9 7.3 100.0 20.5 12.9 13.6 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 | 8.2 100.0 8.2 5.7 10.2 17.3 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 |
| 95+ <i>Total females</i> Males Under 65 65–69 70–74 75–79 80–84 | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 |
| 95+ <i>Total females</i> Males Under 65 65–69 70–74 75–79 80–84 85–89 | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 20.8 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 22.0 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 19.7 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 17.0 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 14.4 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 20.9 |
| 95+ <i>Total females</i> Males Under 65 65–69 70–74 75–79 80–84 | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 20.8 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 22.0 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 19.7 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 17.0 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 14.4 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 20.9 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 20.8 11.9 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 22.0 13.3 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 19.7 11.7 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 17.0 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 14.4 7.6 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 20.9 12.2 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 20.8 11.9 3.4 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 22.0 13.3 3.6 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 19.7 11.7 3.5 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 17.0 11.5 4.1 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 14.4 7.6 3.0 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 20.9 12.2 3.5 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 20.8 11.9 3.4 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 22.0 13.3 3.6 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 19.7 11.7 3.5 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 17.0 11.5 4.1 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 14.4 7.6 3.0 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 20.9 12.2 3.5 |
| 95+ <i>Total females</i> Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ <i>Total males</i> Persons | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 20.8 11.9 3.4 100.0 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 22.0 13.3 3.6 100.0 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 19.7 11.7 3.5 100.0 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 17.0 11.5 4.1 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 14.4 7.6 3.0 100.0 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 20.9 12.2 3.5 100.0 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 20.8 11.9 3.4 100.0 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 22.0 13.3 3.6 100.0 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 19.7 11.7 3.5 100.0 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 17.0 11.5 4.1 100.0 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 14.4 7.6 3.0 100.0 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 20.9 12.2 3.5 100.0 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 20.8 11.9 3.4 100.0 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 22.0 13.3 3.6 100.0 4.1 3.1 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 19.7 11.7 3.5 100.0 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 17.0 11.5 4.1 100.0 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 14.4 7.6 3.0 100.0 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 20.9 12.2 3.5 100.0 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 20.8 11.9 3.4 100.0 4.2 3.1 6.2 13.2 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 22.0 13.3 3.6 100.0 4.1 3.1 6.3 13.2 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 19.7 11.7 3.5 100.0 5.2 3.5 6.5 13.3 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 17.0 11.5 4.1 100.0 9.9 6.1 7.8 15.2 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 14.4 7.6 3.0 100.0 18.0 7.1 12.0 16.3 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 20.9 12.2 3.5 100.0 4.3 3.1 6.3 13.2 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 80–84 | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 20.8 11.9 3.4 100.0 4.2 3.1 6.2 13.2 22.4 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 22.0 13.3 3.6 100.0 4.1 3.1 6.3 13.2 21.9 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 19.7 11.7 3.5 100.0 5.2 3.5 6.5 13.3 22.2 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 17.0 11.5 4.1 100.0 9.9 6.1 7.8 15.2 18.6 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 14.4 7.6 3.0 100.0 18.0 7.1 12.0 16.3 15.2 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 20.9 12.2 3.5 100.0 4.3 3.1 6.3 13.2 22.3 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 80–84 85–89 | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 20.8 11.9 3.4 100.0 4.2 3.1 6.2 13.2 22.4 25.6 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 22.0 13.3 3.6 100.0 4.1 3.1 6.3 13.2 21.9 26.5 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 19.7 11.7 3.5 100.0 5.2 3.5 6.5 13.3 22.2 25.5 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 17.0 11.5 4.1 100.0 9.9 6.1 7.8 15.2 18.6 20.7 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 14.4 7.6 3.0 100.0 18.0 7.1 12.0 16.3 15.2 17.3 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 20.9 12.2 3.5 100.0 4.3 3.1 6.3 13.2 22.3 25.7 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 80–84 | 8.2 100.0 8.2 5.7 10.2 17.3 22.6 20.8 11.9 3.4 100.0 4.2 3.1 6.2 13.2 22.4 | 20.6 7.4 100.0 7.1 5.5 10.0 16.9 21.7 22.0 13.3 3.6 100.0 4.1 3.1 6.3 13.2 21.9 | 20.5 7.0 100.0 8.9 6.4 10.5 18.0 21.3 19.7 11.7 3.5 100.0 5.2 3.5 6.5 13.3 22.2 | 19.3 6.2 100.0 13.5 7.1 12.9 17.6 16.2 17.0 11.5 4.1 100.0 9.9 6.1 7.8 15.2 18.6 | 9.9 7.3 100.0 20.5 12.9 13.6 12.9 15.2 14.4 7.6 3.0 100.0 18.0 7.1 12.0 16.3 15.2 | 27.6 20.7 7.9 100.0 8.1 5.8 10.2 17.2 22.2 20.9 12.2 3.5 100.0 4.3 3.1 6.3 13.2 22.3 |

⁽a) Refers to the location of the services. The table uses the Australian Standard Geographical Classification Remoteness Structure as developed by the ABS. Previous categorisations were based on an allocation to remoteness by DoHA which has since been refined. Caution should therefore be exercised when comparing this yaar's and last year's results at levels below state/territory.

Table 2.14: Permanent residents, length of stay to date by sex and state/territory^(a), 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|----------------|--------|--------|--------|--------|--------|-------|-------|-----|-----------|
| length of stay | 11011 | V10 | QIG | Numbe | | 145 | AUI | | Australia |
| Females | | | | | | | | | |
| <4 wks | 857 | 646 | 406 | 194 | 254 | 56 | 12 | 0 | 2,425 |
| 4–<8 wks | 755 | 658 | 415 | 175 | 202 | 84 | 27 | 2 | 2,318 |
| 8–<13 wks | 772 | 624 | 434 | 231 | 235 | 84 | 19 | 5 | 2,404 |
| 13-<26 wks | 2,162 | 1,676 | 1,060 | 558 | 589 | 159 | 65 | 13 | 6,282 |
| 26-<39 wks | 2,046 | 1,534 | 1,031 | 530 | 620 | 200 | 69 | 9 | 6,039 |
| 39-<52 wks | 2,216 | 1,687 | 1,159 | 566 | 592 | 158 | 59 | 9 | 6,446 |
| 1-<2 yrs | 6,314 | 4,679 | 3,360 | 1,663 | 1,702 | 463 | 193 | 43 | 18,417 |
| 2-<3 yrs | 4,914 | 3,525 | 2,524 | 1,206 | 1,347 | 409 | 150 | 23 | 14,098 |
| 3-<4 yrs | 3,483 | 2,558 | 1,773 | 871 | 1,058 | 271 | 129 | 17 | 10,160 |
| 4-<5 yrs | 2,649 | 1,966 | 1,389 | 683 | 886 | 217 | 78 | 12 | 7,880 |
| 5-<8 yrs | 5,170 | 3,741 | 2,777 | 1,219 | 1,562 | 441 | 151 | 32 | 15,093 |
| 8+ yrs | 3,913 | 2,092 | 1,924 | 706 | 942 | 268 | 100 | 15 | 9,960 |
| Total females | 35,251 | 25,386 | 18,252 | 8,602 | 9,989 | 2,810 | 1,052 | 180 | 101,522 |
| Males | | | | | | | | | |
| <4 wks | 442 | 340 | 197 | 89 | 129 | 32 | 12 | 1 | 1,242 |
| 4-<8 wks | 403 | 329 | 233 | 102 | 106 | 35 | 14 | 3 | 1,225 |
| 8-<13 wks | 408 | 345 | 220 | 102 | 124 | 31 | 12 | 6 | 1,248 |
| 13-<26 wks | 1,034 | 807 | 615 | 294 | 292 | 74 | 30 | 9 | 3,155 |
| 26-<39 wks | 931 | 713 | 533 | 255 | 273 | 94 | 28 | 11 | 2,838 |
| 39-<52 wks | 1,015 | 720 | 544 | 239 | 256 | 53 | 24 | 15 | 2,866 |
| 1-<2 yrs | 2,643 | 1,848 | 1,450 | 584 | 742 | 207 | 87 | 21 | 7,582 |
| 2-<3 yrs | 1,849 | 1,229 | 983 | 399 | 480 | 126 | 55 | 14 | 5,135 |
| 3-<4 yrs | 1,210 | 868 | 763 | 272 | 365 | 89 | 43 | 19 | 3,629 |
| 4–<5 yrs | 868 | 607 | 471 | 193 | 229 | 70 | 22 | 10 | 2,470 |
| 5-<8 yrs | 1,511 | 1,101 | 819 | 358 | 370 | 124 | 48 | 25 | 4,356 |
| 8+ yrs | 1,223 | 654 | 628 | 199 | 214 | 65 | 26 | 20 | 3,029 |
| Total males | 13,537 | 9,561 | 7,456 | 3,086 | 3,580 | 1,000 | 401 | 154 | 38,775 |
| Persons | | | | | | | | | |
| <4 wks | 1,299 | 986 | 603 | 283 | 383 | 88 | 24 | 1 | 3,667 |
| 4-<8 wks | 1,158 | 987 | 648 | 277 | 308 | 119 | 41 | 5 | 3,543 |
| 8-<13 wks | 1,180 | 969 | 654 | 333 | 359 | 115 | 31 | 11 | 3,652 |
| 13-<26 wks | 3,196 | 2,483 | 1,675 | 852 | 881 | 233 | 95 | 22 | 9,437 |
| 26-<39 wks | 2,977 | 2,247 | 1,564 | 785 | 893 | 294 | 97 | 20 | 8,877 |
| 39-<52 wks | 3,231 | 2,407 | 1,703 | 805 | 848 | 211 | 83 | 24 | 9,312 |
| 1-<2 yrs | 8,957 | 6,527 | 4,810 | 2,247 | 2,444 | 670 | 280 | 64 | 25,999 |
| 2-<3 yrs | 6,763 | 4,754 | 3,507 | 1,605 | 1,827 | 535 | 205 | 37 | 19,233 |
| 3–<4 yrs | 4,693 | 3,426 | 2,536 | 1,143 | 1,423 | 360 | 172 | 36 | 13,789 |
| 4–<5 yrs | 3,517 | 2,573 | 1,860 | 876 | 1,115 | 287 | 100 | 22 | 10,350 |
| 5–<8 yrs | 6,681 | 4,842 | 3,596 | 1,577 | 1,932 | 565 | 199 | 57 | 19,449 |
| 8+ yrs | 5,136 | 2,746 | 2,552 | 905 | 1,156 | 333 | 126 | 35 | 12,989 |
| Total persons | 48,788 | 34,947 | 25,708 | 11,688 | 13,569 | 3,810 | 1,453 | 334 | 140,297 |

Table 2.14 (continued): Permanent residents, length of stay to date by sex and state/territory $^{(a)}$, 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|----------------|-------|-------|-------|-------|----------|-------|-------|-------|-----------|
| length of stay | | | | | Per cent | | | | |
| Females | | | | | | | | | |
| <4 wks | 2.4 | 2.5 | 2.2 | 2.3 | 2.5 | 2.0 | 1.1 | 0.0 | 2.4 |
| 4-<8 wks | 2.1 | 2.6 | 2.3 | 2.0 | 2.0 | 3.0 | 2.6 | 1.1 | 2.3 |
| 8-<13 wks | 2.2 | 2.5 | 2.4 | 2.7 | 2.4 | 3.0 | 1.8 | 2.8 | 2.4 |
| 13-<26 wks | 6.1 | 6.6 | 5.8 | 6.5 | 5.9 | 5.7 | 6.2 | 7.2 | 6.2 |
| 26-<39 wks | 5.8 | 6.0 | 5.6 | 6.2 | 6.2 | 7.1 | 6.6 | 5.0 | 5.9 |
| 39-<52 wks | 6.3 | 6.6 | 6.3 | 6.6 | 5.9 | 5.6 | 5.6 | 5.0 | 6.3 |
| 1-<2 yrs | 17.9 | 18.4 | 18.4 | 19.3 | 17.0 | 16.5 | 18.3 | 23.9 | 18.1 |
| 2-<3 yrs | 13.9 | 13.9 | 13.8 | 14.0 | 13.5 | 14.6 | 14.3 | 12.8 | 13.9 |
| 3-<4 yrs | 9.9 | 10.1 | 9.7 | 10.1 | 10.6 | 9.6 | 12.3 | 9.4 | 10.0 |
| 4-<5 yrs | 7.5 | 7.7 | 7.6 | 7.9 | 8.9 | 7.7 | 7.4 | 6.7 | 7.8 |
| 5-<8 yrs | 14.7 | 14.7 | 15.2 | 14.2 | 15.6 | 15.7 | 14.4 | 17.8 | 14.9 |
| 8+ yrs | 11.1 | 8.2 | 10.5 | 8.2 | 9.4 | 9.5 | 9.5 | 8.3 | 9.8 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| <4 wks | 3.3 | 3.6 | 2.6 | 2.9 | 3.6 | 3.2 | 3.0 | 0.6 | 3.2 |
| 4-<8 wks | 3.0 | 3.4 | 3.1 | 3.3 | 3.0 | 3.5 | 3.5 | 1.9 | 3.2 |
| 8-<13 wks | 3.0 | 3.6 | 3.0 | 3.3 | 3.5 | 3.1 | 3.0 | 3.9 | 3.2 |
| 13-<26 wks | 7.6 | 8.4 | 8.2 | 9.5 | 8.2 | 7.4 | 7.5 | 5.8 | 8.1 |
| 26-<39 wks | 6.9 | 7.5 | 7.1 | 8.3 | 7.6 | 9.4 | 7.0 | 7.1 | 7.3 |
| 39-<52 wks | 7.5 | 7.5 | 7.3 | 7.7 | 7.2 | 5.3 | 6.0 | 9.7 | 7.4 |
| 1-<2 yrs | 19.5 | 19.3 | 19.4 | 18.9 | 20.7 | 20.7 | 21.7 | 13.6 | 19.6 |
| 2-<3 yrs | 13.7 | 12.9 | 13.2 | 12.9 | 13.4 | 12.6 | 13.7 | 9.1 | 13.2 |
| 3-<4 yrs | 8.9 | 9.1 | 10.2 | 8.8 | 10.2 | 8.9 | 10.7 | 12.3 | 9.4 |
| 4-<5 yrs | 6.4 | 6.3 | 6.3 | 6.3 | 6.4 | 7.0 | 5.5 | 6.5 | 6.4 |
| 5-<8 yrs | 11.2 | 11.5 | 11.0 | 11.6 | 10.3 | 12.4 | 12.0 | 16.2 | 11.2 |
| 8+ yrs | 9.0 | 6.8 | 8.4 | 6.4 | 6.0 | 6.5 | 6.5 | 13.0 | 7.8 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| <4 wks | 2.7 | 2.8 | 2.3 | 2.4 | 2.8 | 2.3 | 1.7 | 0.3 | 2.6 |
| 4–<8 wks | 2.4 | 2.8 | 2.5 | 2.4 | 2.3 | 3.1 | 2.8 | 1.5 | 2.5 |
| 8–<13 wks | 2.4 | 2.8 | 2.5 | 2.8 | 2.6 | 3.0 | 2.1 | 3.3 | 2.6 |
| 13-<26 wks | 6.6 | 7.1 | 6.5 | 7.3 | 6.5 | 6.1 | 6.5 | 6.6 | 6.7 |
| 26-<39 wks | 6.1 | 6.4 | 6.1 | 6.7 | 6.6 | 7.7 | 6.7 | 6.0 | 6.3 |
| 39-<52 wks | 6.6 | 6.9 | 6.6 | 6.9 | 6.2 | 5.5 | 5.7 | 7.2 | 6.6 |
| 1–<2 yrs | 18.4 | 18.7 | 18.7 | 19.2 | 18.0 | 17.6 | 19.3 | 19.2 | 18.5 |
| 2-<3 yrs | 13.9 | 13.6 | 13.6 | 13.7 | 13.5 | 14.0 | 14.1 | 11.1 | 13.7 |
| 3-<4 yrs | 9.6 | 9.8 | 9.9 | 9.8 | 10.5 | 9.4 | 11.8 | 10.8 | 9.8 |
| 4–<5 yrs | 7.2 | 7.4 | 7.2 | 7.5 | 8.2 | 7.5 | 6.9 | 6.6 | 7.4 |
| 5–<8 yrs | 13.7 | 13.9 | 14.0 | 13.5 | 14.2 | 14.8 | 13.7 | 17.1 | 13.9 |
| 8+ yrs | 10.5 | 7.9 | 9.9 | 7.7 | 8.5 | 8.7 | 8.7 | 10.5 | 9.3 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services.

Table 2.15: Permanent residents, length of stay to date by sex and remoteness^(a), 30 June 2003

| | | Inner | Outer | | Very | |
|----------------|--------------|----------|----------|--------|--------|-----------|
| Sex/ | Major cities | regional | regional | Remote | remote | Australia |
| length of stay | | | Num | ber | | |
| Females | | | | | | |
| <4 wks | 1,651 | 561 | 195 | 14 | 4 | 2,425 |
| 4-<8 wks | 1,529 | 562 | 217 | 8 | 2 | 2,318 |
| 8-<13 wks | 1,594 | 599 | 196 | 12 | 3 | 2,404 |
| 13-<26 wks | 4,180 | 1,478 | 596 | 24 | 4 | 6,282 |
| 26-<39 wks | 4,001 | 1,420 | 587 | 25 | 6 | 6,039 |
| 39-<52 wks | 4,334 | 1,491 | 577 | 36 | 8 | 6,446 |
| 1-<2 yrs | 12,445 | 4,282 | 1,553 | 109 | 28 | 18,417 |
| 2-<3 yrs | 9,537 | 3,254 | 1,192 | 92 | 23 | 14,098 |
| 3-<4 yrs | 6,977 | 2,275 | 848 | 47 | 13 | 10,160 |
| 4-<5 yrs | 5,422 | 1,756 | 648 | 39 | 15 | 7,880 |
| 5-<8 yrs | 10,377 | 3,369 | 1,247 | 77 | 23 | 15,093 |
| 8+ yrs | 6,869 | 2,148 | 873 | 52 | 18 | 9,960 |
| Total females | 68,916 | 23,195 | 8,729 | 535 | 147 | 101,522 |
| Males | | | | | | |
| <4 wks | 842 | 261 | 125 | 11 | 3 | 1,242 |
| 4-<8 wks | 807 | 277 | 126 | 10 | 5 | 1,225 |
| 8-<13 wks | 821 | 294 | 122 | 9 | 2 | 1,248 |
| 13-<26 wks | 2,049 | 753 | 322 | 25 | 6 | 3,155 |
| 26-<39 wks | 1,801 | 680 | 315 | 32 | 10 | 2,838 |
| 39-<52 wks | 1,888 | 671 | 280 | 20 | 7 | 2,866 |
| 1-<2 yrs | 4,960 | 1,850 | 686 | 61 | 25 | 7,582 |
| 2-<3 yrs | 3,422 | 1,190 | 474 | 38 | 11 | 5,135 |
| 3-<4 yrs | 2,422 | 810 | 350 | 38 | 9 | 3,629 |
| 4-<5 yrs | 1,655 | 565 | 213 | 26 | 11 | 2,470 |
| 5-<8 yrs | 2,915 | 997 | 378 | 45 | 21 | 4,356 |
| 8+ yrs | 2,017 | 662 | 300 | 32 | 18 | 3,029 |
| Total males | 25,599 | 9,010 | 3,691 | 347 | 128 | 38,775 |
| Persons | | | | | | |
| <4 wks | 2,493 | 822 | 320 | 25 | 7 | 3,667 |
| 4-<8 wks | 2,336 | 839 | 343 | 18 | 7 | 3,543 |
| 8-<13 wks | 2,415 | 893 | 318 | 21 | 5 | 3,652 |
| 13-<26 wks | 6,229 | 2,231 | 918 | 49 | 10 | 9,437 |
| 26-<39 wks | 5,802 | 2,100 | 902 | 57 | 16 | 8,877 |
| 39-<52 wks | 6,222 | 2,162 | 857 | 56 | 15 | 9,312 |
| 1-<2 yrs | 17,405 | 6,132 | 2,239 | 170 | 53 | 25,999 |
| 2-<3 yrs | 12,959 | 4,444 | 1,666 | 130 | 34 | 19,233 |
| 3-<4 yrs | 9,399 | 3,085 | 1,198 | 85 | 22 | 13,789 |
| 4-<5 yrs | 7,077 | 2,321 | 861 | 65 | 26 | 10,350 |
| 5-<8 yrs | 13,292 | 4,366 | 1,625 | 122 | 44 | 19,449 |
| 8+ yrs | 8,886 | 2,810 | 1,173 | 84 | 36 | 12,989 |
| Total persons | 94,515 | 32,205 | 12,420 | 882 | 275 | 140,297 |

Table 2.15 (continued): Permanent residents, length of stay to date by sex and remoteness^(a), 30 June 2003

| Females <4 wks 4-<8 wks 8-<13 wks 13-<26 wks 26-<39 wks | 2.4 2.2 2.3 6.1 | 2.4 2.4 2.6 | 2.2 | r cent | Very remote | Australia |
|---|--------------------------|-------------------|-------|--------|-------------|-----------|
| Females <4 wks 4—<8 wks 8—<13 wks 13—<26 wks | 2.2 2.3 | 2.4 | 2.2 | | | |
| <4 wks 4-<8 wks 8-<13 wks 13-<26 wks | 2.2 2.3 | 2.4 | | | | |
| 4–<8 wks 8–<13 wks 13–<26 wks | 2.2 2.3 | 2.4 | | • • | | |
| 8-<13 wks 13-<26 wks | 2.3 | | 2 5 | 2.6 | 2.7 | 2.4 |
| 13-<26 wks | | 26 | 2.5 | 1.5 | 1.4 | 2.3 |
| | 6.1 | 2.0 | 2.2 | 2.2 | 2.0 | 2.4 |
| 26 <20 wks | | 6.4 | 6.8 | 4.5 | 2.7 | 6.2 |
| 20-<39 WKS | 5.8 | 6.1 | 6.7 | 4.7 | 4.1 | 5.9 |
| 39-<52 wks | 6.3 | 6.4 | 6.6 | 6.7 | 5.4 | 6.3 |
| 1-<2 yrs | 18.1 | 18.5 | 17.8 | 20.4 | 19.0 | 18.1 |
| 2-<3 yrs | 13.8 | 14.0 | 13.7 | 17.2 | 15.6 | 13.9 |
| 3-<4 yrs | 10.1 | 9.8 | 9.7 | 8.8 | 8.8 | 10.0 |
| 4-<5 yrs | 7.9 | 7.6 | 7.4 | 7.3 | 10.2 | 7.8 |
| 5-<8 yrs | 15.1 | 14.5 | 14.3 | 14.4 | 15.6 | 14.9 |
| 8+ yrs | 10.0 | 9.3 | 10.0 | 9.7 | 12.2 | 9.8 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | |
| <4 wks | 3.3 | 2.9 | 3.4 | 3.2 | 2.3 | 3.2 |
| 4-<8 wks | 3.2 | 3.1 | 3.4 | 2.9 | 3.9 | 3.2 |
| 8-<13 wks | 3.2 | 3.3 | 3.3 | 2.6 | 1.6 | 3.2 |
| 13-<26 wks | 8.0 | 8.4 | 8.7 | 7.2 | 4.7 | 8.1 |
| 26-<39 wks | 7.0 | 7.5 | 8.5 | 9.2 | 7.8 | 7.3 |
| 39-<52 wks | 7.4 | 7.4 | 7.6 | 5.8 | 5.5 | 7.4 |
| 1-<2 yrs | 19.4 | 20.5 | 18.6 | 17.6 | 19.5 | 19.6 |
| 2-<3 yrs | 13.4 | 13.2 | 12.8 | 11.0 | 8.6 | 13.2 |
| 3-<4 yrs | 9.5 | 9.0 | 9.5 | 11.0 | 7.0 | 9.4 |
| 4-<5 yrs | 6.5 | 6.3 | 5.8 | 7.5 | 8.6 | 6.4 |
| 5-<8 yrs | 11.4 | 11.1 | 10.2 | 13.0 | 16.4 | 11.2 |
| 8+ yrs | 7.9 | 7.3 | 8.1 | 9.2 | 14.1 | 7.8 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | |
| <4 wks | 2.6 | 2.6 | 2.6 | 2.8 | 2.5 | 2.6 |
| 4-<8 wks | 2.5 | 2.6 | 2.8 | 2.0 | 2.5 | 2.5 |
| 8-<13 wks | 2.6 | 2.8 | 2.6 | 2.4 | 1.8 | 2.6 |
| 13-<26 wks | 6.6 | 6.9 | 7.4 | 5.6 | 3.6 | 6.7 |
| 26-<39 wks | 6.1 | 6.5 | 7.3 | 6.5 | 5.8 | 6.3 |
| 39-<52 wks | 6.6 | 6.7 | 6.9 | 6.3 | 5.5 | 6.6 |
| 1-<2 yrs | 18.4 | 19.0 | 18.0 | 19.3 | 19.3 | 18.5 |
| 2-<3 yrs | 13.7 | 13.8 | 13.4 | 14.7 | 12.4 | 13.7 |
| 3-<4 yrs | 9.9 | 9.6 | 9.6 | 9.6 | 8.0 | 9.8 |
| 4–<5 yrs | 7.5 | 7.2 | 6.9 | 7.4 | 9.5 | 7.4 |
| 5–<8 yrs | 14.1 | 13.6 | 13.1 | 13.8 | 16.0 | 13.9 |
| 8+ yrs | 9.4 | 8.7 | 9.4 | 9.5 | 13.1 | 9.3 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services. The table uses the Australian Standard Geographical Classification Remoteness Structure as developed by the ABS. Previous categorisations were based on an allocation to remoteness by DoHA which has since been refined. Caution should therefore be exercised when comparing this yaar's and last year's results at levels below state/territory.

Table 2.16: Age- and sex-specific rates for permanent residents^(a), by English-speaking status, based on country of birth, 30 June 2003 (per 1,000 population)^(b)

| | Non-Eng | glish speakir | ng ^(c) | E | inglish speaking ⁽ | c) |
|-------|---------|---------------|-------------------|---------|-------------------------------|---------|
| Age | Females | Males | Persons | Females | Males | Persons |
| 50-64 | 0.7 | 0.9 | 0.8 | 1.7 | 1.7 | 1.7 |
| 65–74 | 7.8 | 6.9 | 7.3 | 10.6 | 10.2 | 10.4 |
| 75–84 | 61.3 | 36.7 | 49.8 | 66.7 | 40.4 | 55.8 |
| 85+ | 223.8 | 116.3 | 182.3 | 296.0 | 165.9 | 256.9 |
| Total | 20.0 | 9.5 | 14.7 | 35.9 | 14.8 | 26.0 |

⁽a) Recipients with unknown status have been pro rated.

Table 2.17: Age- and sex-specific usage rates for permanent residents^(a), by Indigenous status, 30 June 2003 (per 1,000 population)^(b)

| | In | digenous | enous Non-Indigenous | | | |
|-------|---------|----------|----------------------|---------|-------|---------|
| Age | Females | Males | Persons | Females | Males | Persons |
| 0–49 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 50-54 | 3.3 | 3.4 | 3.3 | 0.7 | 0.7 | 0.7 |
| 55–59 | 4.0 | 4.6 | 4.3 | 1.4 | 1.5 | 1.4 |
| 60–64 | 8.4 | 9.6 | 9.0 | 2.8 | 3.0 | 2.9 |
| 65–69 | 12.5 | 22.2 | 17.0 | 6.0 | 6.4 | 6.2 |
| 70–74 | 27.0 | 38.7 | 32.0 | 14.5 | 12.9 | 13.7 |
| 75+ | 89.0 | 67.8 | 80.4 | 131.3 | 64.2 | 104.7 |
| Total | 1.9 | 1.5 | 1.7 | 10.4 | 4.0 | 7.3 |

⁽a) Recipients with unknown status have been pro rated.

⁽b) Ratios are calculated using AIHW projections of ABS estimated resident population.

⁽c) Due to the unavailability of regular population estimates by language preference, English-speaking status is based on country of birth. People born in Australia, Ireland, United Kingdom, New Zealand, United States of America, Canada and South Africa are assumed to be from an English-speaking background.

⁽b) Ratios are calculated using the ABS 2001 census data of estimated resident population calculated at 30 June 2001.

Table 2.18: Residency trends in residential aged care at 30 June 1999–2003

| | All permanent residents | All respite | Permanent residents (85+) | Respite residents (85+) | Permanent residents Res (85+, %) | pite residents (85+, %) |
|------|----------------------------|-------------|---------------------------------|-------------------------------|--|----------------------------|
| 1999 | 132,420 | 2,479 | 64,638 | 903 | 48.8 | 36.4 |
| 2000 | 133,387 | 2,604 | 66,503 | 1,034 | 49.9 | 39.7 |
| 2001 | 134,004 | 2,604 | 67,402 | 1,008 | 50.3 | 38.7 |
| 2002 | 136,507 | 2,422 | 69,258 | 1,035 | 50.7 | 42.7 |
| 2003 | 140,297 | 2,549 | 71,397 | 1,024 | 50.9 | 40.2 |

Section 3

Admissions and separations

These tables refer to admissions to and separations from residential aged care services between 1 July 2002 and 30 June 2003. An individual can have more than one admission during the period. Transfers are excluded from the tables in this section.

Table 3.1: All admissions, age at admission by sex and state/territory^(a), 1 July 2002 to 30 June 2003

| 10 50 June 2005 | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|---|--|---|---|---|--|--|---|--|---|
| Sex/age | | | | | Number | | | | |
| Females | | | | | Number | | | | |
| Under 65 | 668 | 510 | 432 | 159 | 191 | 65 | 39 | 55 | 2,119 |
| 65–69 | 553 | 425 | 312 | 185 | 124 | 69 | 13 | 27 | 1,708 |
| 70–74 | 1,527 | 952 | 682 | 275 | 344 | 142 | 60 | 22 | 4,004 |
| 75–79 | 3,395 | 2,351 | 1,513 | 699 | 803 | 290 | 134 | 41 | 9,226 |
| 80-84 | 5,892 | 3,867 | 2,622 | 1,147 | 1,409 | 500 | 166 | 35 | 15,638 |
| 85–89 | 6,167 | 4,254 | 2,811 | 1,238 | 1,562 | 584 | 249 | 19 | 16,884 |
| 90-94 | 3,483 | 2,483 | 1,509 | 724 | 876 | 321 | 100 | 9 | 9,505 |
| 95+ | 887 | 642 | 352 | 213 | 238 | 51 | 17 | 2 | 2,402 |
| Total females | 22,572 | 15,484 | 10,233 | 4,640 | 5,547 | 2,022 | 778 | 210 | 61,486 |
| Males | | | | | | | | | |
| Under 65 | 852 | 589 | 464 | 193 | 176 | 88 | 36 | 42 | 2,440 |
| 65–69 | 693 | 522 | 354 | 163 | 145 | 83 | 21 | 15 | 1,996 |
| 70–74 | 1,369 | 1,018 | 639 | 309 | 321 | 110 | 58 | 49 | 3,873 |
| 75–79 | 2,363 | 1,696 | 1,155 | 520 | 613 | 255 | 69 | 31 | 6,702 |
| 80–84 | 3,106 | 2,086 | 1,614 | 660 | 862 | 205 | 103 | 27 | 8,663 |
| 85–89 | 2,570 | 1,782 | 1,223 | 570 | 682 | 224 | 75 | 17 | 7,143 |
| 90–94 | 1,218 | 927 | 648 | 303 | 307 | 100 | 37 | 7 | 3,547 |
| 95+ | 267 | 207 | 130 | 75 | 70 | 32 | 6 | 8 | 795 |
| Total males | 12,438 | 8,827 | 6,227 | 2,793 | 3,176 | 1,097 | 405 | 196 | 35,159 |
| Persons | | | | | | | | | |
| Under 65 | 1,520 | 1,099 | 896 | 352 | 367 | 153 | 75 | 97 | 4,559 |
| 65–69 | 1,246 | 947 | 666 | 348 | 269 | 152 | 34 | 42 | 3,704 |
| 70–74 | 2,896 | 1,970 | 1,321 | 584 | 665 | 252 | 118 | 71 | 7,877 |
| 75–79 | 5,758 | 4,047 | 2,668 | 1,219 | 1,416 | 545 | 203 | 72 | 15,928 |
| 80–84 | 8,998 | 5,953 | 4,236 | 1,807 | 2,271 | 705 | 269 | 62 | 24,301 |
| 85–89 | 8,737 | 6,036 | 4,034 | 1,808 | 2,244 | 808 | 324 | 36 | 24,027 |
| 90–94 | 4,701 | 3,410 | 2,157 | 1,027 | 1,183 | 421 | 137 | 16 | 13,052 |
| 95+ | 1,154 | 849 | 482 | 288 | 308 | 83 | 23 | 10 | 3,197 |
| Total persons | 35,010 | 24,311 | 16,460 | 7,433 | 8,723 | 3,119 | 1,183 | 406 | 96,645 |
| Famalas | | | | | Per cent | | | | |
| Females Under 65 | 3.0 | 3.3 | 4.2 | 3.4 | 3.4 | 3.2 | 5.0 | 26.2 | 3.4 |
| 65–69 | 2.4 | 3.3 2.7 | 3.0 | 4.0 | 2.2 | 3.4 | 1.7 | 12.9 | 2.8 |
| 70–74 | 6.8 | 6.1 | 6.7 | 5.9 | 6.2 | 7.0 | 7.7 | 10.5 | 6.5 |
| 75–74 75–79 | 15.0 | 15.2 | 14.8 | 15.1 | 14.5 | 14.3 | 17.2 | 19.5 | 15.0 |
| 80–84 | 26.1 | 25.0 | 25.6 | 24.7 | | | 17.2 | | 15.0 |
| 85–89 | 20.1 | | | | 25.4 | 247 | 21.2 | | |
| | | | | | 25.4 28.2 | 24.7 28.0 | 21.3 | 16.7 | 25.4 |
| an_aı | 27.3 | 27.5 | 27.5 | 26.7 | 28.2 | 28.9 | 32.0 | 16.7 9.0 | 25.4 27.5 |
| 90–94 95+ | 27.3 15.4 | 27.5 16.0 | 27.5 14.7 | 26.7 15.6 | 28.2 15.8 | 28.9 15.9 | 32.0 12.9 | 16.7 9.0 4.3 | 25.4 27.5 15.5 |
| 95+ | 27.3 15.4 3.9 | 27.5 16.0 4.1 | 27.5 14.7 3.4 | 26.7 15.6 4.6 | 28.2 15.8 4.3 | 28.9 15.9 2.5 | 32.0 12.9 2.2 | 16.7 9.0 4.3 1.0 | 25.4 27.5 15.5 3.9 |
| 95+ Total females | 27.3 15.4 | 27.5 16.0 | 27.5 14.7 | 26.7 15.6 | 28.2 15.8 | 28.9 15.9 | 32.0 12.9 | 16.7 9.0 4.3 | 25.4 27.5 15.5 |
| 95+ Total females Males | 27.3 15.4 3.9 100.0 | 27.5 16.0 4.1 100.0 | 27.5 14.7 3.4 100.0 | 26.7 15.6 4.6 100.0 | 28.2 15.8 4.3 100.0 | 28.9 15.9 2.5 100.0 | 32.0 12.9 2.2 100.0 | 16.7 9.0 4.3 1.0 100.0 | 25.4 27.5 15.5 3.9 100.0 |
| 95+ Total females Males Under 65 | 27.3 15.4 3.9 100.0 | 27.5 16.0 4.1 100.0 | 27.5 14.7 3.4 100.0 | 26.7 15.6 4.6 100.0 | 28.2 15.8 4.3 100.0 | 28.9 15.9 2.5 100.0 | 32.0 12.9 2.2 100.0 | 16.7 9.0 4.3 1.0 100.0 | 25.4 27.5 15.5 3.9 100.0 |
| 95+ Total females Males Under 65 65–69 | 27.3 15.4 3.9 100.0 6.8 5.6 | 27.5 16.0 4.1 100.0 6.7 5.9 | 27.5 14.7 3.4 100.0 7.5 5.7 | 26.7 15.6 4.6 100.0 6.9 5.8 | 28.2 15.8 4.3 100.0 5.5 4.6 | 28.9 15.9 2.5 100.0 8.0 7.6 | 32.0 12.9 2.2 100.0 8.9 5.2 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 |
| 95+ Total females Males Under 65 65–69 70–74 | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 |
| 95+ <i>Total females</i> Males Under 65 65–69 70–74 75–79 | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 20.7 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 20.2 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 19.6 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 20.4 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 21.5 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 20.4 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 18.5 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 8.7 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 20.3 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 20.7 9.8 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 20.2 10.5 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 19.6 10.4 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 20.4 10.8 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 21.5 9.7 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 20.4 9.1 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 18.5 9.1 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 8.7 3.6 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 20.3 10.1 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 20.7 9.8 2.1 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 20.2 10.5 2.3 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 19.6 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 20.4 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 21.5 9.7 2.2 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 20.4 9.1 2.9 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 18.5 9.1 1.5 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 8.7 3.6 4.1 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 20.3 10.1 2.3 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 20.7 9.8 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 20.2 10.5 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 19.6 10.4 2.1 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 20.4 10.8 2.7 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 21.5 9.7 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 20.4 9.1 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 18.5 9.1 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 8.7 3.6 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 20.3 10.1 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 20.7 9.8 2.1 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 20.2 10.5 2.3 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 19.6 10.4 2.1 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 20.4 10.8 2.7 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 21.5 9.7 2.2 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 20.4 9.1 2.9 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 18.5 9.1 1.5 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 8.7 3.6 4.1 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 20.3 10.1 2.3 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 20.7 9.8 2.1 100.0 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 20.2 10.5 2.3 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 19.6 10.4 2.1 100.0 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 20.4 10.8 2.7 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 21.5 9.7 2.2 100.0 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 20.4 9.1 2.9 100.0 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 18.5 9.1 1.5 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 8.7 3.6 4.1 100.0 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 20.3 10.1 2.3 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 20.7 9.8 2.1 100.0 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 20.2 10.5 2.3 100.0 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 19.6 10.4 2.1 100.0 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 20.4 10.8 2.7 100.0 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 21.5 9.7 2.2 100.0 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 20.4 9.1 2.9 100.0 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 18.5 9.1 1.5 100.0 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 8.7 3.6 4.1 100.0 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 20.3 10.1 2.3 100.0 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 20.7 9.8 2.1 100.0 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 20.2 10.5 2.3 100.0 4.5 3.9 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 19.6 10.4 2.1 100.0 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 20.4 10.8 2.7 100.0 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 21.5 9.7 2.2 100.0 4.2 3.1 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 20.4 9.1 2.9 100.0 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 18.5 9.1 1.5 100.0 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 8.7 3.6 4.1 100.0 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 20.3 10.1 2.3 100.0 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 20.7 9.8 2.1 100.0 4.3 3.6 8.3 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 20.2 10.5 2.3 100.0 4.5 3.9 8.1 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 19.6 10.4 2.1 100.0 5.4 4.0 8.0 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 20.4 10.8 2.7 100.0 4.7 4.7 7.9 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 21.5 9.7 2.2 100.0 4.2 3.1 7.6 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 20.4 9.1 2.9 100.0 4.9 4.9 8.1 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 18.5 9.1 1.5 100.0 6.3 2.9 10.0 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 8.7 3.6 4.1 100.0 23.9 10.3 17.5 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 20.3 10.1 2.3 100.0 4.7 3.8 8.2 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 20.7 9.8 2.1 100.0 4.3 3.6 8.3 16.4 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 20.2 10.5 2.3 100.0 4.5 3.9 8.1 16.6 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 19.6 10.4 2.1 100.0 5.4 4.0 8.0 16.2 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 20.4 10.8 2.7 100.0 4.7 4.7 7.9 16.4 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 21.5 9.7 2.2 100.0 4.2 3.1 7.6 16.2 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 20.4 9.1 2.9 100.0 4.9 4.9 8.1 17.5 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 18.5 9.1 1.5 100.0 6.3 2.9 10.0 17.2 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 8.7 3.6 4.1 100.0 23.9 10.3 17.5 17.7 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 20.3 10.1 2.3 100.0 4.7 3.8 8.2 16.5 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 80–84 | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 20.7 9.8 2.1 100.0 4.3 3.6 8.3 16.4 25.7 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 20.2 10.5 2.3 100.0 4.5 3.9 8.1 16.6 24.5 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 19.6 10.4 2.1 100.0 5.4 4.0 8.0 16.2 25.7 24.5 13.1 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 20.4 10.8 2.7 100.0 4.7 4.7 7.9 16.4 24.3 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 21.5 9.7 2.2 100.0 4.2 3.1 7.6 16.2 26.0 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 20.4 9.1 2.9 100.0 4.9 4.9 8.1 17.5 22.6 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 18.5 9.1 1.5 100.0 6.3 2.9 10.0 17.2 22.7 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 8.7 3.6 4.1 100.0 23.9 10.3 17.5 17.7 15.3 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 20.3 10.1 2.3 100.0 4.7 3.8 8.2 16.5 25.1 |
| 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 80–84 85–89 | 27.3 15.4 3.9 100.0 6.8 5.6 11.0 19.0 25.0 20.7 9.8 2.1 100.0 4.3 3.6 8.3 16.4 25.7 25.0 | 27.5 16.0 4.1 100.0 6.7 5.9 11.5 19.2 23.6 20.2 10.5 2.3 100.0 4.5 3.9 8.1 16.6 24.5 24.8 | 27.5 14.7 3.4 100.0 7.5 5.7 10.3 18.5 25.9 19.6 10.4 2.1 100.0 5.4 4.0 8.0 16.2 25.7 24.5 | 26.7 15.6 4.6 100.0 6.9 5.8 11.1 18.6 23.6 20.4 10.8 2.7 100.0 4.7 4.7 7.9 16.4 24.3 24.3 | 28.2 15.8 4.3 100.0 5.5 4.6 10.1 19.3 27.1 21.5 9.7 2.2 100.0 4.2 3.1 7.6 16.2 26.0 25.7 | 28.9 15.9 2.5 100.0 8.0 7.6 10.0 23.2 18.7 20.4 9.1 2.9 100.0 4.9 4.9 8.1 17.5 22.6 25.9 | 32.0 12.9 2.2 100.0 8.9 5.2 14.3 17.0 25.4 18.5 9.1 1.5 100.0 6.3 2.9 10.0 17.2 22.7 27.4 | 16.7 9.0 4.3 1.0 100.0 21.4 7.7 25.0 15.8 13.8 8.7 3.6 4.1 100.0 23.9 10.3 17.5 17.7 15.3 8.9 | 25.4 27.5 15.5 3.9 100.0 6.9 5.7 11.0 19.1 24.6 20.3 10.1 2.3 100.0 4.7 3.8 8.2 16.5 25.1 24.9 |

⁽a) Refers to the location of the services.

Table 3.2: Permanent admissions, age at admission by sex and state/territory^(a), 1 July 2002 to 30 June 2003

| 10 50 June 2005 | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|-----------------|--------|--------|-------|-------|------------|-------|-------|-------|-----------|
| Sex/age | | | | | Number | | | | |
| Females | | | | | | | | | |
| Under 65 | 283 | 209 | 187 | 76 | 97 | 15 | 10 | 11 | 888 |
| 65–69 | 258 | 196 | 149 | 81 | 66 | 29 | 4 | 6 | 789 |
| 70–74 | 728 | 478 | 365 | 141 | 203 | 52 | 17 | 6 | 1,990 |
| 75–79 | 1,666 | 1,269 | 851 | 416 | 488 | 136 | 53 | 8 | 4,887 |
| 80–84 | 3,012 | 2,143 | 1,459 | 690 | 780 | 226 | 77 | 12 | 8,399 |
| 85-89 | 3,170 | 2,396 | 1,567 | 776 | 845 | 270 | 92 | 5 | 9,121 |
| 90-94 | 1,906 | 1,454 | 843 | 477 | 502 | 156 | 45 | 2 | 5,385 |
| 95+ | 513 | 387 | 203 | 140 | 142 | 22 | 8 | 0 | 1,415 |
| Total females | 11,536 | 8,532 | 5,624 | 2,797 | 3,123 | 906 | 306 | 50 | 32,874 |
| Males | | | | | | | | | |
| Under 65 | 397 | 276 | 226 | 92 | 102 | 32 | 9 | 12 | 1,146 |
| 65-69 | 343 | 232 | 188 | 74 | 72 | 24 | 3 | 4 | 940 |
| 70–74 | 654 | 480 | 324 | 155 | 170 | 41 | 23 | 11 | 1,858 |
| 75–79 | 1,202 | 769 | 614 | 268 | 339 | 106 | 27 | 12 | 3,337 |
| 80-84 | 1,631 | 1,067 | 857 | 353 | 467 | 92 | 43 | 11 | 4,521 |
| 85–89 | 1,368 | 1,035 | 695 | 341 | 398 | 109 | 30 | 5 | 3,981 |
| 90–94 | 678 | 555 | 372 | 191 | 191 | 48 | 13 | 2 | 2,050 |
| 95+ | 158 | 129 | 87 | 52 | 46 | 15 | 2 | 4 | 493 |
| Total males | 6,431 | 4,543 | 3,363 | 1,526 | 1,785 | 467 | 150 | 61 | 18,326 |
| Persons | -, - | , | -, | , | , | | | | -,- |
| Under 65 | 680 | 485 | 413 | 168 | 199 | 47 | 19 | 23 | 2,034 |
| 65–69 | 601 | 428 | 337 | 155 | 138 | 53 | 7 | 10 | 1,729 |
| 70–74 | 1,382 | 958 | 689 | 296 | 373 | 93 | 40 | 17 | 3,848 |
| 75–79 | 2,868 | 2,038 | 1,465 | 684 | 827 | 242 | 80 | 20 | 8,224 |
| 80–84 | 4,643 | 3,210 | 2,316 | 1,043 | 1,247 | 318 | 120 | 23 | 12,920 |
| 85–89 | 4,538 | 3,431 | 2,262 | 1,117 | 1,243 | 379 | 122 | 10 | 13,102 |
| 90–94 | 2,584 | 2,009 | 1,215 | 668 | 693 | 204 | 58 | 4 | 7,435 |
| 95+ | 671 | 516 | 290 | 192 | 188 | 37 | 10 | 4 | 1,908 |
| Total persons | 17,967 | 13,075 | 8,987 | 4,323 | 4,908 | 1,373 | 456 | 111 | 51,200 |
| | , | , | 0,00. | .,0_0 | Per cent | .,0.0 | | | 01,200 |
| Females | | | | | 1 01 00111 | | | | |
| Under 65 | 2.5 | 2.4 | 3.3 | 2.7 | 3.1 | 1.7 | 3.3 | 22.0 | 2.7 |
| 65–69 | 2.2 | 2.3 | 2.6 | 2.9 | 2.1 | 3.2 | 1.3 | 12.0 | 2.4 |
| 70–74 | 6.3 | 5.6 | 6.5 | 5.0 | 6.5 | 5.7 | 5.6 | 12.0 | 6.1 |
| 75–79 | 14.4 | 14.9 | 15.1 | 14.9 | 15.6 | 15.0 | 17.3 | 16.0 | 14.9 |
| 80–84 | 26.1 | 25.1 | 25.9 | 24.7 | 25.0 | 24.9 | 25.2 | 24.0 | 25.5 |
| 85–89 | 27.5 | 28.1 | 27.9 | 27.7 | 27.1 | 29.8 | 30.1 | 10.0 | 27.7 |
| 90–94 | 16.5 | 17.0 | 15.0 | 17.1 | 16.1 | 17.2 | 14.7 | 4.0 | 16.4 |
| 95+ | 4.4 | 4.5 | 3.6 | 5.0 | 4.5 | 2.4 | 2.6 | 0.0 | 4.3 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Under 65 | 6.2 | 6.1 | 6.7 | 6.0 | 5.7 | 6.9 | 6.0 | 19.7 | 6.3 |
| 65–69 | 5.3 | 5.1 | 5.6 | 4.8 | 4.0 | 5.1 | 2.0 | 6.6 | 5.1 |
| 70–74 | 10.2 | 10.6 | 9.6 | 10.2 | 9.5 | 8.8 | 15.3 | 18.0 | 10.1 |
| 75–79 | 18.7 | 16.9 | 18.3 | 17.6 | 19.0 | 22.7 | 18.0 | 19.7 | 18.2 |
| 80–84 | 25.4 | 23.5 | 25.5 | 23.1 | 26.2 | 19.7 | 28.7 | 18.0 | 24.7 |
| 85–89 | 21.3 | 22.8 | 20.7 | 22.3 | 22.3 | 23.3 | 20.0 | 8.2 | 21.7 |
| 90–94 | 10.5 | 12.2 | 11.1 | 12.5 | 10.7 | 10.3 | 8.7 | 3.3 | 11.2 |
| 95+ | 2.5 | 2.8 | 2.6 | 3.4 | 2.6 | 3.2 | 1.3 | 6.6 | 2.7 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Under 65 | 3.8 | 3.7 | 4.6 | 3.9 | 4.1 | 3.4 | 4.2 | 20.7 | 4.0 |
| 65–69 | 3.3 | 3.3 | 3.7 | 3.6 | 2.8 | 3.9 | 1.5 | 9.0 | 3.4 |
| 70–74 | 7.7 | 7.3 | 7.7 | 6.8 | 7.6 | 6.8 | 8.8 | 15.3 | 7.5 |
| 75–79 | 16.0 | 15.6 | 16.3 | 15.8 | 16.9 | 17.6 | 17.5 | 18.0 | 16.1 |
| 80–84 | 25.8 | 24.6 | 25.8 | 24.1 | 25.4 | 23.2 | 26.3 | 20.7 | 25.2 |
| 85–89 | 25.3 | 26.2 | 25.2 | 25.8 | 25.3 | 27.6 | 26.8 | 9.0 | 25.2 |
| 90–94 | 14.4 | 15.4 | 13.5 | 15.5 | 14.1 | 14.9 | 12.7 | 3.6 | 14.5 |
| 95+ | 3.7 | 3.9 | 3.2 | 4.4 | 3.8 | 2.7 | 2.2 | 3.6 | 3.7 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| . Juli persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services.

Table 3.3: Respite admissions, age at admission by sex and state/territory^(a), 1 July 2002 to 30 June 2003

| | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|--|--|--|--|---|--|--|--|---|--|
| Sex/age | 11011 | ¥10 | Qiu | 1174 | Number | 145 | AUI | | Australia |
| Females | | | | | Number | | | | |
| Under 65 | 385 | 301 | 245 | 83 | 94 | 50 | 29 | 44 | 1,231 |
| 65–69 | 295 | 229 | 163 | 104 | 58 | 40 | 9 | 21 | 919 |
| 70–74 | 799 | 474 | 317 | 134 | 141 | 90 | 43 | 16 | 2,014 |
| 75 – 79 | 1,729 | 1,082 | 662 | 283 | 315 | 154 | 81 | 33 | 4,339 |
| 80–84 | 2,880 | 1,724 | 1,163 | 457 | 629 | 274 | 89 | 23 | 7,239 |
| 85–89 | 2,997 | 1,858 | 1,244 | 462 | 717 | 314 | 157 | 14 | 7,763 |
| 90–94 | 1,577 | 1,029 | 666 | 247 | 374 | 165 | 55 | 7 | 4,120 |
| 95+ | 374 | 255 | 149 | 73 | 96 | 29 | 9 | 2 | 987 |
| Total females | 11,036 | 6,952 | 4,609 | 1,843 | 2,424 | 1,116 | 472 | 160 | 28,612 |
| Males | 77,000 | 0,002 | 1,000 | 1,010 | _, | 1,110 | | , 00 | 20,012 |
| Under 65 | 455 | 313 | 238 | 101 | 74 | 56 | 27 | 30 | 1,294 |
| 65–69 | 350 | 290 | 166 | 89 | 73 | 59 | 18 | 11 | 1,056 |
| 70–74 | 715 | 538 | 315 | 154 | 151 | 69 | 35 | 38 | 2,015 |
| 75–79 | 1,161 | 927 | 541 | 252 | 274 | 149 | 42 | 19 | 3,365 |
| 80–84 | 1,475 | 1,019 | 757 | 307 | 395 | 113 | 60 | 16 | 4,142 |
| 85–89 | 1,202 | 747 | 528 | 229 | 284 | 115 | 45 | 12 | 3,162 |
| 90–94 | 540 | 372 | 276 | 112 | 116 | 52 | 24 | 5 | 1,497 |
| 95+ | 109 | 78 | 43 | 23 | 24 | 17 | 4 | 4 | 302 |
| Total males | 6,007 | 4,284 | 2,864 | 1,267 | 1,391 | 630 | 255 | 135 | 16,833 |
| Persons | 0,007 | 1,201 | 2,007 | 1,201 | 1,001 | 000 | 200 | 700 | 70,000 |
| Under 65 | 840 | 614 | 483 | 184 | 168 | 106 | 56 | 74 | 2,525 |
| 65–69 | 645 | 519 | 329 | 193 | 131 | 99 | 27 | 32 | 1,975 |
| 70–74 | 1,514 | 1,012 | 632 | 288 | 292 | 159 | 78 | 54 | 4,029 |
| 75–79 | 2,890 | 2,009 | 1,203 | 535 | 589 | 303 | 123 | 52 | 7,704 |
| 80–84 | 4,355 | 2,743 | 1,920 | 764 | 1,024 | 387 | 149 | 39 | 11,381 |
| 85–89 | 4,199 | 2,605 | 1,772 | 691 | 1,001 | 429 | 202 | 26 | 10,925 |
| 90–94 | 2,117 | 1,401 | 942 | 359 | 490 | 217 | 79 | 12 | 5,617 |
| 95+ | 483 | 333 | 192 | 96 | 120 | 46 | 13 | 6 | 1,289 |
| Total persons | 17,043 | 11,236 | 7,473 | 3,110 | 3,815 | 1,746 | 727 | 295 | 45,445 |
| | ,0.10 | , | ., | | Per cent | ., | | | , |
| | | | | | | | | | |
| Females | | | | | | | | | |
| Females Under 65 | 3.5 | 4.3 | 5.3 | | | 4.5 | 6.1 | 27.5 | 4.3 |
| Under 65 | 3.5 2.7 | 4.3 3.3 | 5.3 3.5 | 4.5 | 3.9 | 4.5 3.6 | 6.1 1.9 | 27.5 13.1 | 4.3 3.2 |
| | 2.7 | 4.3 3.3 6.8 | 5.3 3.5 6.9 | | | 4.5 3.6 8.1 | 6.1 1.9 9.1 | 27.5 13.1 10.0 | 4.3 3.2 7.0 |
| Under 65 65–69 | 2.7 7.2 | 3.3 6.8 | 3.5 6.9 | 4.5 5.6 7.3 | 3.9 2.4 5.8 | 3.6 8.1 | 1.9 9.1 | 13.1 10.0 | 3.2 7.0 |
| Under 65 65–69 70–74 | 2.7 7.2 15.7 | 3.3 | 3.5 6.9 14.4 | 4.5 5.6 7.3 15.4 | 3.9 2.4 5.8 13.0 | 3.6 8.1 13.8 | 1.9 9.1 17.2 | 13.1 10.0 20.6 | 3.2 7.0 15.2 |
| Under 65 65–69 70–74 75–79 | 2.7 7.2 | 3.3 6.8 15.6 | 3.5 6.9 | 4.5 5.6 7.3 | 3.9 2.4 5.8 | 3.6 8.1 | 1.9 9.1 | 13.1 10.0 | 3.2 7.0 15.2 25.3 |
| Under 65 65–69 70–74 75–79 80–84 | 2.7 7.2 15.7 26.1 27.2 | 3.3 6.8 15.6 24.8 | 3.5 6.9 14.4 25.2 | 4.5 5.6 7.3 15.4 24.8 | 3.9 2.4 5.8 13.0 25.9 | 3.6 8.1 13.8 24.6 | 1.9 9.1 17.2 18.9 | 13.1 10.0 20.6 14.4 | 3.2 7.0 15.2 |
| Under 65 65–69 70–74 75–79 80–84 85–89 | 2.7 7.2 15.7 26.1 | 3.3 6.8 15.6 24.8 26.7 14.8 | 3.5 6.9 14.4 25.2 27.0 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 | 3.9 2.4 5.8 13.0 25.9 29.6 | 3.6 8.1 13.8 24.6 28.1 | 1.9 9.1 17.2 18.9 33.3 | 13.1 10.0 20.6 14.4 8.8 | 3.2 7.0 15.2 25.3 27.1 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 | 3.5 6.9 14.4 25.2 27.0 14.4 | 4.5 5.6 7.3 15.4 24.8 25.1 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 | 3.6 8.1 13.8 24.6 28.1 14.8 | 1.9 9.1 17.2 18.9 33.3 11.7 | 13.1 10.0 20.6 14.4 8.8 4.4 | 3.2 7.0 15.2 25.3 27.1 14.4 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ | 2.7 7.2 15.7 26.1 27.2 14.3 | 3.3 6.8 15.6 24.8 26.7 14.8 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 | 1.9 9.1 17.2 18.9 33.3 11.7 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 | 1.9 9.1 17.2 18.9 33.3 11.7 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ <i>Total females</i> Males Under 65 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males Under 65 65–69 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males Under 65 65–69 70–74 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 28.1 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males Under 65 65–69 70–74 75–79 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 28.1 14.1 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 24.6 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 23.8 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 26.4 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 24.2 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 28.4 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 17.9 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 23.5 17.6 9.4 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 28.1 14.1 11.9 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 24.6 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ <i>Total females</i> Males Under 65 65–69 70–74 75–79 80–84 85–89 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 24.6 20.0 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 23.8 17.4 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 26.4 18.4 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 24.2 18.1 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 28.4 20.4 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 17.9 18.3 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 23.5 17.6 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 28.1 14.1 11.9 8.9 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 24.6 18.8 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ <i>Total females</i> Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 24.6 20.0 9.0 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 23.8 17.4 8.7 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 26.4 18.4 9.6 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 24.2 18.1 8.8 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 28.4 20.4 8.3 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 17.9 18.3 8.3 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 23.5 17.6 9.4 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 28.1 14.1 11.9 8.9 3.7 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 24.6 18.8 8.9 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ <i>Total females</i> Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 24.6 20.0 9.0 1.8 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 23.8 17.4 8.7 1.8 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 26.4 18.4 9.6 1.5 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 24.2 18.1 8.8 1.8 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 28.4 20.4 8.3 1.7 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 17.9 18.3 8.3 2.7 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 23.5 17.6 9.4 1.6 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 28.1 14.1 11.9 8.9 3.7 3.0 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 24.6 18.8 8.9 1.8 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 24.6 20.0 9.0 1.8 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 23.8 17.4 8.7 1.8 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 26.4 18.4 9.6 1.5 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 24.2 18.1 8.8 1.8 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 28.4 20.4 8.3 1.7 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 17.9 18.3 8.3 2.7 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 23.5 17.6 9.4 1.6 100.0 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 14.1 11.9 8.9 3.7 3.0 100.0 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 24.6 18.8 8.9 1.8 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 24.6 20.0 9.0 1.8 100.0 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 23.8 17.4 8.7 1.8 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 26.4 18.4 9.6 1.5 100.0 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 24.2 18.1 8.8 1.8 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 28.4 20.4 8.3 1.7 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 17.9 18.3 8.3 2.7 100.0 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 23.5 17.6 9.4 1.6 100.0 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 28.1 14.1 11.9 8.9 3.7 3.0 100.0 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 24.6 18.8 8.9 1.8 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 24.6 20.0 9.0 1.8 100.0 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 23.8 17.4 8.7 1.8 100.0 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 26.4 1.5 100.0 6.5 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 24.2 18.1 8.8 1.8 100.0 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 28.4 20.4 8.3 1.7 100.0 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 17.9 18.3 8.3 2.7 100.0 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 23.5 17.6 9.4 1.6 100.0 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 14.1 11.9 8.9 3.7 3.0 100.0 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 24.6 18.8 8.9 1.8 100.0 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 24.6 20.0 9.0 1.8 100.0 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 23.8 17.4 8.7 1.8 100.0 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 26.4 18.4 9.6 1.5 100.0 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 24.2 18.1 8.8 1.8 100.0 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 28.4 20.4 8.3 1.7 100.0 4.4 3.4 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 17.9 18.3 8.3 2.7 100.0 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 23.5 17.6 9.4 1.6 100.0 7.7 3.7 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 28.1 14.1 11.9 8.9 3.7 3.0 100.0 25.1 10.8 18.3 17.6 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 24.6 18.8 8.9 1.8 100.0 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 24.6 20.0 9.0 1.8 100.0 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 23.8 17.4 8.7 1.8 100.0 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 26.4 18.4 9.6 1.5 100.0 6.5 4.4 8.5 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 24.2 18.1 8.8 1.8 100.0 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 28.4 20.4 8.3 1.7 100.0 4.4 3.4 7.7 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 17.9 18.3 8.3 2.7 100.0 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 23.5 17.6 9.4 1.6 100.0 7.7 3.7 10.7 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 14.1 11.9 8.9 3.7 3.0 100.0 25.1 10.8 18.3 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 24.6 18.8 8.9 1.8 100.0 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 24.6 20.0 9.0 1.8 100.0 4.9 3.8 8.9 17.0 25.6 24.6 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 23.8 17.4 8.7 1.8 100.0 5.5 4.6 9.0 17.9 24.4 23.2 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 26.4 18.4 9.6 1.5 100.0 6.5 4.4 8.5 16.1 25.7 23.7 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 24.2 18.1 8.8 100.0 5.9 6.2 9.3 17.2 24.6 22.2 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 28.4 20.4 8.3 1.7 100.0 4.4 3.4 7.7 15.4 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 17.9 18.3 8.3 2.7 100.0 6.1 5.7 9.1 17.4 22.2 24.6 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 23.5 17.6 9.4 1.6 100.0 7.7 3.7 10.7 16.9 20.5 27.8 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 28.1 14.1 11.9 8.9 3.7 3.0 100.0 25.1 10.8 18.3 17.6 13.2 8.8 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 24.6 18.8 8.9 1.8 100.0 5.6 4.3 8.9 17.0 25.0 24.0 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 80–84 85–89 90–94 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 24.6 20.0 9.0 1.8 100.0 4.9 3.8 8.9 17.0 25.6 24.6 12.4 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 23.8 17.4 8.7 1.8 100.0 5.5 4.6 9.0 17.9 24.4 23.2 12.5 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 26.4 18.4 9.6 1.5 100.0 6.5 4.4 8.5 16.1 25.7 23.7 12.6 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 24.2 18.1 8.8 1.00.0 5.9 6.2 9.3 17.2 24.6 22.2 11.5 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 28.4 20.4 8.3 1.7 100.0 4.4 3.4 7.7 15.4 26.8 26.2 12.8 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 17.9 18.3 8.3 2.7 100.0 6.1 5.7 9.1 17.4 22.2 24.6 12.4 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 23.5 17.6 9.4 1.6 100.0 7.7 3.7 10.7 16.9 20.5 27.8 10.9 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 28.1 14.1 11.9 8.9 3.7 3.0 100.0 25.1 10.8 18.3 17.6 13.2 8.8 4.1 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 24.6 18.8 8.9 1.8 100.0 5.6 4.3 8.9 17.0 25.0 24.0 12.4 |
| Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 80–84 85–89 | 2.7 7.2 15.7 26.1 27.2 14.3 3.4 100.0 7.6 5.8 11.9 19.3 24.6 20.0 9.0 1.8 100.0 4.9 3.8 8.9 17.0 25.6 24.6 | 3.3 6.8 15.6 24.8 26.7 14.8 3.7 100.0 7.3 6.8 12.6 21.6 23.8 17.4 8.7 1.8 100.0 5.5 4.6 9.0 17.9 24.4 23.2 | 3.5 6.9 14.4 25.2 27.0 14.4 3.2 100.0 8.3 5.8 11.0 18.9 26.4 18.4 9.6 1.5 100.0 6.5 4.4 8.5 16.1 25.7 23.7 | 4.5 5.6 7.3 15.4 24.8 25.1 13.4 4.0 100.0 8.0 7.0 12.2 19.9 24.2 18.1 8.8 100.0 5.9 6.2 9.3 17.2 24.6 22.2 | 3.9 2.4 5.8 13.0 25.9 29.6 15.4 4.0 100.0 5.3 5.2 10.9 19.7 28.4 20.4 8.3 1.7 100.0 4.4 3.4 7.7 15.4 26.8 26.2 | 3.6 8.1 13.8 24.6 28.1 14.8 2.6 100.0 8.9 9.4 11.0 23.7 17.9 18.3 8.3 2.7 100.0 6.1 5.7 9.1 17.4 22.2 24.6 | 1.9 9.1 17.2 18.9 33.3 11.7 1.9 100.0 10.6 7.1 13.7 16.5 23.5 17.6 9.4 1.6 100.0 7.7 3.7 10.7 16.9 20.5 27.8 | 13.1 10.0 20.6 14.4 8.8 4.4 1.3 100.0 22.2 8.1 28.1 14.1 11.9 8.9 3.7 3.0 100.0 25.1 10.8 18.3 17.6 13.2 8.8 | 3.2 7.0 15.2 25.3 27.1 14.4 3.4 100.0 7.7 6.3 12.0 20.0 24.6 18.8 8.9 1.8 100.0 5.6 4.3 8.9 17.0 25.0 24.0 |

⁽a) Refers to the location of the services.

Table 3.4: All separations, separation mode by sex and state/territory^(a), 1 July 2002 to 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|------------------------------|--------|--------|--------|-------|---------|-------|-------|-------|-----------|
| separation mode | | | | N | umber | | | | |
| Females | | | | | | | | | |
| Death | 9,258 | 6,259 | 4,511 | 2,015 | 2,549 | 776 | 262 | 48 | 25,678 |
| Return to community | 7,124 | 5,571 | 3,572 | 1,325 | 1,576 | 1,002 | 379 | 127 | 20,676 |
| To hospital | 1,122 | 708 | 535 | 354 | 168 | 37 | 25 | 4 | 2,953 |
| To another aged care service | 1,961 | 1,293 | 989 | 701 | 520 | 75 | 76 | 14 | 5,629 |
| Unknown | 2,464 | 727 | 267 | 149 | 336 | 50 | 23 | 25 | 4,041 |
| Total females | 21,929 | 14,558 | 9,874 | 4,544 | 5,149 | 1,940 | 765 | 218 | 58,977 |
| Males | | | | | | | | | |
| Death | 5,351 | 3,341 | 2,712 | 1,075 | 1,523 | 421 | 126 | 56 | 14,605 |
| Return to community | 3,840 | 3,554 | 2,273 | 953 | 931 | 559 | 205 | 100 | 12,415 |
| To hospital | 650 | 437 | 310 | 209 | 136 | 25 | 13 | 7 | 1,787 |
| To another aged care service | 993 | 587 | 505 | 320 | 284 | 40 | 30 | 6 | 2,765 |
| Unknown | 1,322 | 436 | 193 | 98 | 139 | 30 | 13 | 21 | 2,252 |
| Total males | 12,156 | 8,355 | 5,993 | 2,655 | 3,013 | 1,075 | 387 | 190 | 33,824 |
| Persons | | | | | | | | | |
| Death | 14,609 | 9,600 | 7,223 | 3,090 | 4,072 | 1,197 | 388 | 104 | 40,283 |
| Return to community | 10,964 | 9,125 | 5,845 | 2,278 | 2,507 | 1,561 | 584 | 227 | 33,091 |
| To hospital | 1,772 | 1,145 | 845 | 563 | 304 | 62 | 38 | 11 | 4,740 |
| To another aged care service | 2,954 | 1,880 | 1,494 | 1,021 | 804 | 115 | 106 | 20 | 8,394 |
| Unknown | 3,786 | 1,163 | 460 | 247 | 475 | 80 | 36 | 46 | 6,293 |
| Total persons | 34,085 | 22,913 | 15,867 | 7,199 | 8,162 | 3,015 | 1,152 | 408 | 92,801 |
| | | | | P | er cent | | | | |
| Females | | | | | | | | | |
| Death | 42.2 | 43.0 | 45.7 | 44.3 | 49.5 | 40.0 | 34.2 | 22.0 | 43.5 |
| Return to community | 32.5 | 38.3 | 36.2 | 29.2 | 30.6 | 51.6 | 49.5 | 58.3 | 35.1 |
| To hospital | 5.1 | 4.9 | 5.4 | 7.8 | 3.3 | 1.9 | 3.3 | 1.8 | 5.0 |
| To another aged care service | 8.9 | 8.9 | 10.0 | 15.4 | 10.1 | 3.9 | 9.9 | 6.4 | 9.5 |
| Unknown | 11.2 | 5.0 | 2.7 | 3.3 | 6.5 | 2.6 | 3.0 | 11.5 | 6.9 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Death | 44.0 | 40.0 | 45.3 | 40.5 | 50.5 | 39.2 | 32.6 | 29.5 | 43.2 |
| Return to community | 31.6 | 42.5 | 37.9 | 35.9 | 30.9 | 52.0 | 53.0 | 52.6 | 36.7 |
| To hospital | 5.3 | 5.2 | 5.2 | 7.9 | 4.5 | 2.3 | 3.4 | 3.7 | 5.3 |
| To another aged care service | 8.2 | 7.0 | 8.4 | 12.1 | 9.4 | 3.7 | 7.8 | 3.2 | 8.2 |
| Unknown | 10.9 | 5.2 | 3.2 | 3.7 | 4.6 | 2.8 | 3.4 | 11.1 | 6.7 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Death | 42.9 | 41.9 | 45.5 | 42.9 | 49.9 | 39.7 | 33.7 | 25.5 | 43.4 |
| Return to community | 32.2 | 39.8 | 36.8 | 31.6 | 30.7 | 51.8 | 50.7 | 55.6 | 35.7 |
| To hospital | 5.2 | 5.0 | 5.3 | 7.8 | 3.7 | 2.1 | 3.3 | 2.7 | 5.1 |
| To another aged care service | 8.7 | 8.2 | 9.4 | 14.2 | 9.9 | 3.8 | 9.2 | 4.9 | 9.0 |
| Unknown | 11.1 | 5.1 | 2.9 | 3.4 | 5.8 | 2.7 | 3.1 | 11.3 | 6.8 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services.

Table 3.5: Separations of permanent residents, separation mode by sex and state/territory^(a), 1 July 2002 to 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|------------------------------|--------|--------|-------|-------|---------|-------|-------|-------|-----------|
| separation mode | | | | N | umber | | | | |
| Females | | | | | | | | | |
| Death | 9,124 | 6,211 | 4,443 | 2,001 | 2,515 | 771 | 260 | 47 | 25,372 |
| Return to community | 450 | 232 | 215 | 93 | 93 | 14 | 13 | 3 | 1,113 |
| To hospital | 613 | 523 | 341 | 261 | 51 | 14 | 12 | 0 | 1,815 |
| To another aged care service | 477 | 561 | 167 | 267 | 66 | 8 | 9 | 3 | 1,558 |
| Unknown | 237 | 115 | 65 | 40 | 24 | 19 | 4 | 2 | 506 |
| Total females | 10,901 | 7,642 | 5,231 | 2,662 | 2,749 | 826 | 298 | 55 | 30,364 |
| Males | | | | | | | | | |
| Death | 5,201 | 3,298 | 2,678 | 1,059 | 1,478 | 416 | 123 | 52 | 14,305 |
| Return to community | 276 | 192 | 162 | 55 | 51 | 7 | 4 | 4 | 751 |
| To hospital | 298 | 291 | 163 | 145 | 30 | 8 | 2 | 2 | 939 |
| To another aged care service | 235 | 260 | 85 | 94 | 43 | 6 | 1 | 1 | 725 |
| Unknown | 175 | 87 | 57 | 31 | 17 | 11 | 3 | 2 | 383 |
| Total males | 6,185 | 4,128 | 3,145 | 1,384 | 1,619 | 448 | 133 | 61 | 17,103 |
| Persons | | | | | | | | | |
| Death | 14,325 | 9,509 | 7,121 | 3,060 | 3,993 | 1,187 | 383 | 99 | 39,677 |
| Return to community | 726 | 424 | 377 | 148 | 144 | 21 | 17 | 7 | 1,864 |
| To hospital | 911 | 814 | 504 | 406 | 81 | 22 | 14 | 2 | 2,754 |
| To another aged care service | 712 | 821 | 252 | 361 | 109 | 14 | 10 | 4 | 2,283 |
| Unknown | 412 | 202 | 122 | 71 | 41 | 30 | 7 | 4 | 889 |
| Total persons | 17,086 | 11,770 | 8,376 | 4,046 | 4,368 | 1,274 | 431 | 116 | 47,467 |
| | | | | P | er cent | | | | |
| Females | | | | | | | | | |
| Death | 83.7 | 81.3 | 84.9 | 75.2 | 91.5 | 93.3 | 87.2 | 85.5 | 83.6 |
| Return to community | 4.1 | 3.0 | 4.1 | 3.5 | 3.4 | 1.7 | 4.4 | 5.5 | 3.7 |
| To hospital | 5.6 | 6.8 | 6.5 | 9.8 | 1.9 | 1.7 | 4.0 | 0.0 | 6.0 |
| To another aged care service | 4.4 | 7.3 | 3.2 | 10.0 | 2.4 | 1.0 | 3.0 | 5.5 | 5.1 |
| Unknown | 2.2 | 1.5 | 1.2 | 1.5 | 0.9 | 2.3 | 1.3 | 3.6 | 1.7 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Death | 84.1 | 79.9 | 85.2 | 76.5 | 91.3 | 92.9 | 92.5 | 85.2 | 83.6 |
| Return to community | 4.5 | 4.7 | 5.2 | 4.0 | 3.2 | 1.6 | 3.0 | 6.6 | 4.4 |
| To hospital | 4.8 | 7.0 | 5.2 | 10.5 | 1.9 | 1.8 | 1.5 | 3.3 | 5.5 |
| To another aged care service | 3.8 | 6.3 | 2.7 | 6.8 | 2.7 | 1.3 | 0.8 | 1.6 | 4.2 |
| Unknown | 2.8 | 2.1 | 1.8 | 2.2 | 1.1 | 2.5 | 2.3 | 3.3 | 2.2 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Death | 83.8 | 80.8 | 85.0 | 75.6 | 91.4 | 93.2 | 88.9 | 85.3 | 83.6 |
| Return to community | 4.2 | 3.6 | 4.5 | 3.7 | 3.3 | 1.6 | 3.9 | 6.0 | 3.9 |
| To hospital | 5.3 | 6.9 | 6.0 | 10.0 | 1.9 | 1.7 | 3.2 | 1.7 | 5.8 |
| To another aged care service | 4.2 | 7.0 | 3.0 | 8.9 | 2.5 | 1.1 | 2.3 | 3.4 | 4.8 |
| Unknown | 2.4 | 1.7 | 1.5 | 1.8 | 0.9 | 2.4 | 1.6 | 3.4 | 1.9 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services.

Table 3.6: Separations of respite residents, separation mode by sex and state/territory $^{(a)}$, 1 July 2002 to 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|------------------------------|--------|--------|-------|-------|---------|-------|-------|-------|-----------|
| separation mode | | | | N | lumber | | | | |
| Females | | | | | | | | | |
| Death | 134 | 48 | 68 | 14 | 34 | 5 | 2 | 1 | 306 |
| Return to community | 6,674 | 5,339 | 3,357 | 1,232 | 1,483 | 988 | 366 | 124 | 19,563 |
| To hospital | 509 | 185 | 194 | 93 | 117 | 23 | 13 | 4 | 1,138 |
| To another aged care service | 1,484 | 732 | 822 | 434 | 454 | 67 | 67 | 11 | 4,071 |
| Unknown | 2,227 | 612 | 202 | 109 | 312 | 31 | 19 | 23 | 3,535 |
| Total females | 11,028 | 6,916 | 4,643 | 1,882 | 2,400 | 1,114 | 467 | 163 | 28,613 |
| Males | | | | | | | | | |
| Death | 150 | 43 | 34 | 16 | 45 | 5 | 3 | 4 | 300 |
| Return to community | 3,564 | 3,362 | 2,111 | 898 | 880 | 552 | 201 | 96 | 11,664 |
| To hospital | 352 | 146 | 147 | 64 | 106 | 17 | 11 | 5 | 848 |
| To another aged care service | 758 | 327 | 420 | 226 | 241 | 34 | 29 | 5 | 2,040 |
| Unknown | 1,147 | 349 | 136 | 67 | 122 | 19 | 10 | 19 | 1,869 |
| Total males | 5,971 | 4,227 | 2,848 | 1,271 | 1,394 | 627 | 254 | 129 | 16,721 |
| Persons | | | | | | | | | |
| Death | 284 | 91 | 102 | 30 | 79 | 10 | 5 | 5 | 606 |
| Return to community | 10,238 | 8,701 | 5,468 | 2,130 | 2,363 | 1,540 | 567 | 220 | 31,227 |
| To hospital | 861 | 331 | 341 | 157 | 223 | 40 | 24 | 9 | 1,986 |
| To another aged care service | 2,242 | 1,059 | 1,242 | 660 | 695 | 101 | 96 | 16 | 6,111 |
| Unknown | 3,374 | 961 | 338 | 176 | 434 | 50 | 29 | 42 | 5,404 |
| Total persons | 16,999 | 11,143 | 7,491 | 3,153 | 3,794 | 1,741 | 721 | 292 | 45,334 |
| | | | | P | er cent | | | | |
| Females | | | | | | | | | |
| Death | 1.2 | 0.7 | 1.5 | 0.7 | 1.4 | 0.4 | 0.4 | 0.6 | 1.1 |
| Return to community | 60.5 | 77.2 | 72.3 | 65.5 | 61.8 | 88.7 | 78.4 | 76.1 | 68.4 |
| To hospital | 4.6 | 2.7 | 4.2 | 4.9 | 4.9 | 2.1 | 2.8 | 2.5 | 4.0 |
| To another aged care service | 13.5 | 10.6 | 17.7 | 23.1 | 18.9 | 6.0 | 14.3 | 6.7 | 14.2 |
| Unknown | 20.2 | 8.8 | 4.4 | 5.8 | 13.0 | 2.8 | 4.1 | 14.1 | 12.4 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Death | 2.5 | 1.0 | 1.2 | 1.3 | 3.2 | 0.8 | 1.2 | 3.1 | 1.8 |
| Return to community | 59.7 | 79.5 | 74.1 | 70.7 | 63.1 | 88.0 | 79.1 | 74.4 | 69.8 |
| To hospital | 5.9 | 3.5 | 5.2 | 5.0 | 7.6 | 2.7 | 4.3 | 3.9 | 5.1 |
| To another aged care service | 12.7 | 7.7 | 14.7 | 17.8 | 17.3 | 5.4 | 11.4 | 3.9 | 12.2 |
| Unknown | 19.2 | 8.3 | 4.8 | 5.3 | 8.8 | 3.0 | 3.9 | 14.7 | 11.2 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Death | 1.7 | 0.8 | 1.4 | 1.0 | 2.1 | 0.6 | 0.7 | 1.7 | 1.3 |
| Return to community | 60.2 | 78.1 | 73.0 | 67.6 | 62.3 | 88.5 | 78.6 | 75.3 | 68.9 |
| To hospital | 5.1 | 3.0 | 4.6 | 5.0 | 5.9 | 2.3 | 3.3 | 3.1 | 4.4 |
| To another aged care service | 13.2 | 9.5 | 16.6 | 20.9 | 18.3 | 5.8 | 13.3 | 5.5 | 13.5 |
| Unknown | 19.8 | 8.6 | 4.5 | 5.6 | 11.4 | 2.9 | 4.0 | 14.4 | 11.9 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services.

Table 3.7: Separations of permanent residents, length of stay by sex and state/territory (a), 1 July 2002 to 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|----------------|--------|--------|-------|-------|-------|-------|-----|-----|-----------|
| length of stay | | | | Nun | nber | | | | |
| Females | | | | | | | | | |
| <4 wks | 857 | 467 | 343 | 152 | 211 | 53 | 18 | 2 | 2,103 |
| 4-<8 wks | 557 | 341 | 222 | 127 | 153 | 31 | 10 | 4 | 1,445 |
| 8-<13 wks | 528 | 358 | 220 | 83 | 113 | 27 | 7 | 4 | 1,340 |
| 13-<26 wks | 883 | 624 | 376 | 204 | 185 | 60 | 27 | 4 | 2,363 |
| 26-<39 wks | 629 | 435 | 283 | 152 | 118 | 40 | 15 | 1 | 1,673 |
| 39-<52 wks | 525 | 377 | 276 | 144 | 119 | 43 | 14 | 4 | 1,502 |
| 1-<2 yrs | 1,593 | 1,186 | 827 | 458 | 399 | 117 | 41 | 4 | 4,625 |
| 2-<3 yrs | 1,207 | 961 | 628 | 340 | 349 | 87 | 36 | 9 | 3,617 |
| 3-<4 yrs | 903 | 687 | 480 | 262 | 250 | 75 | 26 | 5 | 2,688 |
| 4-<5 yrs | 754 | 585 | 355 | 190 | 195 | 75 | 26 | 6 | 2,186 |
| 5-<8 yrs | 1,479 | 1,057 | 750 | 352 | 397 | 140 | 55 | 9 | 4,239 |
| 8+ yrs | 986 | 564 | 471 | 198 | 260 | 78 | 23 | 3 | 2,583 |
| Total females | 10,901 | 7,642 | 5,231 | 2,662 | 2,749 | 826 | 298 | 55 | 30,364 |
| Males | | | | | | | | | |
| <4 wks | 796 | 411 | 336 | 102 | 244 | 34 | 7 | 7 | 1,937 |
| 4-<8 wks | 477 | 247 | 196 | 97 | 120 | 44 | 9 | 1 | 1,191 |
| 8-<13 wks | 434 | 268 | 218 | 97 | 101 | 20 | 4 | 4 | 1,146 |
| 13-<26 wks | 635 | 463 | 314 | 161 | 180 | 46 | 16 | 3 | 1,818 |
| 26-<39 wks | 415 | 324 | 216 | 96 | 88 | 34 | 10 | 9 | 1,192 |
| 39-<52 wks | 347 | 244 | 192 | 97 | 76 | 26 | 6 | 3 | 991 |
| 1-<2 yrs | 911 | 694 | 486 | 238 | 240 | 82 | 24 | 7 | 2,682 |
| 2-<3 yrs | 627 | 486 | 325 | 142 | 158 | 46 | 18 | 9 | 1,811 |
| 3-<4 yrs | 451 | 306 | 222 | 118 | 119 | 42 | 14 | 3 | 1,275 |
| 4-<5 yrs | 307 | 205 | 191 | 67 | 85 | 28 | 10 | 5 | 898 |
| 5-<8 yrs | 500 | 327 | 299 | 112 | 154 | 35 | 11 | 8 | 1,446 |
| 8+ yrs | 285 | 153 | 150 | 57 | 54 | 11 | 4 | 2 | 716 |
| Total males | 6,185 | 4,128 | 3,145 | 1,384 | 1,619 | 448 | 133 | 61 | 17,103 |
| Persons | | | | | | | | | |
| <4 wks | 1,653 | 878 | 679 | 254 | 455 | 87 | 25 | 9 | 4,040 |
| 4–<8 wks | 1,034 | 588 | 418 | 224 | 273 | 75 | 19 | 5 | 2,636 |
| 8–<13 wks | 962 | 626 | 438 | 180 | 214 | 47 | 11 | 8 | 2,486 |
| 13-<26 wks | 1,518 | 1,087 | 690 | 365 | 365 | 106 | 43 | 7 | 4,181 |
| 26-<39 wks | 1,044 | 759 | 499 | 248 | 206 | 74 | 25 | 10 | 2,865 |
| 39-<52 wks | 872 | 621 | 468 | 241 | 195 | 69 | 20 | 7 | 2,493 |
| 1-<2 yrs | 2,504 | 1,880 | 1,313 | 696 | 639 | 199 | 65 | 11 | 7,307 |
| 2-<3 yrs | 1,834 | 1,447 | 953 | 482 | 507 | 133 | 54 | 18 | 5,428 |
| 3-<4 yrs | 1,354 | 993 | 702 | 380 | 369 | 117 | 40 | 8 | 3,963 |
| 4–<5 yrs | 1,061 | 790 | 546 | 257 | 280 | 103 | 36 | 11 | 3,084 |
| 5–<8 yrs | 1,979 | 1,384 | 1,049 | 464 | 551 | 175 | 66 | 17 | 5,685 |
| 8+ yrs | 1,271 | 717 | 621 | 255 | 314 | 89 | 27 | 5 | 3,299 |
| Total persons | 17,086 | 11,770 | 8,376 | 4,046 | 4,368 | 1,274 | 431 | 116 | 47,467 |

Table 3.7 (continued): Separations of permanent residents, length of stay by sex and state/territory^(a), 1 July 2002 to 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-----------|
| length of stay | | | | Per | cent | | | | |
| Females | | | | | | | | | |
| <4 wks | 7.9 | 6.1 | 6.6 | 5.7 | 7.7 | 6.4 | 6.0 | 3.6 | 6.9 |
| 4-<8 wks | 5.1 | 4.5 | 4.2 | 4.8 | 5.6 | 3.8 | 3.4 | 7.3 | 4.8 |
| 8-<13 wks | 4.8 | 4.7 | 4.2 | 3.1 | 4.1 | 3.3 | 2.3 | 7.3 | 4.4 |
| 13-<26 wks | 8.1 | 8.2 | 7.2 | 7.7 | 6.7 | 7.3 | 9.1 | 7.3 | 7.8 |
| 26-<39 wks | 5.8 | 5.7 | 5.4 | 5.7 | 4.3 | 4.8 | 5.0 | 1.8 | 5.5 |
| 39-<52 wks | 4.8 | 4.9 | 5.3 | 5.4 | 4.3 | 5.2 | 4.7 | 7.3 | 4.9 |
| 1-<2 yrs | 14.6 | 15.5 | 15.8 | 17.2 | 14.5 | 14.2 | 13.8 | 7.3 | 15.2 |
| 2-<3 yrs | 11.1 | 12.6 | 12.0 | 12.8 | 12.7 | 10.5 | 12.1 | 16.4 | 11.9 |
| 3-<4 yrs | 8.3 | 9.0 | 9.2 | 9.8 | 9.1 | 9.1 | 8.7 | 9.1 | 8.9 |
| 4–<5 yrs | 6.9 | 7.7 | 6.8 | 7.1 | 7.1 | 9.1 | 8.7 | 10.9 | 7.2 |
| 5-<8 yrs | 13.6 | 13.8 | 14.3 | 13.2 | 14.4 | 16.9 | 18.5 | 16.4 | 14.0 |
| 8+ yrs | 9.0 | 7.4 | 9.0 | 7.4 | 9.5 | 9.4 | 7.7 | 5.5 | 8.5 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| <4 wks | 12.9 | 10.0 | 10.7 | 7.4 | 15.1 | 7.6 | 5.3 | 11.5 | 11.3 |
| 4-<8 wks | 7.7 | 6.0 | 6.2 | 7.0 | 7.4 | 9.8 | 6.8 | 1.6 | 7.0 |
| 8-<13 wks | 7.0 | 6.5 | 6.9 | 7.0 | 6.2 | 4.5 | 3.0 | 6.6 | 6.7 |
| 13-<26 wks | 10.3 | 11.2 | 10.0 | 11.6 | 11.1 | 10.3 | 12.0 | 4.9 | 10.6 |
| 26-<39 wks | 6.7 | 7.8 | 6.9 | 6.9 | 5.4 | 7.6 | 7.5 | 14.8 | 7.0 |
| 39-<52 wks | 5.6 | 5.9 | 6.1 | 7.0 | 4.7 | 5.8 | 4.5 | 4.9 | 5.8 |
| 1-<2 yrs | 14.7 | 16.8 | 15.5 | 17.2 | 14.8 | 18.3 | 18.0 | 11.5 | 15.7 |
| 2-<3 yrs | 10.1 | 11.8 | 10.3 | 10.3 | 9.8 | 10.3 | 13.5 | 14.8 | 10.6 |
| 3-<4 yrs | 7.3 | 7.4 | 7.1 | 8.5 | 7.4 | 9.4 | 10.5 | 4.9 | 7.5 |
| 4–<5 yrs | 5.0 | 5.0 | 6.1 | 4.8 | 5.3 | 6.3 | 7.5 | 8.2 | 5.3 |
| 5-<8 yrs | 8.1 | 7.9 | 9.5 | 8.1 | 9.5 | 7.8 | 8.3 | 13.1 | 8.5 |
| 8+ yrs | 4.6 | 3.7 | 4.8 | 4.1 | 3.3 | 2.5 | 3.0 | 3.3 | 4.2 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| <4 wks | 9.7 | 7.5 | 8.1 | 6.3 | 10.4 | 6.8 | 5.8 | 7.8 | 8.5 |
| 4-<8 wks | 6.1 | 5.0 | 5.0 | 5.5 | 6.3 | 5.9 | 4.4 | 4.3 | 5.6 |
| 8-<13 wks | 5.6 | 5.3 | 5.2 | 4.4 | 4.9 | 3.7 | 2.6 | 6.9 | 5.2 |
| 13-<26 wks | 8.9 | 9.2 | 8.2 | 9.0 | 8.4 | 8.3 | 10.0 | 6.0 | 8.8 |
| 26-<39 wks | 6.1 | 6.4 | 6.0 | 6.1 | 4.7 | 5.8 | 5.8 | 8.6 | 6.0 |
| 39-<52 wks | 5.1 | 5.3 | 5.6 | 6.0 | 4.5 | 5.4 | 4.6 | 6.0 | 5.3 |
| 1-<2 yrs | 14.7 | 16.0 | 15.7 | 17.2 | 14.6 | 15.6 | 15.1 | 9.5 | 15.4 |
| 2-<3 yrs | 10.7 | 12.3 | 11.4 | 11.9 | 11.6 | 10.4 | 12.5 | 15.5 | 11.4 |
| 3-<4 yrs | 7.9 | 8.4 | 8.4 | 9.4 | 8.4 | 9.2 | 9.3 | 6.9 | 8.3 |
| 4–<5 yrs | 6.2 | 6.7 | 6.5 | 6.4 | 6.4 | 8.1 | 8.4 | 9.5 | 6.5 |
| 5-<8 yrs | 11.6 | 11.8 | 12.5 | 11.5 | 12.6 | 13.7 | 15.3 | 14.7 | 12.0 |
| 8+ yrs | 7.4 | 6.1 | 7.4 | 6.3 | 7.2 | 7.0 | 6.3 | 4.3 | 7.0 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Refers to the location of the services.

Table 3.8: Separations of permanent residents, length of stay by separation mode, 1 July 2002 to 30 June 2003

| | | | | To another | | |
|----------------|--------|-----------|-------------|------------|---------|--------|
| | | Return to | То | aged care | | |
| _ | Death | community | hospital | service | Unknown | Total |
| Length of stay | | | Numb | er | | |
| <4 wks | 3,089 | 479 | 194 | 159 | 119 | 4,040 |
| 4-<8 wks | 2,048 | 234 | 161 | 124 | 69 | 2,636 |
| 8-<13 wks | 1,941 | 200 | 157 | 131 | 57 | 2,486 |
| 13-<26 wks | 3,254 | 296 | 302 | 224 | 105 | 4,181 |
| 26-<39 wks | 2,279 | 147 | 208 | 150 | 81 | 2,865 |
| 39-<52 wks | 1,999 | 100 | 182 | 144 | 68 | 2,493 |
| 1-<2 yrs | 6,116 | 173 | 496 | 402 | 120 | 7,307 |
| 2-<3 yrs | 4,656 | 92 | 340 | 263 | 77 | 5,428 |
| 3-<4 yrs | 3,471 | 46 | 208 | 183 | 55 | 3,963 |
| 4-<5 yrs | 2,735 | 27 | 142 | 146 | 34 | 3,084 |
| 5–<8 yrs | 5,112 | 48 | 226 | 230 | 69 | 5,685 |
| 8+ yrs | 2,977 | 22 | 138 | 127 | 35 | 3,299 |
| Total | 39,677 | 1,864 | 2,754 | 2,283 | 889 | 47,467 |
| | | | Per cent (c | olumn) | | |
| <4 wks | 7.8 | 25.7 | 7.0 | 7.0 | 13.4 | 8.5 |
| 4-<8 wks | 5.2 | 12.6 | 5.8 | 5.4 | 7.8 | 5.6 |
| 8-<13 wks | 4.9 | 10.7 | 5.7 | 5.7 | 6.4 | 5.2 |
| 13-<26 wks | 8.2 | 15.9 | 11.0 | 9.8 | 11.8 | 8.8 |
| 26-<39 wks | 5.7 | 7.9 | 7.6 | 6.6 | 9.1 | 6.0 |
| 39-<52 wks | 5.0 | 5.4 | 6.6 | 6.3 | 7.6 | 5.3 |
| 1-<2 yrs | 15.4 | 9.3 | 18.0 | 17.6 | 13.5 | 15.4 |
| 2-<3 yrs | 11.7 | 4.9 | 12.3 | 11.5 | 8.7 | 11.4 |
| 3-<4 yrs | 8.7 | 2.5 | 7.6 | 8.0 | 6.2 | 8.3 |
| 4-<5 yrs | 6.9 | 1.4 | 5.2 | 6.4 | 3.8 | 6.5 |
| 5-<8 yrs | 12.9 | 2.6 | 8.2 | 10.1 | 7.8 | 12.0 |
| 8+ yrs | 7.5 | 1.2 | 5.0 | 5.6 | 3.9 | 7.0 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | Per cent | (row) | | |
| <4 wks | 76.5 | 11.9 | 4.8 | 3.9 | 2.9 | 100.0 |
| 4-<8 wks | 77.7 | 8.9 | 6.1 | 4.7 | 2.6 | 100.0 |
| 8-<13 wks | 78.1 | 8.0 | 6.3 | 5.3 | 2.3 | 100.0 |
| 13-<26 wks | 77.8 | 7.1 | 7.2 | 5.4 | 2.5 | 100.0 |
| 26-<39 wks | 79.5 | 5.1 | 7.3 | 5.2 | 2.8 | 100.0 |
| 39-<52 wks | 80.2 | 4.0 | 7.3 | 5.8 | 2.7 | 100.0 |
| 1-<2 yrs | 83.7 | 2.4 | 6.8 | 5.5 | 1.6 | 100.0 |
| 2-<3 yrs | 85.8 | 1.7 | 6.3 | 4.8 | 1.4 | 100.0 |
| 3-<4 yrs | 87.6 | 1.2 | 5.2 | 4.6 | 1.4 | 100.0 |
| 4-<5 yrs | 88.7 | 0.9 | 4.6 | 4.7 | 1.1 | 100.0 |
| 5-<8 yrs | 89.9 | 0.8 | 4.0 | 4.0 | 1.2 | 100.0 |
| 8+ yrs | 90.2 | 0.7 | 4.2 | 3.8 | 1.1 | 100.0 |
| Total | 83.6 | 3.9 | 5.8 | 4.8 | 1.9 | 100.0 |

Table 3.9: Average length of stay (weeks) separations of permanent residents, state/territory^(a) by sex and remoteness^(b), 1 July 2002 to 30 June 2003

| | | Inner | Outer | | Very | |
|------------|--------------|------------------|----------|--------|------------------|-----------|
| Sex/state/ | Major cities | regional | regional | Remote | remote | Australia |
| territory | | | Numl | oer | | |
| Females | | | | | | |
| NSW | 161.6 | 155.8 | 165.8 | 182.9 | 68.7 | 160.6 |
| Vic | 154.3 | 153.5 | 165.6 | 98.8 | n.a. | 154.7 |
| Qld | 160.0 | 166.4 | 184.4 | 182.2 | 187.2 | 165.2 |
| WA | 159.7 | 133.7 | 139.4 | 122.2 | 72.6 | 154.8 |
| SA | 170.2 | 144.2 | 170.5 | 130.6 | O _(c) | 167.5 |
| Tas | n.a. | 180.9 | 170.7 | 86.1 | 108.2 | 177.2 |
| ACT | 171.1 | O ^(c) | n.a. | n.a. | n.a. | 171.1 |
| NT | n.a. | n.a. | 127.0 | 188.4 | 9.1 | 152.8 |
| Australia | 160.4 | 158.3 | 169.2 | 151.5 | 128.5 | 160.6 |
| Males | | | | | | |
| NSW | 107.8 | 122.3 | 124.7 | 96.2 | 177.1 | 112.1 |
| Vic | 107.0 | 106.4 | 112.9 | 202.0 | n.a. | 107.4 |
| Qld | 114.1 | 122.3 | 133.3 | 152.0 | 145.1 | 120.4 |
| WA | 112.5 | 93.2 | 134.9 | 122.0 | 102.2 | 112.2 |
| SA | 102.5 | 114.7 | 121.7 | 102.4 | O(c) | 105.6 |
| Tas | n.a. | 108.2 | 99.5 | 35.6 | 16.1 | 104.5 |
| ACT | 118.2 | O ^(c) | n.a. | n.a. | n.a. | 118.2 |
| NT | n.a. | n.a. | 114.8 | 136.3 | O(c) | 122.2 |
| Australia | 108.4 | 115.8 | 123.6 | 128.1 | 132.0 | 111.8 |
| Persons | | | | | | |
| NSW | 142.2 | 143.7 | 150.8 | 146.6 | 141.0 | 143.1 |
| Vic | 137.6 | 137.2 | 147.2 | 150.4 | n.a. | 138.1 |
| Qld | 144.1 | 148.8 | 163.1 | 164.6 | 158.8 | 148.4 |
| WA | 144.2 | 118.2 | 137.6 | 122.1 | 88.9 | 140.2 |
| SA | 145.2 | 133.3 | 152.0 | 119.9 | O _(c) | 144.6 |
| Tas | n.a. | 155.9 | 144.4 | 58.0 | 89.8 | 151.7 |
| ACT | 154.8 | O _(c) | n.a. | n.a. | n.a. | 154.8 |
| NT | n.a. | n.a. | 119.9 | 164.6 | 9.1 | 136.7 |
| Australia | 142.0 | 142.8 | 151.7 | 140.4 | 130.6 | 143.0 |

⁽a) Refers to the location of the services.

⁽b) Refers to the location of the services. The table uses the Australian Standard Geographical Classification Remoteness Structure as developed by the ABS. Previous categorisations were based on an allocation to Remoteness by DoHA which have since been refined. Caution should therefore be exercised when comparing this year's and last year's results at levels below state/territory.

⁽c) No separations.

n.a. Not applicable.

Table 3.10: Average length of stay (weeks) separations of respite residents, state/territory^(a) by sex and remoteness^(b), 1 July 2002 to 30 June 2003

| | | Inner | Outer | | Very | |
|------------|--------------|------------------|----------|--------|------------------|-----------|
| Sex/state/ | Major cities | regional | regional | Remote | remote | Australia |
| territory | | | Numbe | er | | |
| Females | | | | | | |
| NSW | 3.7 | 3.2 | 3.6 | 5.1 | 0 ^(c) | 3.6 |
| Vic | 2.7 | 2.5 | 2.7 | 4.1 | O _(c) | 2.6 |
| Qld | 2.9 | 3.0 | 3.3 | 3.6 | 6.6 | 3.0 |
| WA | 3.5 | 3.2 | 3.2 | 2.1 | 4.1 | 3.3 |
| SA | 3.9 | 2.9 | 3.2 | 3.6 | O _(c) | 3.6 |
| Tas | n.a. | 2.3 | 2.6 | 3.0 | 3.3 | 2.4 |
| ACT | 2.7 | O ^(c) | n.a. | n.a. | n.a. | 2.7 |
| NT | n.a. | n.a. | 3.0 | 2.9 | 4.8 | 3.0 |
| Australia | 3.3 | 2.9 | 3.2 | 3.1 | 4.6 | 3.2 |
| Males | | | | | | |
| NSW | 3.5 | 3.2 | 3.4 | 4.8 | O _(c) | 3.4 |
| Vic | 2.5 | 2.3 | 2.2 | 2.9 | O _(c) | 2.4 |
| Qld | 2.8 | 2.8 | 3.2 | 4.5 | 6.5 | 2.9 |
| WA | 3.3 | 2.8 | 3.4 | 3.0 | 5.6 | 3.3 |
| SA | 3.4 | 2.5 | 3.2 | 3.7 | O _(c) | 3.2 |
| Tas | n.a. | 2.3 | 2.4 | 1.7 | 6.9 | 2.3 |
| ACT | 2.5 | O ^(c) | n.a. | n.a. | n.a. | 2.5 |
| NT | n.a. | n.a. | 2.9 | 3.3 | 3.2 | 3.1 |
| Australia | 3.1 | 2.7 | 3.0 | 3.3 | 5.6 | 3.0 |
| Persons | | | | | | |
| NSW | 3.6 | 3.2 | 3.5 | 5.0 | O ^(c) | 3.5 |
| Vic | 2.6 | 2.5 | 2.5 | 3.3 | O ^(c) | 2.5 |
| Qld | 2.9 | 2.9 | 3.3 | 4.1 | 6.5 | 3.0 |
| WA | 3.4 | 3.0 | 3.3 | 2.4 | 4.9 | 3.3 |
| SA | 3.7 | 2.8 | 3.2 | 3.6 | O _(c) | 3.5 |
| Tas | n.a. | 2.3 | 2.5 | 2.2 | 4.3 | 2.4 |
| ACT | 2.6 | O _(c) | n.a. | n.a. | n.a. | 2.6 |
| NT | n.a. | n.a. | 3.0 | 3.1 | 4.1 | 3.1 |
| Australia | 3.2 | 2.8 | 3.1 | 3.2 | 5.1 | 3.1 |

⁽a) Refers to the location of the services.

⁽b) Refers to the location of the services. The table uses the Australian Standard Geographical Classification Remoteness Structure as developed by the ABS. Previous categorisations were based on an allocation to Remoteness by DoHA which have since been refined. Caution should therefore be exercised when comparing this year's and last year's results at levels below state/territory.

⁽c) No separations.

n.a. Not applicable.

Table 3.11: Movement trends in residential aged care, 1998-1999 to 2002-2003

| | Permanent admissions | Respite admissions | Permanent separations | Respite separations | Complete length of stay (permanent, weeks) | Complete length of stay (respite, weeks) |
|-----------|-------------------------|--------------------|-----------------------|------------------------|---|--|
| 1998–1999 | 45,258 | 40,806 | 44,079 | 40,939 | 131.3 | 3.5 |
| 1999–2000 | 45,476 | 42,531 | 44,615 | 42,422 | 137.0 | 3.3 |
| 2000–2001 | 46,545 | 43,606 | 45,481 | 43,586 | 142.4 | 3.2 |
| 2001-2002 | 47,345 | 43,309 | 45,284 | 43,503 | 145.5 | 3.2 |
| 2002-2003 | 51,200 | 45,445 | 47,467 | 45,334 | 143.0 | 3.1 |

Note Transfers are excluded from admissions and separations.

Table 3.12: Residents, age at admission, per cent aged 80 years plus, 1998–1999 to 2002–2003

| | Per cei | nt |
|-----------|-----------|---------|
| | Permanent | Respite |
| 1998–1999 | 64.1 | 59.7 |
| 1999–2000 | 65.2 | 60.0 |
| 2000-2001 | 67.0 | 61.9 |
| 2001-2002 | 68.3 | 62.6 |
| 2002-2003 | 69.0 | 64.2 |

Note Transfers are excluded from admissions.

Section 4

Characteristics of newly admitted residents

The tables in this section refer to people who were admitted to residential aged care services during the period from 1 July 2002 to 30 June 2003. Transfers are excluded.

Table 4.1: People admitted to residential aged care services for permanent care^(a), marital status by sex and state/territory^(b), 1 July 2002 to 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|------------------|--------|--------|-------|-------|----------|-------|-------|-------|-----------|
| marital status | | | | | Number | | | | |
| Females | | | | | | | | | |
| Divorced | 390 | 262 | 203 | 91 | 84 | 37 | 20 | 2 | 1,089 |
| Married/de facto | 2,000 | 1,489 | 1,092 | 482 | 609 | 161 | 58 | 7 | 5,898 |
| Separated | 86 | 62 | 70 | 27 | 33 | 10 | 7 | 2 | 297 |
| Single | 749 | 576 | 337 | 125 | 187 | 54 | 9 | 4 | 2,041 |
| Widowed | 7,995 | 5,924 | 3,794 | 1,977 | 2,165 | 634 | 208 | 32 | 22,729 |
| Unknown | 75 | 46 | 38 | 18 | 19 | 6 | 0 | 3 | 205 |
| Total females | 11,295 | 8,359 | 5,534 | 2,720 | 3,097 | 902 | 302 | 50 | 32,259 |
| Males | | | | | | | | | |
| Divorced | 444 | 282 | 227 | 128 | 106 | 30 | 10 | 7 | 1,234 |
| Married/de facto | 2,904 | 2,075 | 1,540 | 662 | 892 | 218 | 86 | 15 | 8,392 |
| Separated | 202 | 122 | 116 | 63 | 47 | 11 | 7 | 4 | 572 |
| Single | 719 | 478 | 364 | 143 | 141 | 46 | 6 | 12 | 1,909 |
| Widowed | 1,962 | 1,436 | 1,003 | 478 | 555 | 153 | 38 | 19 | 5,644 |
| Unknown | 41 | 30 | 43 | 7 | 17 | 2 | 0 | 4 | 144 |
| Total males | 6,272 | 4,423 | 3,293 | 1,481 | 1,758 | 460 | 147 | 61 | 17,895 |
| Persons | | | | | | | | | |
| Divorced | 834 | 544 | 430 | 219 | 190 | 67 | 30 | 9 | 2,323 |
| Married/de facto | 4,904 | 3,564 | 2,632 | 1,144 | 1,501 | 379 | 144 | 22 | 14,290 |
| Separated | 288 | 184 | 186 | 90 | 80 | 21 | 14 | 6 | 869 |
| Single | 1,468 | 1,054 | 701 | 268 | 328 | 100 | 15 | 16 | 3,950 |
| Widowed | 9,957 | 7,360 | 4,797 | 2,455 | 2,720 | 787 | 246 | 51 | 28,373 |
| Unknown | 116 | 76 | 81 | 25 | 36 | 8 | 0 | 7 | 349 |
| Total persons | 17,567 | 12,782 | 8,827 | 4,201 | 4,855 | 1,362 | 449 | 111 | 50,154 |
| | | | | | Per cent | | | | |
| Females | | | | | | | | | |
| Divorced | 3.5 | 3.1 | 3.7 | 3.3 | 2.7 | 4.1 | 6.6 | 4.0 | 3.4 |
| Married/de facto | 17.7 | 17.8 | 19.7 | 17.7 | 19.7 | 17.8 | 19.2 | 14.0 | 18.3 |
| Separated | 8.0 | 0.7 | 1.3 | 1.0 | 1.1 | 1.1 | 2.3 | 4.0 | 0.9 |
| Single | 6.6 | 6.9 | 6.1 | 4.6 | 6.0 | 6.0 | 3.0 | 8.0 | 6.3 |
| Widowed | 70.8 | 70.9 | 68.6 | 72.7 | 69.9 | 70.3 | 68.9 | 64.0 | 70.5 |
| Unknown | 0.7 | 0.6 | 0.7 | 0.7 | 0.6 | 0.7 | 0.0 | 6.0 | 0.6 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Divorced | 7.1 | 6.4 | 6.9 | 8.6 | 6.0 | 6.5 | 6.8 | 11.5 | 6.9 |
| Married/de facto | 46.3 | 46.9 | 46.8 | 44.7 | 50.7 | 47.4 | 58.5 | 24.6 | 46.9 |
| Separated | 3.2 | 2.8 | 3.5 | 4.3 | 2.7 | 2.4 | 4.8 | 6.6 | 3.2 |
| Single | 11.5 | 10.8 | 11.1 | 9.7 | 8.0 | 10.0 | 4.1 | 19.7 | 10.7 |
| Widowed | 31.3 | 32.5 | 30.5 | 32.3 | 31.6 | 33.3 | 25.9 | 31.1 | 31.5 |
| Unknown | 0.7 | 0.7 | 1.3 | 0.5 | 1.0 | 0.4 | 0.0 | 6.6 | 0.8 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Divorced | 4.7 | 4.3 | 4.9 | 5.2 | 3.9 | 4.9 | 6.7 | 8.1 | 4.6 |
| Married/de facto | 27.9 | 27.9 | 29.8 | 27.2 | 30.9 | 27.8 | 32.1 | 19.8 | 28.5 |
| Separated | 1.6 | 1.4 | 2.1 | 2.1 | 1.6 | 1.5 | 3.1 | 5.4 | 1.7 |
| Single | 8.4 | 8.2 | 7.9 | 6.4 | 6.8 | 7.3 | 3.3 | 14.4 | 7.9 |
| Widowed | 56.7 | 57.6 | 54.3 | 58.4 | 56.0 | 57.8 | 54.8 | 45.9 | 56.6 |
| Unknown | 0.7 | 0.6 | 0.9 | 0.6 | 0.7 | 0.6 | 0.0 | 6.3 | 0.7 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Characteristics are for the last permanent admission in the period. Transfers are excluded.

⁽b) Refers to the location of the services.

Table 4.2: People admitted to residential aged care services for respite care^(a), marital status by sex and state/territory^(b), 1 July 2002 to 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|------------------------|--------|-------|-------|-------|---------|-------|-------|-------|-----------|
| marital status | | | | | Numbe | er | | | |
| Females | | | | | | | | | _ |
| Divorced | 315 | 161 | 98 | 46 | 48 | 27 | 25 | 4 | 724 |
| Married/De facto | 1,461 | 1,015 | 692 | 257 | 356 | 131 | 57 | 14 | 3,983 |
| Separated | 62 | 43 | 38 | 17 | 20 | 7 | 4 | 5 | 196 |
| Single | 485 | 241 | 160 | 49 | 88 | 32 | 13 | 10 | 1,078 |
| Widowed | 5,890 | 3,214 | 2,333 | 985 | 1,359 | 514 | 226 | 80 | 14,601 |
| Unknown | 46 | 30 | 18 | 7 | 6 | 0 | 1 | 6 | 114 |
| Total females | 8,259 | 4,704 | 3,339 | 1,361 | 1,877 | 711 | 326 | 119 | 20,696 |
| Males | | | | | | | | | |
| Divorced | 270 | 116 | 110 | 39 | 36 | 18 | 11 | 6 | 606 |
| Married/De facto | 2,392 | 1,689 | 1,163 | 509 | 603 | 225 | 97 | 36 | 6,714 |
| Separated | 123 | 51 | 46 | 26 | 20 | 8 | 8 | 6 | 288 |
| Single | 429 | 193 | 151 | 70 | 61 | 22 | 5 | 8 | 939 |
| Widowed | 1,252 | 731 | 511 | 227 | 323 | 102 | 41 | 31 | 3,218 |
| Unknown | 14 | 8 | 14 | 5 | 5 | 3 | 0 | 4 | 53 |
| Total males | 4,480 | 2,788 | 1,995 | 876 | 1,048 | 378 | 162 | 91 | 11,818 |
| Persons | , | • | , | | * | | | | • |
| Divorced | 585 | 277 | 208 | 85 | 84 | 45 | 36 | 10 | 1,330 |
| Married/De facto | 3.853 | 2,704 | 1,855 | 766 | 959 | 356 | 154 | 50 | 10,697 |
| Separated | 185 | 94 | 84 | 43 | 40 | 15 | 12 | 11 | 484 |
| Single | 914 | 434 | 311 | 119 | 149 | 54 | 18 | 18 | 2,017 |
| Widowed | 7,142 | 3,945 | 2,844 | 1,212 | 1,682 | 616 | 267 | 111 | 17,819 |
| Unknown | 60 | 38 | 32 | 12 | 11 | 3 | 1 | 10 | 167 |
| Total persons | 12,739 | 7,492 | 5,334 | 2,237 | 2,925 | 1,089 | 488 | 210 | 32,514 |
| | • | • | • | | Per cer | | | | |
| Females | | | | | | | | | |
| Divorced | 3.8 | 3.4 | 2.9 | 3.4 | 2.6 | 3.8 | 7.7 | 3.4 | 3.5 |
| Married/De facto | 17.7 | 21.6 | 20.7 | 18.9 | 19.0 | 18.4 | 17.5 | 11.8 | 19.2 |
| Separated | 0.8 | 0.9 | 1.1 | 1.2 | 1.1 | 1.0 | 1.2 | 4.2 | 0.9 |
| Single | 5.9 | 5.1 | 4.8 | 3.6 | 4.7 | 4.5 | 4.0 | 8.4 | 5.2 |
| Widowed | 71.3 | 68.3 | 69.9 | 72.4 | 72.4 | 72.3 | 69.3 | 67.2 | 70.5 |
| Unknown | 0.6 | 0.6 | 0.5 | 0.5 | 0.3 | 0.0 | 0.3 | 5.0 | 0.6 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Divorced | 6.0 | 4.2 | 5.5 | 4.5 | 3.4 | 4.8 | 6.8 | 6.6 | 5.1 |
| Married/De facto | 53.4 | 60.6 | 58.3 | 58.1 | 57.5 | 59.5 | 59.9 | 39.6 | 56.8 |
| Separated | 2.7 | 1.8 | 2.3 | 3.0 | 1.9 | 2.1 | 4.9 | 6.6 | 2.4 |
| Single | 9.6 | 6.9 | 7.6 | 8.0 | 5.8 | 5.8 | 3.1 | 8.8 | 7.9 |
| Widowed | 27.9 | 26.2 | 25.6 | 25.9 | 30.8 | 27.0 | 25.3 | 34.1 | 27.2 |
| Unknown | 0.3 | 0.3 | 0.7 | 0.6 | 0.5 | 0.8 | 0.0 | 4.4 | 0.4 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Divorced | 4.6 | 3.7 | 3.9 | 3.8 | 2.9 | 4.1 | 7.4 | 4.8 | 4.1 |
| Married/De facto | 30.2 | 36.1 | 34.8 | 34.2 | 32.8 | 32.7 | 31.6 | 23.8 | 32.9 |
| Separated | 1.5 | 1.3 | 1.6 | 1.9 | 1.4 | 1.4 | 2.5 | 5.2 | 1.5 |
| Single | 7.2 | 5.8 | 5.8 | 5.3 | 5.1 | 5.0 | 3.7 | 8.6 | 6.2 |
| Widowed | 56.1 | 52.7 | 53.3 | 54.2 | 57.5 | 56.6 | 54.7 | 52.9 | 54.8 |
| Unknown | 0.5 | 0.5 | 0.6 | 0.5 | 0.4 | 0.3 | 0.2 | 4.8 | 0.5 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| (a) Characteristics at | | | | | | | | | |

 $[\]hbox{(a)} \quad \hbox{Characteristics are for the last respite admission in the period. Transfers are excluded.}$

⁽b) Refers to the location of the services.

Table 4.3: People admitted to residential aged care services for permanent care^(a), usual housing status by sex and state/territory^(b), 1 July 2002 to 30 June 2003

| Name | Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|--|-----------------------|--------|--------|-------|-------|--------|-------|-------|-------|-----------|
| House or flat | housing status | | | · | | Number | | | | |
| House or flat | | | | | | | | | | |
| Residential aged care | | 7,331 | 5,191 | 3,483 | 1,471 | 1,915 | 707 | 193 | 22 | 20,313 |
| Independent unit | | | , | | | • | | | | 5,447 |
| Psychiatric hospital | - | | | 618 | 360 | 435 | 38 | 28 | 1 | 3,061 |
| Other Not reported 1,122 985 611 176 245 72 25 21 3,25 Not reported 62 11 28 3 13 2 0 0 17 Total females 11,295 8,359 5,534 2,720 3,097 902 302 50 32,25 Males House or flat 4,671 3,045 2,303 943 1,296 384 103 28 12,77 Residential aged care 699 707 339 306 170 28 20 6 2,23 Independent unit 365 188 253 127 155 7 11 0 1,16 Other 486 466 366 96 122 35 10 27 1,60 Other 486 466 366 96 122 35 1,60 1,60 1,60 1,7 1,60 1,60 Other 48 | • | | | | | | | | 0 | 62 |
| Not reported 162 | | 1,122 | 985 | 611 | 176 | 245 | 72 | 25 | 21 | 3,257 |
| Total females 11,295 8,359 5,534 2,720 3,097 902 302 50 32,255 Males House or flat 4,671 3,045 2,303 943 1,296 384 103 28 12,71 Residential aged care 699 707 339 306 170 28 20 6 2,22 Independent unit 365 188 253 127 155 7 111 0 1,10 Psychiatric hospital 16 5 10 9 6 2 2 0 2 2 0 1,20 1,60 1,10 0 6 2 2 0 9 4 1 0 6 1 2,77 1,60 1,77 1,60 1,77 1,60 1,77 1,60 1,77 1,60 1,77 1,60 1,77 1,60 1,60 1,60 1,60 1,60 1,60 1,77 1,60 1,60 | Not reported | | | | | | 2 | 0 | 0 | 119 |
| House or flat | | | | | 2,720 | | | 302 | 50 | 32,259 |
| Residential aged care 699 707 339 306 170 28 20 6 2.22 Independent unit 365 188 253 127 155 7 111 0 1,11 Psychiatric hospital 16 5 10 9 6 2 2 0 5 Other 486 486 366 96 122 35 10 27 1,60 Not reported 35 12 22 0 9 4 1 0 0 1,7 Total males 6,272 4,423 3,293 1,481 1,758 460 147 61 17,85 Persons House or flat 12,002 8,236 5,786 2,414 3,211 1,091 296 50 33,00 Residential aged care 2,395 2,355 1,124 1,003 651 106 76 12 7,77 Independent unit 1,428 706 871 487 590 45 39 1 4,10 Psychiatric hospital 37 11 19 22 14 7 2 0 1 Other 1,608 1,451 977 272 367 107 35 48 4,80 Not reported 9,7 23 50 3 22 6 1 0 0 20 Total persons 17,567 12,782 8,827 4,201 4,855 1,362 449 111 50,11 Females House or flat 64.9 62.1 62.9 54.1 61.8 78.4 63.9 44.0 63 Residential aged care 15.0 19.7 14.2 25.6 15.5 8.6 18.5 12.0 16 Independent unit 9,4 6.2 11.2 13.2 14.0 4.2 9.3 2.0 9 Psychiatric hospital 0.2 0.1 0.2 0.5 0.3 0.6 0.0 0.0 0.0 Other 9,9 11.8 11.0 6.5 7.9 8.0 8.3 42.0 10 Not reported 0.5 0.1 0.5 0.1 0.4 0.2 0.0 0.0 0.0 Total remales 100.0 100.0 100.0 100.0 100.0 100.0 100.0 Males House or flat 74.5 68.8 69.9 63.7 73.7 83.5 70.1 45.9 71 Residential aged care 11.1 16.0 10.3 20.7 9.7 6.1 13.6 9.8 12 House or flat 74.5 68.8 69.9 63.7 73.7 83.5 70.1 45.9 71 Residential aged care 11.1 16.0 10.3 20.7 9.7 6.1 13.6 9.8 12 House or flat 74.5 68.8 69.9 63.7 73.7 83.5 70.1 45.9 71 Residential aged care 11.1 16.0 10.3 20.7 9.7 6.1 13.6 9.8 12 House or flat 74.5 68.8 69.9 63.7 73 | Males | | • | | | • | | | | - |
| Residential aged care 699 707 339 306 170 28 20 6 2.22 Independent unit 365 188 253 127 155 7 11 0 1,11 Psychiatric hospital 16 5 10 9 6 2 2 0 5 Other 486 486 366 96 122 35 10 27 1,60 Not reported 35 12 22 0 9 4 1 0 0 1,7 Total males 6,272 4,423 3,293 1,481 1,758 460 147 61 17,85 Persons House or flat 12,002 8,236 5,786 2,414 3,211 1,091 296 50 33,00 Residential aged care 2,395 2,355 1,124 1,003 651 106 76 12 7,77 Independent unit 1,428 706 871 487 590 45 39 1 4,10 Psychiatric hospital 37 11 19 22 14 7 2 0 1 Other 1,608 1,451 977 272 367 107 35 48 4,80 Not reported 97 23 50 3 22 6 1 0 0 20 Total persons 17,567 12,782 8,827 4,201 4,855 1,362 449 111 50,11 Females House or flat 64.9 62.1 62.9 54.1 61.8 78.4 63.9 44.0 63 Residential aged care 15.0 19.7 14.2 25.6 15.5 8.6 18.5 12.0 16 Independent unit 9,4 6.2 11.2 13.2 14.0 4.2 9.3 2.0 9 Psychiatric hospital 0.2 0.1 0.2 0.5 0.3 0.6 0.0 0.0 0.0 Other 9,9 11.8 11.0 6.5 7.9 8.0 8.3 42.0 10 Not reported 0.5 0.1 0.5 0.1 0.4 0.2 0.0 0.0 0.0 Total remales 100.0 100.0 100.0 100.0 100.0 100.0 100.0 Males House or flat 74.5 68.8 69.9 63.7 73.7 83.5 70.1 45.9 71 Residential aged care 11.1 16.0 10.3 20.7 9.7 6.1 13.6 9.8 12 Independent unit 5.8 4.3 7.7 8.6 8.8 1.5 7.5 0.0 6 Psychiatric hospital 0.3 0.1 0.3 0.6 0.3 0.4 1.4 0.0 0.0 Other 7.7 10.5 11.1 6.5 6.9 7.6 6.8 44.3 9.9 Other 7.7 10.5 11.1 6.5 6.9 7.6 6.8 44.3 9.9 Other 7.7 10.5 11.1 6.5 6.9 7.6 6.8 44.3 9.9 Other 7.7 10.5 1 | House or flat | 4,671 | 3,045 | 2,303 | 943 | 1,296 | 384 | 103 | 28 | 12,773 |
| Independent unit | Residential aged care | 699 | 707 | | 306 | 170 | 28 | 20 | | 2,275 |
| Psychiatric hospital 16 5 10 9 6 2 2 0 10 | _ | 365 | 188 | 253 | 127 | 155 | 7 | 11 | 0 | 1,106 |
| Other 486 466 366 96 122 35 10 27 1,60 Not reported 35 12 22 0 9 4 1 0 3 Total males 6,272 4,423 3,293 1,481 1,758 460 147 61 17,85 Persons House or flat 12,002 8,236 5,786 2,414 3,211 1,091 296 50 33,00 Residential aged care 2,395 2,355 1,124 1,003 651 106 76 12 7,77 Independent unit 1,428 706 871 487 590 45 39 1 4,14 Psychiatric hospital 37 11 19 22 14 7 2 0 1 Other 1,608 1,451 977 272 367 107 35 48 4,80 Not reported 97 23 50 | • | 16 | 5 | | 9 | | 2 | 2 | 0 | 50 |
| Not reported 35 12 22 0 9 9 4 1 0 0 6 7 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | 486 | 466 | 366 | 96 | 122 | 35 | 10 | 27 | 1,608 |
| Total males 6,272 4,423 3,293 1,481 1,758 460 147 61 17,88 Persons House or flat 12,002 8,236 5,786 2,414 3,211 1,091 296 50 33,00 Residential aged care 2,395 2,355 1,124 1,003 651 106 76 12 7,77 Independent unit 1,428 706 871 487 590 45 39 1 4,16 Psychiatric hospital 37 11 19 22 14 7 2 0 1 Other 1,608 1,451 977 272 367 107 35 48 4,86 Not reported 97 23 50 3 22 6 1 0 20 Temales House or flat 64.9 62.1 62.9 54.1 61.8 78.4 63.9 44.0 63 Resident | Not reported | 35 | 12 | 22 | 0 | 9 | 4 | 1 | 0 | 83 |
| House or flat | · | 6,272 | 4,423 | 3,293 | 1,481 | 1,758 | 460 | 147 | 61 | 17,895 |
| Residential aged care | | -, | , - | -, | , - | , | | | | , |
| Residential aged care | House or flat | 12,002 | 8,236 | 5,786 | 2,414 | 3,211 | 1,091 | 296 | 50 | 33,086 |
| Independent unit | | 2,395 | | | | | - | 76 | 12 | 7,722 |
| Psychiatric hospital 37 | | - | | | | | | | | 4,167 |
| Other 1,608 1,451 977 272 367 107 35 48 4,88 Not reported 97 23 50 3 22 6 1 0 20 Total persons 17,567 12,782 8,827 4,201 4,855 1,362 449 111 50,19 Females House or flat 64.9 62.1 62.9 54.1 61.8 78.4 63.9 44.0 63 Residential aged care 15.0 19.7 14.2 25.6 15.5 8.6 18.5 12.0 16 Independent unit 9.4 6.2 11.2 13.2 14.0 4.2 9.3 2.0 9 Psychiatric hospital 0.2 0.1 0.2 0.5 0.3 0.6 0.0 0.0 0.0 Other 9.9 11.8 11.0 6.5 7.9 8.0 8.3 42.0 10 Not repo | | - | 11 | 19 | 22 | 14 | 7 | 2 | 0 | 112 |
| Not reported 97 23 50 3 22 6 1 0 20 20 1 | , | | 1.451 | | | | 107 | | | 4,865 |
| Total persons 17,567 12,782 8,827 4,201 4,855 1,362 449 111 50,19 | | | , | | | | | | | 202 |
| Females House or flat 64.9 62.1 62.9 54.1 61.8 78.4 63.9 44.0 63.8 Residential aged care 15.0 19.7 14.2 25.6 15.5 8.6 18.5 12.0 16.0 Independent unit 9.4 6.2 11.2 13.2 14.0 4.2 9.3 2.0 9 Psychiatric hospital 0.2 0.1 0.2 0.5 0.3 0.6 0.0 0.0 0.0 Other 9.9 11.8 11.0 6.5 7.9 8.0 8.3 42.0 10 Not reported 0.5 0.1 0.5 0.1 0.4 0.2 0.0 0.0 0.0 Total females 100.0 | • | 17.567 | 12.782 | 8.827 | 4.201 | 4.855 | 1.362 | 449 | 111 | 50,154 |
| Females House or flat 64.9 62.1 62.9 54.1 61.8 78.4 63.9 44.0 63 Residential aged care 15.0 19.7 14.2 25.6 15.5 8.6 18.5 12.0 16 Independent unit 9.4 6.2 11.2 13.2 14.0 4.2 9.3 2.0 9 Psychiatric hospital 0.2 0.1 0.2 0.5 0.3 0.6 0.0 0.0 0.0 Other 9.9 11.8 11.0 6.5 7.9 8.0 8.3 42.0 10 Not reported 0.5 0.1 0.5 0.1 0.4 0.2 0.0 0.0 0 Total females 100.0 | | • | • | | | | • | | | |
| Residential aged care 15.0 19.7 14.2 25.6 15.5 8.6 18.5 12.0 16.0 Independent unit 9.4 6.2 11.2 13.2 14.0 4.2 9.3 2.0 9.9 Psychiatric hospital 0.2 0.1 0.2 0.5 0.3 0.6 0.0 0.0 0.0 Other 9.9 11.8 11.0 6.5 7.9 8.0 8.3 42.0 10 Not reported 0.5 0.1 0.5 0.1 0.4 0.2 0.0 0.0 0 Total females 100.0 | Females | | | | | | | | | |
| Independent unit | House or flat | 64.9 | 62.1 | 62.9 | 54.1 | 61.8 | 78.4 | 63.9 | 44.0 | 63.0 |
| Psychiatric hospital 0.2 0.1 0.2 0.5 0.3 0.6 0.0 0.0 0.0 Other 9.9 11.8 11.0 6.5 7.9 8.0 8.3 42.0 10 Not reported 0.5 0.1 0.5 0.1 0.4 0.2 0.0 0.0 0.0 Total females 100.0 | Residential aged care | 15.0 | 19.7 | 14.2 | 25.6 | 15.5 | 8.6 | 18.5 | 12.0 | 16.9 |
| Other 9.9 11.8 11.0 6.5 7.9 8.0 8.3 42.0 10 Not reported 0.5 0.1 0.5 0.1 0.4 0.2 0.0 0.0 0.0 Total females 100.0 100 | Independent unit | 9.4 | 6.2 | 11.2 | 13.2 | 14.0 | 4.2 | 9.3 | 2.0 | 9.5 |
| Not reported 0.5 0.1 0.5 0.1 0.4 0.2 0.0 0.0 0.0 Total females 100.0< | Psychiatric hospital | 0.2 | 0.1 | 0.2 | 0.5 | 0.3 | 0.6 | 0.0 | 0.0 | 0.2 |
| Total females 100.0 | Other | 9.9 | 11.8 | 11.0 | 6.5 | 7.9 | 8.0 | 8.3 | 42.0 | 10.1 |
| Males House or flat 74.5 68.8 69.9 63.7 73.7 83.5 70.1 45.9 71 Residential aged care 11.1 16.0 10.3 20.7 9.7 6.1 13.6 9.8 12 Independent unit 5.8 4.3 7.7 8.6 8.8 1.5 7.5 0.0 6 Psychiatric hospital 0.3 0.1 0.3 0.6 0.3 0.4 1.4 0.0 0 Other 7.7 10.5 11.1 6.5 6.9 7.6 6.8 44.3 9 | Not reported | 0.5 | 0.1 | 0.5 | 0.1 | 0.4 | 0.2 | 0.0 | 0.0 | 0.4 |
| House or flat 74.5 68.8 69.9 63.7 73.7 83.5 70.1 45.9 71 Residential aged care 11.1 16.0 10.3 20.7 9.7 6.1 13.6 9.8 12 Independent unit 5.8 4.3 7.7 8.6 8.8 1.5 7.5 0.0 6 Psychiatric hospital 0.3 0.1 0.3 0.6 0.3 0.4 1.4 0.0 0 Other 7.7 10.5 11.1 6.5 6.9 7.6 6.8 44.3 9 | Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Residential aged care 11.1 16.0 10.3 20.7 9.7 6.1 13.6 9.8 12 Independent unit 5.8 4.3 7.7 8.6 8.8 1.5 7.5 0.0 6 Psychiatric hospital 0.3 0.1 0.3 0.6 0.3 0.4 1.4 0.0 0 Other 7.7 10.5 11.1 6.5 6.9 7.6 6.8 44.3 9 | Males | | | | | | | | | |
| Independent unit 5.8 4.3 7.7 8.6 8.8 1.5 7.5 0.0 6 Psychiatric hospital 0.3 0.1 0.3 0.6 0.3 0.4 1.4 0.0 0 Other 7.7 10.5 11.1 6.5 6.9 7.6 6.8 44.3 9 | House or flat | 74.5 | 68.8 | 69.9 | 63.7 | 73.7 | 83.5 | 70.1 | 45.9 | 71.4 |
| Psychiatric hospital 0.3 0.1 0.3 0.6 0.3 0.4 1.4 0.0 0 Other 7.7 10.5 11.1 6.5 6.9 7.6 6.8 44.3 9 | Residential aged care | 11.1 | 16.0 | 10.3 | 20.7 | 9.7 | 6.1 | 13.6 | 9.8 | 12.7 |
| Other 7.7 10.5 11.1 6.5 6.9 7.6 6.8 44.3 9 | Independent unit | 5.8 | 4.3 | 7.7 | 8.6 | 8.8 | 1.5 | 7.5 | 0.0 | 6.2 |
| | Psychiatric hospital | 0.3 | 0.1 | 0.3 | 0.6 | 0.3 | 0.4 | 1.4 | 0.0 | 0.3 |
| Not reported 0.6 0.3 0.7 0.0 0.5 0.9 0.7 0.0 0 | Other | 7.7 | 10.5 | 11.1 | 6.5 | 6.9 | 7.6 | 6.8 | 44.3 | 9.0 |
| | Not reported | 0.6 | 0.3 | 0.7 | 0.0 | 0.5 | 0.9 | 0.7 | 0.0 | 0.5 |
| Total males 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 | Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | Persons | | | | | | | | | |
| House or flat 68.3 64.4 65.5 57.5 66.1 80.1 65.9 45.0 66 | House or flat | 68.3 | 64.4 | 65.5 | 57.5 | 66.1 | 80.1 | 65.9 | 45.0 | 66.0 |
| Residential aged care 13.6 18.4 12.7 23.9 13.4 7.8 16.9 10.8 15 | Residential aged care | 13.6 | 18.4 | 12.7 | 23.9 | 13.4 | 7.8 | 16.9 | 10.8 | 15.4 |
| | _ | | 5.5 | 9.9 | 11.6 | 12.2 | 3.3 | 8.7 | 0.9 | 8.3 |
| | Psychiatric hospital | | | | | | | | | 0.2 |
| | | | | | | | | | | 9.7 |
| | | | | | | | | | | 0.4 |
| | | | | | | | | | | 100.0 |

⁽a) Characteristics are for the last permanent admission in the period. Transfers are excluded.

⁽b) Refers to the location of the services.

Table 4.4: People admitted to residential aged care services for respite care^(a), usual housing status by sex and state/territory^(b), 1 July 2002 to 30 June 2003

| Sex/housing | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|-----------------------|--------|-------|-------|-------|----------|-------|-------|-------|-----------|
| status | | | | | Number | | | | |
| Females | | | | | | | | | |
| House or flat | 6,044 | 3,678 | 2,181 | 939 | 1,269 | 580 | 250 | 50 | 14,991 |
| Residential aged care | 621 | 314 | 205 | 153 | 175 | 37 | 20 | 7 | 1,532 |
| Independent unit | 615 | 213 | 286 | 143 | 266 | 23 | 23 | 0 | 1,569 |
| Psychiatric hospital | 5 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| Other | 936 | 493 | 655 | 125 | 163 | 69 | 33 | 62 | 2,536 |
| Not reported | 38 | 5 | 12 | 1 | 4 | 2 | 0 | 0 | 62 |
| Total females | 8,259 | 4,704 | 3,339 | 1,361 | 1,877 | 711 | 326 | 119 | 20,696 |
| Males | | | | | | | | | |
| House or flat | 3,574 | 2,319 | 1,520 | 644 | 823 | 339 | 133 | 41 | 9,393 |
| Residential aged care | 261 | 156 | 86 | 91 | 73 | 10 | 9 | 3 | 689 |
| Independent unit | 270 | 95 | 144 | 77 | 101 | 8 | 6 | 1 | 702 |
| Psychiatric hospital | 0 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 4 |
| Other | 354 | 213 | 233 | 64 | 48 | 20 | 14 | 45 | 991 |
| Not reported | 21 | 4 | 10 | 0 | 2 | 1 | 0 | 1 | 39 |
| Total males | 4,480 | 2,788 | 1,995 | 876 | 1,048 | 378 | 162 | 91 | 11,818 |
| Persons | | | | | | | | | |
| House or flat | 9,618 | 5,997 | 3,701 | 1,583 | 2,092 | 919 | 383 | 91 | 24,384 |
| Residential aged care | 882 | 470 | 291 | 244 | 248 | 47 | 29 | 10 | 2,221 |
| Independent unit | 885 | 308 | 430 | 220 | 367 | 31 | 29 | 1 | 2,271 |
| Psychiatric hospital | 5 | 2 | 2 | 0 | 1 | 0 | 0 | 0 | 10 |
| Other | 1,290 | 706 | 888 | 189 | 211 | 89 | 47 | 107 | 3,527 |
| Not reported | 59 | 9 | 22 | 1 | 6 | 3 | 0 | 1 | 101 |
| Total persons | 12,739 | 7,492 | 5,334 | 2,237 | 2,925 | 1,089 | 488 | 210 | 32,514 |
| | | | | | Per cent | | | | |
| Females | | | | | | | | | |
| House or flat | 73.2 | 78.2 | 65.3 | 69.0 | 67.6 | 81.6 | 76.7 | 42.0 | 72.4 |
| Residential aged care | 7.5 | 6.7 | 6.1 | 11.2 | 9.3 | 5.2 | 6.1 | 5.9 | 7.4 |
| Independent unit | 7.4 | 4.5 | 8.6 | 10.5 | 14.2 | 3.2 | 7.1 | 0.0 | 7.6 |
| Psychiatric hospital | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other | 11.3 | 10.5 | 19.6 | 9.2 | 8.7 | 9.7 | 10.1 | 52.1 | 12.3 |
| Not reported | 0.5 | 0.1 | 0.4 | 0.1 | 0.2 | 0.3 | 0.0 | 0.0 | 0.3 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| House or flat | 79.8 | 83.2 | 76.2 | 73.5 | 78.5 | 89.7 | 82.1 | 45.1 | 79.5 |
| Residential aged care | 5.8 | 5.6 | 4.3 | 10.4 | 7.0 | 2.6 | 5.6 | 3.3 | 5.8 |
| Independent unit | 6.0 | 3.4 | 7.2 | 8.8 | 9.6 | 2.1 | 3.7 | 1.1 | 5.9 |
| Psychiatric hospital | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other | 7.9 | 7.6 | 11.7 | 7.3 | 4.6 | 5.3 | 8.6 | 49.5 | 8.4 |
| Not reported | 0.5 | 0.1 | 0.5 | 0.0 | 0.2 | 0.3 | 0.0 | 1.1 | 0.3 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| House or flat | 75.5 | 80.0 | 69.4 | 70.8 | 71.5 | 84.4 | 78.5 | 43.3 | 75.0 |
| Residential aged care | 6.9 | 6.3 | 5.5 | 10.9 | 8.5 | 4.3 | 5.9 | 4.8 | 6.8 |
| Independent unit | 6.9 | 4.1 | 8.1 | 9.8 | 12.5 | 2.8 | 5.9 | 0.5 | 7.0 |
| Psychiatric hospital | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other | 10.1 | 9.4 | 16.6 | 8.4 | 7.2 | 8.2 | 9.6 | 51.0 | 10.8 |
| Not reported | 0.5 | 0.1 | 0.4 | 0.0 | 0.2 | 0.3 | 0.0 | 0.5 | 0.3 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Characteristics are for the last respite admission in the period. Transfers are excluded.

⁽b) Refers to the location of the services.

Table 4.5: People admitted to residential aged care services for permanent care^(a), prior living arrangement by sex and state/territory^(b), 1 July 2002 to 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|--------------------------|--------|--------|-------|-------|-------|-------|-----|-----|-----------|
| living arrangement | | | | | Numbe | r | | | |
| Females | | | | | | | | | _ |
| Alone | 5,214 | 3,595 | 2,369 | 1,109 | 1,516 | 477 | 137 | 15 | 14,432 |
| Spouse only | 1,499 | 1,081 | 850 | 358 | 496 | 136 | 45 | 4 | 4,469 |
| Spouse and others | 160 | 97 | 69 | 20 | 31 | 3 | 1 | 2 | 383 |
| Brother/sister | 150 | 62 | 78 | 17 | 27 | 12 | 0 | 3 | 349 |
| Child alone | 743 | 403 | 339 | 124 | 122 | 52 | 17 | 3 | 1,803 |
| Child and child's family | 1,137 | 636 | 561 | 200 | 175 | 79 | 36 | 10 | 2,834 |
| Parents | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Other family | 235 | 127 | 112 | 36 | 34 | 12 | 1 | 4 | 561 |
| Other | 1,959 | 1,877 | 1,133 | 580 | 512 | 91 | 49 | 8 | 6,209 |
| Unknown | 196 | 481 | 23 | 276 | 184 | 40 | 16 | 1 | 1,217 |
| Total females | 11,295 | 8,359 | 5,534 | 2,720 | 3,097 | 902 | 302 | 50 | 32,259 |
| Males | | | | | | | | | |
| Alone | 2,105 | 1,265 | 1,037 | 439 | 547 | 167 | 34 | 18 | 5,612 |
| Spouse only | 2,161 | 1,485 | 1,129 | 471 | 712 | 176 | 66 | 7 | 6,207 |
| Spouse and others | 308 | 165 | 109 | 48 | 45 | 13 | 6 | 3 | 697 |
| Brother/sister | 75 | 33 | 55 | 7 | 13 | 6 | 1 | 2 | 192 |
| Child alone | 156 | 84 | 72 | 17 | 36 | 13 | 3 | 0 | 381 |
| Child and child's family | 315 | 179 | 184 | 66 | 50 | 12 | 6 | 11 | 823 |
| Parents | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other family | 113 | 56 | 61 | 25 | 21 | 7 | 1 | 8 | 292 |
| Other | 952 | 932 | 631 | 280 | 264 | 57 | 19 | 11 | 3,146 |
| Unknown | 87 | 224 | 15 | 128 | 70 | 9 | 11 | 1 | 545 |
| Total males | 6,272 | 4,423 | 3,293 | 1,481 | 1,758 | 460 | 147 | 61 | 17,895 |
| Persons | | | | | | | | | |
| Alone | 7,319 | 4,860 | 3,406 | 1,548 | 2,063 | 644 | 171 | 33 | 20,044 |
| Spouse only | 3,660 | 2,566 | 1,979 | 829 | 1,208 | 312 | 111 | 11 | 10,676 |
| Spouse and others | 468 | 262 | 178 | 68 | 76 | 16 | 7 | 5 | 1,080 |
| Brother/sister | 225 | 95 | 133 | 24 | 40 | 18 | 1 | 5 | 541 |
| Child alone | 899 | 487 | 411 | 141 | 158 | 65 | 20 | 3 | 2,184 |
| Child and child's family | 1,452 | 815 | 745 | 266 | 225 | 91 | 42 | 21 | 3,657 |
| Parents | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Other family | 348 | 183 | 173 | 61 | 55 | 19 | 2 | 12 | 853 |
| Other | 2,911 | 2,809 | 1,764 | 860 | 776 | 148 | 68 | 19 | 9,355 |
| Unknown | 283 | 705 | 38 | 404 | 254 | 49 | 27 | 2 | 1,762 |
| Total persons | 17,567 | 12,782 | 8,827 | 4,201 | 4,855 | 1,362 | 449 | 111 | 50,154 |

Table 4.5 (continued): People admitted to residential aged care services for permanent care^(a), prior living arrangement by sex and state/territory^(b), 1 July 2002 to 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|--------------------------|-------|-------|-------|-------|---------|-------|-------|-------|-----------|
| living arrangement | | | | | Per cen | | | | |
| Females | | | | | | | | | |
| Alone | 46.2 | 43.0 | 42.8 | 40.8 | 49.0 | 52.9 | 45.4 | 30.0 | 44.7 |
| Spouse only | 13.3 | 12.9 | 15.4 | 13.2 | 16.0 | 15.1 | 14.9 | 8.0 | 13.9 |
| Spouse and others | 1.4 | 1.2 | 1.2 | 0.7 | 1.0 | 0.3 | 0.3 | 4.0 | 1.2 |
| Brother/sister | 1.3 | 0.7 | 1.4 | 0.6 | 0.9 | 1.3 | 0.0 | 6.0 | 1.1 |
| Child alone | 6.6 | 4.8 | 6.1 | 4.6 | 3.9 | 5.8 | 5.6 | 6.0 | 5.6 |
| Child and child's family | 10.1 | 7.6 | 10.1 | 7.4 | 5.7 | 8.8 | 11.9 | 20.0 | 8.8 |
| Parents | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other family | 2.1 | 1.5 | 2.0 | 1.3 | 1.1 | 1.3 | 0.3 | 8.0 | 1.7 |
| Other | 17.3 | 22.5 | 20.5 | 21.3 | 16.5 | 10.1 | 16.2 | 16.0 | 19.2 |
| Unknown | 1.7 | 5.8 | 0.4 | 10.1 | 5.9 | 4.4 | 5.3 | 2.0 | 3.8 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Alone | 33.6 | 28.6 | 31.5 | 29.6 | 31.1 | 36.3 | 23.1 | 29.5 | 31.4 |
| Spouse only | 34.5 | 33.6 | 34.3 | 31.8 | 40.5 | 38.3 | 44.9 | 11.5 | 34.7 |
| Spouse and others | 4.9 | 3.7 | 3.3 | 3.2 | 2.6 | 2.8 | 4.1 | 4.9 | 3.9 |
| Brother/sister | 1.2 | 0.7 | 1.7 | 0.5 | 0.7 | 1.3 | 0.7 | 3.3 | 1.1 |
| Child alone | 2.5 | 1.9 | 2.2 | 1.1 | 2.0 | 2.8 | 2.0 | 0.0 | 2.1 |
| Child and child's family | 5.0 | 4.0 | 5.6 | 4.5 | 2.8 | 2.6 | 4.1 | 18.0 | 4.6 |
| Parents | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other family | 1.8 | 1.3 | 1.9 | 1.7 | 1.2 | 1.5 | 0.7 | 13.1 | 1.6 |
| Other | 15.2 | 21.1 | 19.2 | 18.9 | 15.0 | 12.4 | 12.9 | 18.0 | 17.6 |
| Unknown | 1.4 | 5.1 | 0.5 | 8.6 | 4.0 | 2.0 | 7.5 | 1.6 | 3.0 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Alone | 41.7 | 38.0 | 38.6 | 36.8 | 42.5 | 47.3 | 38.1 | 29.7 | 40.0 |
| Spouse only | 20.8 | 20.1 | 22.4 | 19.7 | 24.9 | 22.9 | 24.7 | 9.9 | 21.3 |
| Spouse and others | 2.7 | 2.0 | 2.0 | 1.6 | 1.6 | 1.2 | 1.6 | 4.5 | 2.2 |
| Brother/sister | 1.3 | 0.7 | 1.5 | 0.6 | 0.8 | 1.3 | 0.2 | 4.5 | 1.1 |
| Child alone | 5.1 | 3.8 | 4.7 | 3.4 | 3.3 | 4.8 | 4.5 | 2.7 | 4.4 |
| Child and child's family | 8.3 | 6.4 | 8.4 | 6.3 | 4.6 | 6.7 | 9.4 | 18.9 | 7.3 |
| Parents | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other family | 2.0 | 1.4 | 2.0 | 1.5 | 1.1 | 1.4 | 0.4 | 10.8 | 1.7 |
| Other | 16.6 | 22.0 | 20.0 | 20.5 | 16.0 | 10.9 | 15.1 | 17.1 | 18.7 |
| Unknown | 1.6 | 5.5 | 0.4 | 9.6 | 5.2 | 3.6 | 6.0 | 1.8 | 3.5 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Characteristics are for the last permanent admission during the period. Transfers are excluded.

⁽b) Refers to the location of the service.

Table 4.6: People admitted to residential aged care services for respite care^(a), prior living arrangement by sex and state/territory^(b), 1 July 2002 to 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|--------------------------|--------|-------|-------|-------|--------|-------|-----|-----|-----------|
| living arrangement | | | | | Number | r | | | |
| Females | | | | | | | | | _ |
| Alone | 3,744 | 2,052 | 1,219 | 535 | 922 | 339 | 162 | 13 | 8,986 |
| Spouse only | 1,353 | 1,081 | 576 | 338 | 393 | 161 | 60 | 27 | 3,989 |
| Spouse and others | 136 | 71 | 50 | 6 | 13 | 11 | 3 | 3 | 293 |
| Brother/sister | 92 | 35 | 37 | 13 | 8 | 5 | 1 | 4 | 195 |
| Child alone | 674 | 316 | 285 | 55 | 93 | 31 | 14 | 3 | 1,471 |
| Child and child's family | 1,132 | 536 | 674 | 158 | 140 | 90 | 54 | 25 | 2,809 |
| Parents | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other family | 212 | 83 | 101 | 22 | 28 | 5 | 3 | 22 | 476 |
| Other | 787 | 308 | 375 | 120 | 172 | 40 | 15 | 18 | 1,835 |
| Unknown | 129 | 222 | 22 | 114 | 108 | 29 | 14 | 4 | 642 |
| Total females | 8,259 | 4,704 | 3,339 | 1,361 | 1,877 | 711 | 326 | 119 | 20,696 |
| Males | | | | | | | | | |
| Alone | 1,264 | 620 | 411 | 182 | 282 | 95 | 33 | 13 | 2,900 |
| Spouse only | 1,948 | 1,473 | 942 | 453 | 535 | 205 | 79 | 22 | 5,657 |
| Spouse and others | 235 | 114 | 103 | 25 | 24 | 13 | 10 | 14 | 538 |
| Brother/sister | 35 | 21 | 40 | 6 | 5 | 5 | 0 | 0 | 112 |
| Child alone | 126 | 66 | 59 | 11 | 18 | 13 | 8 | 1 | 302 |
| Child and child's family | 278 | 150 | 178 | 38 | 40 | 15 | 13 | 21 | 733 |
| Parents | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other family | 113 | 48 | 58 | 10 | 11 | 5 | 2 | 10 | 257 |
| Other | 414 | 193 | 194 | 79 | 92 | 20 | 10 | 7 | 1,009 |
| Unknown | 67 | 103 | 10 | 72 | 41 | 7 | 7 | 3 | 310 |
| Total males | 4,480 | 2,788 | 1,995 | 876 | 1,048 | 378 | 162 | 91 | 11,818 |
| Persons | | | | | | | | | |
| Alone | 5,008 | 2,672 | 1,630 | 717 | 1,204 | 434 | 195 | 26 | 11,886 |
| Spouse only | 3,301 | 2,554 | 1,518 | 791 | 928 | 366 | 139 | 49 | 9,646 |
| Spouse and others | 371 | 185 | 153 | 31 | 37 | 24 | 13 | 17 | 831 |
| Brother/sister | 127 | 56 | 77 | 19 | 13 | 10 | 1 | 4 | 307 |
| Child alone | 800 | 382 | 344 | 66 | 111 | 44 | 22 | 4 | 1,773 |
| Child and child's family | 1,410 | 686 | 852 | 196 | 180 | 105 | 67 | 46 | 3,542 |
| Parents | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other family | 325 | 131 | 159 | 32 | 39 | 10 | 5 | 32 | 733 |
| Other | 1,201 | 501 | 569 | 199 | 264 | 60 | 25 | 25 | 2,844 |
| Unknown | 196 | 325 | 32 | 186 | 149 | 36 | 21 | 7 | 952 |
| Total persons | 12,739 | 7,492 | 5,334 | 2,237 | 2,925 | 1,089 | 488 | 210 | 32,514 |

Table 4.6 (continued): People admitted to residential aged care services for respite care^(a), prior living arrangement by sex and state/territory^(b), 1 July 2002 to 30 June 2003

| | | - | | | | | | | |
|--------------------------|-------|-------|-------|-------|---------|-------|-------|-------|-----------|
| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
| living arrangement | | | | | Per cen | t | | | |
| Females | | | | | | | | | |
| Alone | 45.3 | 43.6 | 36.5 | 39.3 | 49.1 | 47.7 | 49.7 | 10.9 | 43.4 |
| Spouse only | 16.4 | 23.0 | 17.3 | 24.8 | 20.9 | 22.6 | 18.4 | 22.7 | 19.3 |
| Spouse and others | 1.6 | 1.5 | 1.5 | 0.4 | 0.7 | 1.5 | 0.9 | 2.5 | 1.4 |
| Brother/sister | 1.1 | 0.7 | 1.1 | 1.0 | 0.4 | 0.7 | 0.3 | 3.4 | 0.9 |
| Child alone | 8.2 | 6.7 | 8.5 | 4.0 | 5.0 | 4.4 | 4.3 | 2.5 | 7.1 |
| Child and child's family | 13.7 | 11.4 | 20.2 | 11.6 | 7.5 | 12.7 | 16.6 | 21.0 | 13.6 |
| Parents | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other family | 2.6 | 1.8 | 3.0 | 1.6 | 1.5 | 0.7 | 0.9 | 18.5 | 2.3 |
| Other | 9.5 | 6.5 | 11.2 | 8.8 | 9.2 | 5.6 | 4.6 | 15.1 | 8.9 |
| Unknown | 1.6 | 4.7 | 0.7 | 8.4 | 5.8 | 4.1 | 4.3 | 3.4 | 3.1 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| Alone | 28.2 | 22.2 | 20.6 | 20.8 | 26.9 | 25.1 | 20.4 | 14.3 | 24.5 |
| Spouse only | 43.5 | 52.8 | 47.2 | 51.7 | 51.0 | 54.2 | 48.8 | 24.2 | 47.9 |
| Spouse and others | 5.2 | 4.1 | 5.2 | 2.9 | 2.3 | 3.4 | 6.2 | 15.4 | 4.6 |
| Brother/sister | 0.8 | 8.0 | 2.0 | 0.7 | 0.5 | 1.3 | 0.0 | 0.0 | 0.9 |
| Child alone | 2.8 | 2.4 | 3.0 | 1.3 | 1.7 | 3.4 | 4.9 | 1.1 | 2.6 |
| Child and child's family | 6.2 | 5.4 | 8.9 | 4.3 | 3.8 | 4.0 | 8.0 | 23.1 | 6.2 |
| Parents | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other family | 2.5 | 1.7 | 2.9 | 1.1 | 1.0 | 1.3 | 1.2 | 11.0 | 2.2 |
| Other | 9.2 | 6.9 | 9.7 | 9.0 | 8.8 | 5.3 | 6.2 | 7.7 | 8.5 |
| Unknown | 1.5 | 3.7 | 0.5 | 8.2 | 3.9 | 1.9 | 4.3 | 3.3 | 2.6 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| Alone | 39.3 | 35.7 | 30.6 | 32.1 | 41.2 | 39.9 | 40.0 | 12.4 | 36.6 |
| Spouse only | 25.9 | 34.1 | 28.5 | 35.4 | 31.7 | 33.6 | 28.5 | 23.3 | 29.7 |
| Spouse and others | 2.9 | 2.5 | 2.9 | 1.4 | 1.3 | 2.2 | 2.7 | 8.1 | 2.6 |
| Brother/sister | 1.0 | 0.7 | 1.4 | 8.0 | 0.4 | 0.9 | 0.2 | 1.9 | 0.9 |
| Child alone | 6.3 | 5.1 | 6.4 | 3.0 | 3.8 | 4.0 | 4.5 | 1.9 | 5.5 |
| Child and child's family | 11.1 | 9.2 | 16.0 | 8.8 | 6.2 | 9.6 | 13.7 | 21.9 | 10.9 |
| Parents | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Other family | 2.6 | 1.7 | 3.0 | 1.4 | 1.3 | 0.9 | 1.0 | 15.2 | 2.3 |
| Other | 9.4 | 6.7 | 10.7 | 8.9 | 9.0 | 5.5 | 5.1 | 11.9 | 8.7 |
| Unknown | 1.5 | 4.3 | 0.6 | 8.3 | 5.1 | 3.3 | 4.3 | 3.3 | 2.9 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Characteristics are for the last respite admission during the period. Transfers are excluded.

⁽b) Refers to the location of the service.

Table 4.7: People admitted to residential aged care services for permanent care^(a), pension status by sex and state/territory^(D), 1 July 2002 to 30 June 2003

| Sex/ | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Australia |
|----------------------|--------|--------|-------|-------|----------|-------|-------|-------|-----------|
| pension status | | | | | Number | | | | |
| Females | | | | | | | | | |
| FaCS pension | 7,951 | 6,050 | 3,968 | 1,917 | 2,326 | 651 | 190 | 42 | 23,094 |
| DVA pension | 1,727 | 1,305 | 1,050 | 452 | 475 | 175 | 32 | 4 | 5,220 |
| Self-funded retirees | 1,253 | 726 | 379 | 274 | 229 | 61 | 64 | 2 | 2,988 |
| Means not disclosed | 178 | 124 | 62 | 23 | 23 | 6 | 7 | 1 | 424 |
| Unknown | 133 | 130 | 56 | 7 | 34 | 5 | 3 | 2 | 371 |
| Total females | 11,242 | 8,334 | 5,514 | 2,672 | 3,086 | 899 | 297 | 52 | 32,096 |
| Males | | | | | | | | | |
| FaCS pension | 4,044 | 2,912 | 2,077 | 953 | 1,161 | 289 | 81 | 46 | 11,562 |
| DVA pension | 1,351 | 880 | 825 | 388 | 383 | 130 | 30 | 5 | 3,994 |
| Self-funded retirees | 711 | 450 | 308 | 163 | 157 | 37 | 35 | 4 | 1,863 |
| Means not disclosed | 92 | 88 | 41 | 10 | 16 | 4 | 4 | 1 | 256 |
| Unknown | 128 | 117 | 63 | 15 | 52 | 3 | 2 | 2 | 382 |
| Total males | 6,325 | 4,448 | 3,313 | 1,529 | 1,769 | 463 | 152 | 59 | 18,058 |
| Persons | | | | | | | | | |
| FaCS pension | 11,995 | 8,962 | 6,044 | 2,870 | 3,486 | 940 | 271 | 88 | 34,657 |
| DVA pension | 3,079 | 2,185 | 1,875 | 839 | 858 | 306 | 62 | 10 | 9,213 |
| Self-funded retirees | 1,964 | 1,175 | 687 | 436 | 386 | 98 | 99 | 6 | 4,851 |
| Means not disclosed | 269 | 212 | 103 | 34 | 38 | 10 | 12 | 2 | 680 |
| Unknown | 260 | 247 | 119 | 22 | 86 | 8 | 5 | 4 | 753 |
| Total persons | 17,567 | 12,782 | 8,827 | 4,201 | 4,855 | 1,362 | 449 | 111 | 50,154 |
| | | | | | Per cent | | | | |
| Females | | | | | | | | | |
| FaCS pension | 70.7 | 72.6 | 72.0 | 71.7 | 75.4 | 72.4 | 64.2 | 81.3 | 72.0 |
| DVA pension | 15.4 | 15.7 | 19.0 | 16.9 | 15.4 | 19.5 | 10.8 | 8.3 | 16.3 |
| Self-funded retirees | 11.1 | 8.7 | 6.9 | 10.3 | 7.4 | 6.8 | 21.5 | 4.2 | 9.3 |
| Means not disclosed | 1.6 | 1.5 | 1.1 | 0.9 | 0.7 | 0.7 | 2.5 | 2.1 | 1.3 |
| Unknown | 1.2 | 1.6 | 1.0 | 0.3 | 1.1 | 0.6 | 1.1 | 4.2 | 1.2 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| FaCS pension | 63.9 | 65.5 | 62.7 | 62.3 | 65.6 | 62.3 | 53.1 | 78.2 | 64.0 |
| DVA pension | 21.4 | 19.8 | 24.9 | 25.4 | 21.7 | 28.2 | 19.6 | 9.1 | 22.1 |
| Self-funded retirees | 11.2 | 10.1 | 9.3 | 10.6 | 8.9 | 7.9 | 23.1 | 7.3 | 10.3 |
| Means not disclosed | 1.4 | 2.0 | 1.2 | 0.7 | 0.9 | 0.9 | 2.8 | 1.8 | 1.4 |
| Unknown | 2.0 | 2.6 | 1.9 | 1.0 | 2.9 | 0.7 | 1.4 | 3.6 | 2.1 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| FaCS pension | 68.3 | 70.1 | 68.5 | 68.3 | 71.8 | 69.0 | 60.4 | 79.6 | 69.1 |
| DVA pension | 17.5 | 17.1 | 21.2 | 20.0 | 17.7 | 22.5 | 13.7 | 8.7 | 18.4 |
| Means not disclosed | 11.2 | 9.2 | 7.8 | 10.4 | 7.9 | 7.2 | 22.0 | 5.8 | 9.7 |
| Self-funded retirees | 1.5 | 1.7 | 1.2 | 0.8 | 0.8 | 0.7 | 2.6 | 1.9 | 1.4 |
| Unknown | 1.5 | 1.9 | 1.3 | 0.5 | 1.8 | 0.6 | 1.2 | 3.9 | 1.5 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

⁽a) Each person is counted once regardless of the number of admissions the resident had during the period. The status at the first admission is reported.

Notes

⁽b) Refers to the location of the services.

^{1 &#}x27;FaCS' refers to the Australian Department of Family and Community Services; 'DVA' refers to the Australian Department of Veterans' Affairs. FaCS pensions are administered by Centrelink.

^{2.} The category 'Unknown' refers to residents not yet assessed by Centrelink or DVA at the time of reporting.

^{3.} The table supplied by the Australian Department of Health and Ageing (DoHA) has been adjusted to retain consistency with other tables as slightly different selection criteria for admissions are used by DoHA and AIHW.

Section 5

Resident dependency

The tables in this section describe dependency levels among the residents in residential aged care services. Resident dependency levels are based on the Resident Classification Scale which classifies permanent residents into eight categories. Category 1 represents the highest dependency level and category 8 the lowest.

Table 5.1: Permanent residents, level of dependency by sex and state/territory^(a), 30 June 2003

| | | High depe | ndency | | | Low depe | endency | | |
|-----------------|--------|-----------|--------|-------|--------|----------|---------|-------|---------|
| Sex/ | RCS1 | RCS2 | RCS3 | RCS4 | RCS5 | RCS6 | RCS7 | RCS8 | Total |
| state/territory | | | | Numb | er | | | | |
| Females | | | | | | | | | |
| NSW | 7,225 | 9,387 | 5,094 | 1,511 | 3,559 | 3,589 | 4,187 | 391 | 34,943 |
| Vic | 5,506 | 5,758 | 3,031 | 1,058 | 3,414 | 2,983 | 3,211 | 185 | 25,146 |
| Qld | 3,031 | 4,463 | 3,198 | 1,051 | 1,948 | 1,894 | 2,325 | 224 | 18,134 |
| WA | 1,962 | 1,681 | 999 | 410 | 1,234 | 1,169 | 995 | 64 | 8,514 |
| SA | 1,970 | 2,577 | 1,561 | 442 | 1,091 | 1,061 | 1,184 | 57 | 9,943 |
| Tas | 429 | 726 | 593 | 180 | 308 | 248 | 277 | 12 | 2,773 |
| ACT | 252 | 220 | 133 | 53 | 96 | 123 | 157 | 6 | 1,040 |
| NT | 25 | 63 | 38 | 12 | 19 | 9 | 13 | 0 | 179 |
| Total females | 20,400 | 24,875 | 14,647 | 4,717 | 11,669 | 11,076 | 12,349 | 939 | 100,672 |
| Males | | | | | | | | | |
| NSW | 2,841 | 3,463 | 1,982 | 656 | 1,160 | 1,285 | 1,827 | 175 | 13,389 |
| Vic | 2,215 | 2,094 | 1,171 | 385 | 1,116 | 1,038 | 1,342 | 112 | 9,473 |
| Qld | 1,194 | 1,836 | 1,248 | 419 | 695 | 744 | 1,098 | 138 | 7,372 |
| WA | 790 | 583 | 345 | 148 | 373 | 362 | 432 | 20 | 3,053 |
| SA | 736 | 936 | 560 | 154 | 329 | 347 | 469 | 20 | 3,551 |
| Tas | 166 | 298 | 201 | 56 | 84 | 78 | 106 | 4 | 993 |
| ACT | 103 | 80 | 62 | 18 | 41 | 27 | 59 | 6 | 396 |
| NT | 25 | 48 | 39 | 5 | 7 | 12 | 16 | 0 | 152 |
| Total males | 8,070 | 9,338 | 5,608 | 1,841 | 3,805 | 3,893 | 5,349 | 475 | 38,379 |
| Persons | | | | | | | | | |
| NSW | 10,066 | 12,850 | 7,076 | 2,167 | 4,719 | 4,874 | 6,014 | 566 | 48,332 |
| Vic | 7,721 | 7,852 | 4,202 | 1,443 | 4,530 | 4,021 | 4,553 | 297 | 34,619 |
| Qld | 4,225 | 6,299 | 4,446 | 1,470 | 2,643 | 2,638 | 3,423 | 362 | 25,506 |
| WA | 2,752 | 2,264 | 1,344 | 558 | 1,607 | 1,531 | 1,427 | 84 | 11,567 |
| SA | 2,706 | 3,513 | 2,121 | 596 | 1,420 | 1,408 | 1,653 | 77 | 13,494 |
| Tas | 595 | 1,024 | 794 | 236 | 392 | 326 | 383 | 16 | 3,766 |
| ACT | 355 | 300 | 195 | 71 | 137 | 150 | 216 | 12 | 1,436 |
| NT | 50 | 111 | 77 | 17 | 26 | 21 | 29 | 0 | 331 |
| Total persons | 28,470 | 34,213 | 20,255 | 6,558 | 15,474 | 14,969 | 17,698 | 1,414 | 139,051 |

Table 5.1 (continued): Permanent residents, level of dependency by sex and state/territoty^(a), 30 June 2003

| | | High depe | ndency | | | Low depen | dency | | |
|-----------------|------|-----------|--------|------|----------|-----------|-------|------|-------|
| Sex/ | RCS1 | RCS2 | RCS3 | RCS4 | RCS5 | RCS6 | RCS7 | RCS8 | Total |
| state/territory | | | | F | Per cent | | | | |
| Females | | | | | | | | | |
| NSW | 20.7 | 26.9 | 14.6 | 4.3 | 10.2 | 10.3 | 12.0 | 1.1 | 100.0 |
| Vic | 21.9 | 22.9 | 12.1 | 4.2 | 13.6 | 11.9 | 12.8 | 0.7 | 100.0 |
| Qld | 16.7 | 24.6 | 17.6 | 5.8 | 10.7 | 10.4 | 12.8 | 1.2 | 100.0 |
| WA | 23.0 | 19.7 | 11.7 | 4.8 | 14.5 | 13.7 | 11.7 | 8.0 | 100.0 |
| SA | 19.8 | 25.9 | 15.7 | 4.4 | 11.0 | 10.7 | 11.9 | 0.6 | 100.0 |
| Tas | 15.5 | 26.2 | 21.4 | 6.5 | 11.1 | 8.9 | 10.0 | 0.4 | 100.0 |
| ACT | 24.2 | 21.2 | 12.8 | 5.1 | 9.2 | 11.8 | 15.1 | 0.6 | 100.0 |
| NT | 14.0 | 35.2 | 21.2 | 6.7 | 10.6 | 5.0 | 7.3 | 0.0 | 100.0 |
| Total females | 20.3 | 24.7 | 14.5 | 4.7 | 11.6 | 11.0 | 12.3 | 0.9 | 100.0 |
| Males | | | | | | | | | |
| NSW | 21.2 | 25.9 | 14.8 | 4.9 | 8.7 | 9.6 | 13.6 | 1.3 | 100.0 |
| Vic | 23.4 | 22.1 | 12.4 | 4.1 | 11.8 | 11.0 | 14.2 | 1.2 | 100.0 |
| Qld | 16.2 | 24.9 | 16.9 | 5.7 | 9.4 | 10.1 | 14.9 | 1.9 | 100.0 |
| WA | 25.9 | 19.1 | 11.3 | 4.8 | 12.2 | 11.9 | 14.2 | 0.7 | 100.0 |
| SA | 20.7 | 26.4 | 15.8 | 4.3 | 9.3 | 9.8 | 13.2 | 0.6 | 100.0 |
| Tas | 16.7 | 30.0 | 20.2 | 5.6 | 8.5 | 7.9 | 10.7 | 0.4 | 100.0 |
| ACT | 26.0 | 20.2 | 15.7 | 4.5 | 10.4 | 6.8 | 14.9 | 1.5 | 100.0 |
| NT | 16.4 | 31.6 | 25.7 | 3.3 | 4.6 | 7.9 | 10.5 | 0.0 | 100.0 |
| Total males | 21.0 | 24.3 | 14.6 | 4.8 | 9.9 | 10.1 | 13.9 | 1.2 | 100.0 |
| Persons | | | | | | | | | |
| NSW | 20.8 | 26.6 | 14.6 | 4.5 | 9.8 | 10.1 | 12.4 | 1.2 | 100.0 |
| Vic | 22.3 | 22.7 | 12.1 | 4.2 | 13.1 | 11.6 | 13.2 | 0.9 | 100.0 |
| Qld | 16.6 | 24.7 | 17.4 | 5.8 | 10.4 | 10.3 | 13.4 | 1.4 | 100.0 |
| WA | 23.8 | 19.6 | 11.6 | 4.8 | 13.9 | 13.2 | 12.3 | 0.7 | 100.0 |
| SA | 20.1 | 26.0 | 15.7 | 4.4 | 10.5 | 10.4 | 12.2 | 0.6 | 100.0 |
| Tas | 15.8 | 27.2 | 21.1 | 6.3 | 10.4 | 8.7 | 10.2 | 0.4 | 100.0 |
| ACT | 24.7 | 20.9 | 13.6 | 4.9 | 9.5 | 10.4 | 15.0 | 8.0 | 100.0 |
| NT | 15.1 | 33.5 | 23.3 | 5.1 | 7.9 | 6.3 | 8.8 | 0.0 | 100.0 |
| Total Persons | 20.5 | 24.6 | 14.6 | 4.7 | 11.1 | 10.8 | 12.7 | 1.0 | 100.0 |

(a) Refers to the location of the services.

Note: This table excludes 1,246 residents whose dependency levels were not reported.

Table 5.2: Permanent residents, age by sex and level of dependency, 30 June 2003

| | | High deper | ndency | | | Low depe | endency | | |
|---|--|--|--|---|--|---|--|---|--|
| | RCS1 | RCS2 | RCS3 | RCS4 | RCS5 | RCS6 | RCS7 | RCS8 | Total |
| Sex/age | | | | N | Number | | | | |
| Females | | | | | | | | | |
| Under 65 | 835 | 838 | 413 | 103 | 264 | 231 | 222 | 9 | 2,915 |
| 65–69 | 501 | 558 | 330 | 78 | 238 | 195 | 235 | 10 | 2,145 |
| 70–74 | 1,128 | 1,233 | 689 | 192 | 527 | 433 | 558 | 43 | 4,803 |
| 75–79 | 2,480 | 3,031 | 1,684 | 558 | 1,282 | 1,191 | 1,365 | 104 | 11,695 |
| 80–84 | 4,347 | 5,391 | 3,246 | 1,069 | 2,675 | 2,515 | 2,912 | 242 | 22,397 |
| 85–89 | 5,051 | 6,451 | 3,996 | 1,302 | 3,403 | 3,408 | 3,871 | 314 | 27,796 |
| 90–94 | 4,108 | 5,083 | 3,110 | 1,053 | 2,483 797 | 2,351 752 | 2,494 | 179 38 | 20,861 |
| 95+ Total females | 1,950 <i>20,400</i> | 2,290 24,875 | 1,179 <i>14</i> , <i>647</i> | 362 <i>4</i> ,717 | 11,669 | 752 11,076 | 692 12,349 | 939 | 8,060 100,672 |
| Males | 20,400 | 24,073 | 14,047 | 4,717 | 11,009 | 11,070 | 12,549 | 939 | 100,012 |
| Under 65 | 781 | 748 | 428 | 152 | 305 | 343 | 341 | 25 | 3,123 |
| 65–69 | 519 | 506 | 327 | 101 | 233 | 220 | 288 | 14 | 2,208 |
| 70–74 | 912 | 946 | 592 | 179 | 365 | 386 | 488 | 41 | 3,909 |
| 75–79 | 1,508 | 1,701 | 962 | 341 | 584 | 573 | 845 | 77 | 6,591 |
| 80–84 | 1,874 | 2,180 | 1,211 | 380 | 806 | 795 | 1,137 | 99 | 8,482 |
| 85–89 | 1,451 | 1,854 | 1,182 | 376 | 901 | 855 | 1,272 | 126 | 8,017 |
| 90–94 | 805 | 1,081 | 673 | 234 | 486 | 560 | 795 | 82 | 4,716 |
| 95+ | 220 | 322 | 233 | 78 | 125 | 161 | 183 | 11 | 1,333 |
| Total males | 8,070 | 9,338 | 5,608 | 1,841 | 3,805 | 3,893 | 5,349 | 475 | 38,379 |
| Persons | | | | | | | | | |
| Under 65 | 1,616 | 1,586 | 841 | 255 | 569 | 574 | 563 | 34 | 6,038 |
| 65–69 | 1,020 | 1,064 | 657 | 179 | 471 | 415 | 523 | 24 | 4,353 |
| 70–74 | 2,040 | 2,179 | 1,281 | 371 | 892 | 819 | 1,046 | 84 | 8,712 |
| 75–79 | 3,988 | 4,732 | 2,646 | 899 | 1,866 | 1,764 | 2,210 | 181 | 18,286 |
| 80–84 | 6,221 | 7,571 | 4,457 | 1,449 | 3,481 | 3,310 | 4,049 | 341 | 30,879 |
| 85–89 | 6,502 | 8,305 | 5,178 | 1,678 | 4,304 | 4,263 | 5,143 | 440 | 35,813 |
| 90–94 | 4,913 | 6,164 | 3,783 | 1,287 | 2,969 | 2,911 | 3,289 | 261 | 25,577 |
| 95+ | 2,170 | 2,612 | 1,412 | 440 | 922 | 913 | 875 | 49 | 9,393 |
| Total persons | 28,470 | 34,213 | 20,255 | 6,558 | 15,474 | 14,969 | 17,698 | 1,414 | 139,051 |
| Females | | | | | er cent | | | | |
| Under 65 | 28.6 | 28.7 | 14.2 | 3.5 | 9.1 | 7.9 | 7.6 | 0.3 | 100.0 |
| 65–69 | 23.4 | 26.0 | 15.4 | 3.6 | 11.1 | 9.1 | 11.0 | 0.5 | 100.0 |
| 70–74 | 23.5 | 25.7 | 14.3 | 4.0 | 11.0 | 9.0 | 11.6 | 0.9 | 100.0 |
| 75–79 | 21.2 | 25.9 | 14.4 | 4.8 | 11.0 | 10.2 | 11.7 | 0.9 | 100.0 |
| 80–84 | 19.4 | 24.1 | 14.5 | 4.8 | 11.9 | 11.2 | 13.0 | 1.1 | 100.0 |
| 85–89 | 18.2 | 23.2 | 14.4 | 4.7 | | | | 1.1 | |
| 90-94 | | | | 4.7 | 12.2 | 12.3 | 13.9 | 1.1 | 100.0 |
| | 19.7 | 24.4 | | | 12.2 11.9 | 12.3 11.3 | 13.9 12.0 | 1.1 | 100.0 100.0 |
| 95+ | 19.7 24.2 | 24.4 28.4 | 14.9 14.6 | 5.0 4.5 | 12.2 11.9 9.9 | 12.3 11.3 9.3 | 13.9 12.0 8.6 | | 100.0 100.0 100.0 |
| Total females | | | 14.9 | 5.0 | 11.9 | 11.3 | 12.0 | 1.1 0.9 | 100.0 |
| | 24.2 | 28.4 | 14.9 14.6 | 5.0 4.5 | 11.9 9.9 | 11.3 9.3 | 12.0 8.6 | 1.1 0.9 0.5 | 100.0 100.0 |
| Total females Males Under 65 | 24.2 20.3 25.0 | 28.4 | 14.9 14.6 <i>14.</i> 5 13.7 | 5.0 4.5 4.7 4.9 | 11.9 9.9 <i>11</i> .6 9.8 | 11.3 9.3 <i>11.0</i> | 12.0 8.6 | 1.1 0.9 0.5 | 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 | 24.2 20.3 25.0 23.5 | 28.4 24.7 24.0 22.9 | 14.9 14.6 <i>14.</i> 5 13.7 14.8 | 5.0 4.5 4.7 4.9 4.6 | 11.9 9.9 11.6 9.8 10.6 | 11.3 9.3 11.0 11.0 10.0 | 12.0 8.6 12.3 10.9 13.0 | 1.1 0.9 0.5 0.9 0.8 0.6 | 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 | 24.2 20.3 25.0 23.5 23.3 | 28.4 24.7 24.0 22.9 24.2 | 14.9 14.6 <i>14.</i> 5 13.7 14.8 15.1 | 5.0 4.5 4.7 4.9 4.6 4.6 | 11.9 9.9 11.6 9.8 10.6 9.3 | 11.3 9.3 11.0 11.0 10.0 9.9 | 12.0 8.6 12.3 10.9 13.0 12.5 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 | 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 | 24.2 20.3 25.0 23.5 23.3 22.9 | 28.4 24.7 24.0 22.9 24.2 25.8 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 18.1 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 23.1 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 14.7 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 11.2 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 10.7 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 15.9 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 1.2 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 18.1 17.1 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 23.1 22.9 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 14.7 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 4.7 5.0 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 11.2 10.3 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 10.7 11.9 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 15.9 16.9 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 1.2 1.6 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 18.1 17.1 16.5 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 23.1 22.9 24.2 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 14.7 14.3 17.5 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 4.7 5.0 5.9 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 11.2 10.3 9.4 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 10.7 11.9 12.1 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 15.9 16.9 13.7 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 1.2 1.6 1.7 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 18.1 17.1 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 23.1 22.9 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 14.7 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 4.7 5.0 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 11.2 10.3 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 10.7 11.9 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 15.9 16.9 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 1.2 1.6 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 18.1 17.1 16.5 21.0 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 23.1 22.9 24.2 24.3 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 14.7 14.3 17.5 14.6 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 4.7 5.0 5.9 4.8 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 11.2 10.3 9.4 9.9 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 10.7 11.9 12.1 10.1 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 15.9 16.9 13.7 13.9 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 1.2 1.6 1.7 0.8 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 18.1 17.1 16.5 21.0 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 23.1 22.9 24.2 24.3 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 14.7 14.3 17.5 14.6 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 4.7 5.0 5.9 4.8 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 11.2 10.3 9.4 9.9 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 10.7 11.9 12.1 10.1 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 15.9 16.9 13.7 13.9 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 1.2 1.6 1.7 0.8 1.2 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 18.1 17.1 16.5 21.0 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 23.1 22.9 24.2 24.3 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 14.7 14.3 17.5 14.6 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 4.7 5.0 5.9 4.8 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 11.2 10.3 9.4 9.9 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 10.7 11.9 12.1 10.1 9.5 9.5 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 15.9 16.9 13.7 13.9 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 1.2 1.6 1.7 0.8 1.2 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 18.1 17.1 16.5 21.0 26.8 23.4 23.4 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 23.1 22.9 24.2 24.3 26.3 24.4 25.0 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 14.7 14.3 17.5 14.6 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 4.7 5.0 5.9 4.8 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 11.2 10.3 9.4 9.9 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 10.7 11.9 12.1 10.1 9.5 9.5 9.4 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 15.9 16.9 13.7 13.9 9.3 12.0 12.0 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 1.2 1.6 1.7 0.8 1.2 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 18.1 17.1 16.5 21.0 26.8 23.4 23.4 21.8 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 23.1 22.9 24.2 24.3 26.3 24.4 25.0 25.9 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 17.5 14.6 13.9 15.1 14.7 14.5 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 4.7 5.0 5.9 4.8 4.2 4.1 4.3 4.9 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 11.2 10.3 9.4 9.9 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 10.7 11.9 12.1 10.1 9.5 9.5 9.4 9.6 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 15.9 16.9 13.7 13.9 9.3 12.0 12.0 12.1 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 1.2 1.6 1.7 0.8 1.2 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 80–84 | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 18.1 17.1 16.5 21.0 26.8 23.4 23.4 21.8 20.1 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 23.1 22.9 24.2 24.3 26.3 24.4 25.0 25.9 24.5 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 17.5 14.6 13.9 15.1 14.7 14.5 14.4 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 4.7 5.0 5.9 4.8 4.2 4.1 4.3 4.9 4.7 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 11.2 10.3 9.4 9.9 9.4 10.8 10.2 10.2 11.3 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 10.7 11.9 12.1 10.1 9.5 9.5 9.4 9.6 10.7 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 15.9 16.9 13.7 13.9 9.3 12.0 12.0 12.1 13.1 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 1.2 1.6 1.7 0.8 1.2 0.6 0.6 1.0 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 18.1 17.1 16.5 21.0 26.8 23.4 23.4 21.8 20.1 18.2 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 23.1 22.9 24.2 24.3 26.3 24.4 25.0 25.9 24.5 23.2 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 17.5 14.6 13.9 15.1 14.7 14.5 14.4 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 4.7 5.0 5.9 4.8 4.2 4.1 4.3 4.9 4.7 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 11.2 10.3 9.4 9.9 9.4 10.8 10.2 10.2 11.3 12.0 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 10.7 11.9 12.1 10.1 9.5 9.4 9.6 10.7 11.9 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 15.9 16.9 13.7 13.9 9.3 12.0 12.0 12.1 13.1 14.4 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 1.2 1.6 1.7 0.8 1.2 0.6 0.6 1.0 1.1 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |
| Total females Males Under 65 65–69 70–74 75–79 80–84 85–89 90–94 95+ Total males Persons Under 65 65–69 70–74 75–79 80–84 85–89 | 24.2 20.3 25.0 23.5 23.3 22.9 22.1 18.1 17.1 16.5 21.0 26.8 23.4 23.4 21.8 20.1 | 28.4 24.7 24.0 22.9 24.2 25.8 25.7 23.1 22.9 24.2 24.3 26.3 24.4 25.0 25.9 24.5 | 14.9 14.6 14.5 13.7 14.8 15.1 14.6 14.3 17.5 14.6 13.9 15.1 14.7 14.5 14.4 | 5.0 4.5 4.7 4.9 4.6 4.6 5.2 4.5 4.7 5.0 5.9 4.8 4.2 4.1 4.3 4.9 4.7 | 11.9 9.9 11.6 9.8 10.6 9.3 8.9 9.5 11.2 10.3 9.4 9.9 9.4 10.8 10.2 10.2 11.3 | 11.3 9.3 11.0 11.0 10.0 9.9 8.7 9.4 10.7 11.9 12.1 10.1 9.5 9.5 9.4 9.6 10.7 | 12.0 8.6 12.3 10.9 13.0 12.5 12.8 13.4 15.9 16.9 13.7 13.9 9.3 12.0 12.0 12.1 13.1 | 1.1 0.9 0.5 0.9 0.8 0.6 1.0 1.2 1.2 1.6 1.7 0.8 1.2 0.6 0.6 1.0 | 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 |

Note: This table excludes 1,246 residents whose dependency levels were not reported.

Table 5.3: People admitted to residential aged care services for permanent care, level of dependency^(a), by sex and state/territory^(b), 1 July 2002 to 30 June 2003

| | | High depe | ndency | | ı | Low depen | dency | | |
|-----------------|-------|-----------|--------|-------|--------|-----------|-------|------|--------|
| Sex/ | RCS1 | RCS2 | RCS3 | RCS4 | RCS5 | RCS6 | RCS7 | RCS8 | Total |
| state/territory | | | | | Number | | | | |
| Females | | | | | | | | | |
| NSW | 1,699 | 2,991 | 1,670 | 471 | 1,245 | 1,258 | 1,343 | 116 | 10,922 |
| Vic | 1,239 | 1,737 | 926 | 334 | 1,220 | 1,108 | 1,252 | 72 | 7,986 |
| Qld | 655 | 1,176 | 886 | 334 | 666 | 658 | 818 | 78 | 5,331 |
| WA | 480 | 539 | 292 | 124 | 422 | 379 | 324 | 22 | 2,606 |
| SA | 467 | 684 | 504 | 131 | 378 | 416 | 408 | 20 | 3,029 |
| Tas | 76 | 203 | 196 | 67 | 109 | 99 | 108 | 7 | 875 |
| ACT | 51 | 52 | 30 | 9 | 29 | 35 | 63 | 2 | 277 |
| NT | 6 | 10 | 12 | 0 | 9 | 3 | 6 | 1 | 48 |
| Total females | 4,673 | 7,392 | 4,516 | 1,470 | 4,078 | 3,956 | 4,322 | 318 | 31,074 |
| Males | | | | | | | | | |
| NSW | 1,252 | 1,826 | 960 | 225 | 462 | 499 | 688 | 53 | 6,072 |
| Vic | 855 | 1,057 | 542 | 139 | 528 | 434 | 575 | 53 | 4,275 |
| Qld | 482 | 799 | 549 | 203 | 291 | 291 | 455 | 44 | 3,165 |
| WA | 334 | 312 | 173 | 69 | 162 | 172 | 172 | 8 | 1,420 |
| SA | 402 | 449 | 254 | 78 | 149 | 156 | 197 | 12 | 1,716 |
| Tas | 73 | 126 | 99 | 31 | 34 | 41 | 38 | 1 | 453 |
| ACT | 34 | 27 | 17 | 6 | 12 | 7 | 26 | 2 | 135 |
| NT | 6 | 17 | 16 | 4 | 1 | 4 | 6 | 0 | 55 |
| Total males | 3,438 | 4,613 | 2,610 | 755 | 1,639 | 1,604 | 2,157 | 173 | 17,291 |
| Persons | | | | | | | | | |
| NSW | 2,951 | 4,817 | 2,630 | 696 | 1,707 | 1,757 | 2,031 | 169 | 16,994 |
| Vic | 2,094 | 2,794 | 1,468 | 473 | 1,748 | 1,542 | 1,827 | 125 | 12,261 |
| Qld | 1,137 | 1,975 | 1,435 | 537 | 957 | 949 | 1,273 | 122 | 8,496 |
| WA | 814 | 851 | 465 | 193 | 584 | 551 | 496 | 30 | 4,026 |
| SA | 869 | 1,133 | 758 | 209 | 527 | 572 | 605 | 32 | 4,745 |
| Tas | 149 | 329 | 295 | 98 | 143 | 140 | 146 | 8 | 1,328 |
| ACT | 85 | 79 | 47 | 15 | 41 | 42 | 89 | 4 | 412 |
| NT | 12 | 27 | 28 | 4 | 10 | 7 | 12 | 1 | 103 |
| Total persons | 8,111 | 12,005 | 7,126 | 2,225 | 5,717 | 5,560 | 6,479 | 491 | 48,365 |

Table 5.3 (continued): People admitted to residential aged care services for permanent care, level of dependency^(a) by sex and state/territory^(b), 1 July 2002 to 30 June 2003

| | | High depe | ndency | | ļ | Low depen | dency | | |
|-----------------|------|-----------|--------|------|----------|-----------|-------|------|-------|
| Sex/ | RCS1 | RCS2 | RCS3 | RCS4 | RCS5 | RCS6 | RCS7 | RCS8 | Total |
| State/Territory | | | | | Per cent | | | | |
| Females | | | | | | | | | |
| NSW | 15.6 | 27.4 | 15.3 | 4.3 | 11.4 | 11.5 | 12.3 | 1.1 | 100.0 |
| Vic | 15.5 | 21.8 | 11.6 | 4.2 | 15.3 | 13.9 | 15.7 | 0.9 | 100.0 |
| Qld | 12.3 | 22.1 | 16.6 | 6.3 | 12.5 | 12.3 | 15.3 | 1.5 | 100.0 |
| WA | 18.4 | 20.7 | 11.2 | 4.8 | 16.2 | 14.5 | 12.4 | 0.8 | 100.0 |
| SA | 15.4 | 22.6 | 16.6 | 4.3 | 12.5 | 13.7 | 13.5 | 0.7 | 100.0 |
| Tas | 8.7 | 23.2 | 22.4 | 7.7 | 12.5 | 11.3 | 12.3 | 0.8 | 100.0 |
| ACT | 18.4 | 18.8 | 10.8 | 3.2 | 10.5 | 12.6 | 22.7 | 0.7 | 100.0 |
| NT | 12.5 | 20.8 | 25.0 | 0.0 | 18.8 | 6.3 | 12.5 | 2.1 | 100.0 |
| Total females | 15.0 | 23.8 | 14.5 | 4.7 | 13.1 | 12.7 | 13.9 | 1.0 | 100.0 |
| Males | | | | | | | | | |
| NSW | 20.6 | 30.1 | 15.8 | 3.7 | 7.6 | 8.2 | 11.3 | 0.9 | 100.0 |
| Vic | 20.0 | 24.7 | 12.7 | 3.3 | 12.4 | 10.2 | 13.5 | 1.2 | 100.0 |
| Qld | 15.2 | 25.2 | 17.3 | 6.4 | 9.2 | 9.2 | 14.4 | 1.4 | 100.0 |
| WA | 23.5 | 22.0 | 12.2 | 4.9 | 11.4 | 12.1 | 12.1 | 0.6 | 100.0 |
| SA | 23.4 | 26.2 | 14.8 | 4.5 | 8.7 | 9.1 | 11.5 | 0.7 | 100.0 |
| Tas | 16.1 | 27.8 | 21.9 | 6.8 | 7.5 | 9.1 | 8.4 | 0.2 | 100.0 |
| ACT | 25.2 | 20.0 | 12.6 | 4.4 | 8.9 | 5.2 | 19.3 | 1.5 | 100.0 |
| NT | 10.9 | 30.9 | 29.1 | 7.3 | 1.8 | 7.3 | 10.9 | 0.0 | 100.0 |
| Total males | 19.9 | 26.7 | 15.1 | 4.4 | 9.5 | 9.3 | 12.5 | 1.0 | 100.0 |
| Persons | | | | | | | | | |
| NSW | 17.4 | 28.3 | 15.5 | 4.1 | 10.0 | 10.3 | 12.0 | 1.0 | 100.0 |
| Vic | 17.1 | 22.8 | 12.0 | 3.9 | 14.3 | 12.6 | 14.9 | 1.0 | 100.0 |
| Qld | 13.4 | 23.2 | 16.9 | 6.3 | 11.3 | 11.2 | 15.0 | 1.4 | 100.0 |
| WA | 20.2 | 21.1 | 11.5 | 4.8 | 14.5 | 13.7 | 12.3 | 0.7 | 100.0 |
| SA | 18.3 | 23.9 | 16.0 | 4.4 | 11.1 | 12.1 | 12.8 | 0.7 | 100.0 |
| Tas | 11.2 | 24.8 | 22.2 | 7.4 | 10.8 | 10.5 | 11.0 | 0.6 | 100.0 |
| ACT | 20.6 | 19.2 | 11.4 | 3.6 | 10.0 | 10.2 | 21.6 | 1.0 | 100.0 |
| NT | 11.7 | 26.2 | 27.2 | 3.9 | 9.7 | 6.8 | 11.7 | 1.0 | 100.0 |
| Total persons | 16.8 | 24.8 | 14.7 | 4.6 | 11.8 | 11.5 | 13.4 | 1.0 | 100.0 |

⁽a) The RCS is the classification associated with the last admission.

Note: This table excludes 1,789 residents whose dependency levels were not reported.

⁽b) Refers to the location of the services.

Table 5.4: People admitted to residential aged care services for permanent care, age at admission by sex and level of dependency^(a), 1 July 2002 to 30 June 2003

| | Hi | igh deper | ndency | | | Low depe | ndency | | |
|--|--|--------------------------------------|--------------------------------------|---------------------------------|-------------------------------------|------------------------------------|--------------------------------------|---------------------------------|---|
| | RCS1 | RCS2 | RCS3 | RCS4 | RCS5 | RCS6 | RCS7 | RCS8 | Total |
| Sex/age | | | | | Number | | | | |
| Females | | | | | | | | | |
| Under 65 | 212 | 219 | 117 | 36 | 78 | 89 | 75 | 2 | 843 |
| 65–69 | 153 | 186 | 121 | 36 | 83 | 80 | 80 | 7 | 752 |
| 70–74 | 342 | 506 | 263 | 90 | 213 | 187 | 236 | 13 | 1,867 |
| 75–79 | 723 | 1,115 | 696 | 194 | 598 | 539 | 618 | 57 | 4,593 |
| 80–84 | 1,110 | 1,742 | 1,138 | 402 | 1,092 | 1,091 | 1,161 | 104 | 7,922 |
| 85–89 | 1,111 | 1,901 | 1,201 | 401 | 1,199 | 1,222 | 1,388 | 91 | 8,624 |
| 90–94 | 768 | 1,285 | 754 | 259 | 683 | 623 | 648 | 37 | 5,110 |
| 95+ | 254 | 438 | 226 | 52 | 132 | 125 | 116 | 7 | 1,363 |
| Total females | 4,673 | 7,392 | 4,516 | 1,470 | 4,078 | 3,956 | 4,322 | 318 | 31,074 |
| Males | 000 | 000 | 4-4 | | 0.4 | 405 | 440 | _ | 4 004 |
| Under 65 | 223 | 286 | 154 | 59 | 94 | 105 | 113 | 7 | 1,064 |
| 65–69 | 191 | 226 | 146 | 45 | 78 | 67 | 107 | 5 | 877 |
| 70–74 | 397 | 455 | 258 | 73 | 151 | 151 | 207 | 8 | 1,738 |
| 75–79 | 669 | 901 | 483 | 146 | 257 | 261 | 341 | 35 | 3,143 |
| 80–84 | 856 | 1,152 | 635 | 178 | 427 | 380 | 541 | 49 | 4,285 |
| 85–89 | 659 | 955 | 555 | 150 | 424 | 392 | 533 | 37 | 3,774 |
| 90–94 | 360 | 504 | 296 | 85 | 163 | 201 | 269 | 28 | 1,942 |
| 95+ | 83 | 134 | 83 | 19 | 45 | 47 | 46 | 4 | 468 |
| Total males | 3,438 | 4,613 | 2,610 | 755 | 1,639 | 1,604 | 2,157 | 173 | 17,291 |
| Persons | | | a= 4 | | 4=0 | | 400 | _ | |
| Under 65 | 435 | 505 | 271 | 95 | 172 | 194 | 188 | 9 | 1,907 |
| 65–69 | 344 | 412 | 267 | 81 | 161 | 147 | 187 | 12 | 1,629 |
| 70–74 | 739 | 961 | 521 | 163 | 364 | 338 | 443 | 21 | 3,605 |
| 75–79 | 1,392 | 2,016 | 1,179 | 340 | 855 | 800 | 959 | 92 | 7,736 |
| 80–84 | 1,966 | 2,894 | 1,773 | 580 | 1,519 | 1,471 | 1,702 | 153 | 12,207 |
| 85–89 | 1,770 | 2,856 | 1,756 | 551 | 1,623 | 1,614 | 1,921 | 128 | 12,398 |
| 90–94 | 1,128 | 1,789 | 1,050 | 344 | 846 | 824 | 917 | 65 | 7,052 |
| 95+ | 337 | 572 | 309 | 71 | 177 | 172 | 162 | 11 | 1,831 |
| Total persons | 8,111 | 12,005 | 7,126 | 2,225 | 5,717 | 5,560 | 6,479 | 491 | 48,365 |
| Females | | | | | Per cent | | | | |
| Under 65 | 25.1 | 26.0 | 13.9 | 4.3 | 9.3 | 10.6 | 8.9 | 0.2 | 100.0 |
| 65–69 | 20.3 | 24.7 | 16.1 | 4.8 | 11.0 | 10.6 | 10.6 | 0.9 | 100.0 |
| 70–74 | 18.3 | 27.1 | 14.1 | 4.8 | 11.4 | 10.0 | 12.6 | 0.7 | 100.0 |
| 75–79 | 15.7 | 24.3 | 15.2 | 4.2 | 13.0 | 11.7 | 13.5 | 1.2 | 100.0 |
| 80–84 | 14.0 | 22.0 | 14.4 | 5.1 | 13.8 | 13.8 | 14.7 | 1.3 | 100.0 |
| 85–89 | 12.9 | 22.0 | 13.9 | 4.6 | 13.9 | 14.2 | 16.1 | 1.1 | 100.0 |
| 90–94 | 15.0 | 25.1 | 14.8 | 5.1 | 13.4 | 12.2 | 12.7 | 0.7 | 100.0 |
| 95+ | 18.6 | 32.1 | 16.6 | 3.8 | 9.7 | 9.2 | 8.5 | 0.5 | 100.0 |
| Total females | 15.0 | 23.8 | 14.5 | 4.7 | 13.1 | 12.7 | 13.9 | 1.0 | 100.0 |
| Males | | | | | | | | | |
| Under 65 | 21.0 | 26.9 | 14.5 | 5.5 | 8.8 | 9.9 | 10.6 | 0.7 | 100.0 |
| 65-69 | 21.8 | 25.8 | 16.6 | 5.1 | 8.9 | 7.6 | 12.2 | 0.6 | 100.0 |
| 70–74 | 22.8 | 26.2 | 14.8 | 4.2 | 8.7 | 8.7 | 11.9 | 0.5 | 100.0 |
| 75–79 | 21.3 | 28.7 | 15.4 | 4.6 | 8.2 | 8.3 | 10.8 | 1.1 | 100.0 |
| 80-84 | 20.0 | 26.9 | 14.8 | 4.2 | 10.0 | 8.9 | 12.6 | 1.1 | 100.0 |
| 85–89 | 17.5 | 25.3 | 14.7 | 4.0 | 11.2 | 10.4 | 14.1 | 1.0 | 100.0 |
| 90-94 | 18.5 | 26.0 | 15.2 | 4.4 | 8.4 | 10.4 | 13.9 | 1.4 | 100.0 |
| 95+ | 17.7 | 28.6 | 17.7 | 4.1 | 9.6 | 10.0 | 9.8 | 0.9 | 100.0 |
| JJ ' | | 26.7 | 15.1 | 4.4 | 9.5 | 9.3 | 12.5 | 1.0 | 100.0 |
| Total males | 19.9 | | | | | | | | |
| | 19.9 | | | | | | | | 400.0 |
| Total males | 19.9 22.8 | 26.5 | 14.2 | 5.0 | 9.0 | 10.2 | 9.9 | 0.5 | 100.0 |
| Total males Persons | | | 14.2 16.4 | 5.0 5.0 | | 10.2 9.0 | 9.9 11.5 | 0.5 0.7 | 100.0 |
| Total males Persons Under 65 | 22.8 | 26.5 25.3 26.7 | | | 9.0 9.9 10.1 | | | | 100.0 |
| Total males Persons Under 65 65–69 | 22.8 21.1 | 25.3 | 16.4 | 5.0 | 9.9 | 9.0 | 11.5 | 0.7 | 100.0 |
| Total males Persons Under 65 65–69 70–74 | 22.8 21.1 20.5 | 25.3 26.7 26.1 | 16.4 14.5 15.2 | 5.0 4.5 | 9.9 10.1 | 9.0 9.4 10.3 | 11.5 12.3 | 0.7 0.6 | 100.0 100.0 |
| Total males Persons Under 65 65–69 70–74 75–79 | 22.8 21.1 20.5 18.0 | 25.3 26.7 | 16.4 14.5 | 5.0 4.5 4.4 | 9.9 10.1 11.1 | 9.0 9.4 | 11.5 12.3 12.4 | 0.7 0.6 1.2 | 100.0 100.0 100.0 |
| Total males Persons Under 65 65–69 70–74 75–79 80–84 | 22.8 21.1 20.5 18.0 16.1 | 25.3 26.7 26.1 23.7 | 16.4 14.5 15.2 14.5 | 5.0 4.5 4.4 4.8 | 9.9 10.1 11.1 12.4 | 9.0 9.4 10.3 12.1 | 11.5 12.3 12.4 13.9 | 0.7 0.6 1.2 1.3 | 100.0 100.0 100.0 100.0 100.0 |
| Total males Persons Under 65 65–69 70–74 75–79 80–84 85–89 | 22.8 21.1 20.5 18.0 16.1 14.3 | 25.3 26.7 26.1 23.7 23.0 | 16.4 14.5 15.2 14.5 14.2 | 5.0 4.5 4.4 4.8 4.4 | 9.9 10.1 11.1 12.4 13.1 | 9.0 9.4 10.3 12.1 13.0 | 11.5 12.3 12.4 13.9 15.5 | 0.7 0.6 1.2 1.3 1.0 | 100.0 100.0 100.0 100.0 |

⁽a) The RCS classification is the classification associated with the latest admission. *Note*: This table excludes 1,789 residents whose dependency levels were not reported.

Table 5.5: Separated permanent residents^(a), separation mode by sex and level of dependency at separation, 1 July 2002 to 30 June 2003

| | | High depe | ndency | | | Low deper | ndency | | |
|---------------------------|--------|-----------|--------|-------|----------|-----------|--------|------|--------|
| Sex/ | RCS1 | RCS2 | RCS3 | RCS4 | RCS5 | RCS6 | RCS7 | RCS8 | Total |
| separation mode | | | | | Number | | | | |
| Females | | | | | | | | | |
| Death | 8,496 | 9,284 | 3,477 | 707 | 1,298 | 950 | 872 | 45 | 25,371 |
| Return to community | 135 | 218 | 171 | 52 | 100 | 104 | 180 | 24 | 1,040 |
| To hospital | 73 | 171 | 356 | 150 | 348 | 231 | 160 | 5 | 1,517 |
| To other residential care | 66 | 166 | 246 | 133 | 286 | 203 | 138 | 9 | 1,265 |
| Other | 65 | 81 | 66 | 24 | 61 | 54 | 76 | 23 | 469 |
| Total females | 8,835 | 9,920 | 4,316 | 1,066 | 2,093 | 1,542 | 1,426 | 106 | 29,662 |
| Males | | | | | | | | | |
| Death | 4,895 | 4,984 | 2,023 | 408 | 626 | 522 | 615 | 36 | 14,303 |
| Return to community | 95 | 147 | 113 | 26 | 59 | 65 | 132 | 18 | 704 |
| To hospital | 81 | 120 | 136 | 66 | 148 | 86 | 84 | 7 | 759 |
| To other residential care | 53 | 86 | 98 | 50 | 102 | 78 | 75 | 7 | 558 |
| Other | 42 | 58 | 44 | 16 | 33 | 38 | 76 | 17 | 342 |
| Total males | 5,166 | 5,395 | 2,414 | 566 | 968 | 789 | 982 | 85 | 16,666 |
| Persons | | | | | | | | | |
| Death | 13,391 | 14,268 | 5,500 | 1,115 | 1,924 | 1,472 | 1,487 | 81 | 39,674 |
| Return to community | 230 | 365 | 284 | 78 | 159 | 169 | 312 | 42 | 1,744 |
| To hospital | 154 | 291 | 492 | 216 | 496 | 317 | 244 | 12 | 2,276 |
| To other residential care | 119 | 252 | 344 | 183 | 388 | 281 | 213 | 16 | 1,823 |
| Other | 107 | 139 | 110 | 40 | 94 | 92 | 152 | 40 | 811 |
| Total persons | 14,001 | 15,315 | 6,730 | 1,632 | 3,061 | 2,331 | 2,408 | 191 | 46,328 |
| | | | | | Per cent | | | | |
| Females | | | | | | | | | |
| Death | 33.5 | 36.6 | 13.7 | 2.8 | 5.1 | 3.7 | 3.4 | 0.2 | 100.0 |
| Return to community | 13.0 | 21.0 | 16.4 | 5.0 | 9.6 | 10.0 | 17.3 | 2.3 | 100.0 |
| To hospital | 4.8 | 11.3 | 23.5 | 9.9 | 22.9 | 15.2 | 10.5 | 0.3 | 100.0 |
| To other residential care | 5.2 | 13.1 | 19.4 | 10.5 | 22.6 | 16.0 | 10.9 | 0.7 | 100.0 |
| Other | 13.9 | 17.3 | 14.1 | 5.1 | 13.0 | 11.5 | 16.2 | 4.9 | 100.0 |
| Total females | 29.8 | 33.4 | 14.6 | 3.6 | 7.1 | 5.2 | 4.8 | 0.4 | 100.0 |
| Males | | | | | | | | | |
| Death | 34.2 | 34.8 | 14.1 | 2.9 | 4.4 | 3.6 | 4.3 | 0.3 | 100.0 |
| Return to community | 13.5 | 20.9 | 16.1 | 3.7 | 8.4 | 9.2 | 18.8 | 2.6 | 100.0 |
| To hospital | 10.7 | 15.8 | 17.9 | 8.7 | 19.5 | 11.3 | 11.1 | 0.9 | 100.0 |
| To other residential care | 9.5 | 15.4 | 17.6 | 9.0 | 18.3 | 14.0 | 13.4 | 1.3 | 100.0 |
| Other | 12.3 | 17.0 | 12.9 | 4.7 | 9.6 | 11.1 | 22.2 | 5.0 | 100.0 |
| Total males | 31.0 | 32.4 | 14.5 | 3.4 | 5.8 | 4.7 | 5.9 | 0.5 | 100.0 |
| Persons | | | | | | | | | |
| Death | 33.8 | 36.0 | 13.9 | 2.8 | 4.8 | 3.7 | 3.7 | 0.2 | 100.0 |
| Return to community | 13.2 | 20.9 | 16.3 | 4.5 | 9.1 | 9.7 | 17.9 | 2.4 | 100.0 |
| To hospital | 6.8 | 12.8 | 21.6 | 9.5 | 21.8 | 13.9 | 10.7 | 0.5 | 100.0 |
| To other residential care | 6.5 | 13.8 | 18.9 | 10.0 | 21.3 | 15.4 | 11.7 | 0.9 | 100.0 |
| Other | 13.2 | 17.1 | 13.6 | 4.9 | 11.6 | 11.3 | 18.7 | 4.9 | 100.0 |
| | | | | - | - | - | - | - | |

⁽a) Each person is counted once regardless of the number of separations during the period. The RCS is associated with the last separation in the reporting period.

Note: This table excludes 1,798 residents whose dependency levels were not reported at separation.

Table 5.6: Separated permanent residents^(a), length of stay by sex and level of dependency at separation, 1 July 2002 to 30 June 2003

| | | High dep | endency | | | Low depe | ndency | | |
|----------------|--------|----------|---------|-------|-------|----------|--------|------|--------|
| Sex/ | RCS1 | RCS2 | RCS3 | RCS4 | RCS5 | RCS6 | RCS7 | RCS8 | Total |
| length of stay | | | | | Numb | er | | | |
| Females | | | | | | | | | _ |
| <4 wks | 682 | 617 | 248 | 53 | 93 | 41 | 37 | 3 | 2,009 |
| 4-<8 wks | 523 | 434 | 148 | 46 | 90 | 48 | 40 | 3 | 1,397 |
| 8-<13 wks | 331 | 487 | 181 | 37 | 100 | 75 | 69 | 8 | 1,311 |
| 13-<26 wks | 484 | 777 | 410 | 93 | 212 | 155 | 156 | 8 | 2,302 |
| 26-<39 wks | 331 | 544 | 251 | 73 | 161 | 137 | 119 | 14 | 1,632 |
| 39-<52 wks | 269 | 439 | 283 | 70 | 133 | 125 | 124 | 7 | 1,455 |
| 1-<2 yrs | 1,080 | 1,483 | 769 | 203 | 393 | 316 | 258 | 19 | 4,527 |
| 2-<3 yrs | 1,047 | 1,180 | 522 | 134 | 275 | 180 | 179 | 14 | 3,535 |
| 3-<4 yrs | 872 | 843 | 405 | 94 | 183 | 131 | 107 | 7 | 2,643 |
| 4-<5 yrs | 719 | 759 | 279 | 77 | 128 | 97 | 82 | 5 | 2,148 |
| 5-<8 yrs | 1,604 | 1,431 | 516 | 109 | 194 | 144 | 149 | 12 | 4,163 |
| 8+ yrs | 893 | 926 | 304 | 77 | 131 | 93 | 106 | 6 | 2,540 |
| Total females | 8,835 | 9,920 | 4,316 | 1,066 | 2,093 | 1,542 | 1,426 | 106 | 29,662 |
| Males | | | | | | | | | |
| <4 wks | 703 | 593 | 190 | 31 | 62 | 34 | 26 | 1 | 1,860 |
| 4-<8 wks | 432 | 385 | 108 | 31 | 54 | 40 | 44 | 5 | 1,146 |
| 8-<13 wks | 316 | 393 | 169 | 38 | 64 | 44 | 56 | 6 | 1,106 |
| 13-<26 wks | 460 | 582 | 289 | 64 | 118 | 124 | 125 | 11 | 1,776 |
| 26-<39 wks | 269 | 406 | 195 | 49 | 72 | 69 | 101 | 6 | 1,170 |
| 39-<52 wks | 199 | 306 | 194 | 52 | 70 | 62 | 87 | 5 | 975 |
| 1-<2 yrs | 757 | 848 | 435 | 92 | 170 | 132 | 160 | 14 | 2,610 |
| 2-<3 yrs | 613 | 527 | 256 | 69 | 95 | 86 | 115 | 11 | 1,772 |
| 3-<4 yrs | 427 | 405 | 175 | 35 | 71 | 53 | 75 | 5 | 1,248 |
| 4-<5 yrs | 302 | 279 | 113 | 28 | 61 | 38 | 53 | 3 | 878 |
| 5-<8 yrs | 468 | 458 | 192 | 52 | 82 | 63 | 93 | 13 | 1,423 |
| 8+ yrs | 220 | 213 | 98 | 25 | 49 | 44 | 47 | 5 | 702 |
| Total males | 5,166 | 5,395 | 2,414 | 566 | 968 | 789 | 982 | 85 | 16,666 |
| Persons | | | | | | | | | |
| <4 wks | 1,385 | 1,210 | 438 | 84 | 155 | 75 | 63 | 4 | 3,869 |
| 4-<8 wks | 955 | 819 | 256 | 77 | 144 | 88 | 84 | 8 | 2,543 |
| 8-<13 wks | 647 | 880 | 350 | 75 | 164 | 119 | 125 | 14 | 2,417 |
| 13-<26 wks | 944 | 1,359 | 699 | 157 | 330 | 279 | 281 | 19 | 4,078 |
| 26-<39 wks | 600 | 950 | 446 | 122 | 233 | 206 | 220 | 20 | 2,802 |
| 39-<52 wks | 468 | 745 | 477 | 122 | 203 | 187 | 211 | 12 | 2,430 |
| 1-<2 yrs | 1,837 | 2,331 | 1,204 | 295 | 563 | 448 | 418 | 33 | 7,137 |
| 2-<3 yrs | 1,660 | 1,707 | 778 | 203 | 370 | 266 | 294 | 25 | 5,307 |
| 3–<4 yrs | 1,299 | 1,248 | 580 | 129 | 254 | 184 | 182 | 12 | 3,891 |
| 4–<5 yrs | 1,021 | 1,038 | 392 | 105 | 189 | 135 | 135 | 8 | 3,026 |
| 5–<8 yrs | 2,072 | 1,889 | 708 | 161 | 276 | 207 | 242 | 25 | 5,586 |
| 8+ yrs | 1,113 | 1,139 | 402 | 102 | 180 | 137 | 153 | 11 | 3,242 |
| Total persons | 14,001 | 15,315 | 6,730 | 1,632 | 3,061 | 2,331 | 2,408 | 191 | 46,328 |

Table 5.6 (continued): Separated permanent residents^(a), length of stay by sex and level of dependency at separation, 1 July 2002 to 30 June 2003

| dependency at s | | High depe | | · ,· · | | Low depe | ndency | | |
|-----------------|------|-----------|------|--------|----------|----------|--------|------|-------|
| Sex/ | RCS1 | RCS2 | RCS3 | RCS4 | RCS5 | RCS6 | RCS7 | RCS8 | Total |
| length of stay | | | | | Per cent | | | | |
| Females | | | | | | | | | |
| <4 wks | 33.9 | 30.7 | 12.3 | 2.6 | 4.6 | 2.0 | 1.8 | 0.1 | 100.0 |
| 4-<8 wks | 37.4 | 31.1 | 10.6 | 3.3 | 6.4 | 3.4 | 2.9 | 0.2 | 100.0 |
| 8-<13 wks | 25.2 | 37.1 | 13.8 | 2.8 | 7.6 | 5.7 | 5.3 | 0.6 | 100.0 |
| 13-<26 wks | 21.0 | 33.8 | 17.8 | 4.0 | 9.2 | 6.7 | 6.8 | 0.3 | 100.0 |
| 26-<39 wks | 20.3 | 33.3 | 15.4 | 4.5 | 9.9 | 8.4 | 7.3 | 0.9 | 100.0 |
| 39-<52 wks | 18.5 | 30.2 | 19.5 | 4.8 | 9.1 | 8.6 | 8.5 | 0.5 | 100.0 |
| 1-<2 yrs | 23.9 | 32.8 | 17.0 | 4.5 | 8.7 | 7.0 | 5.7 | 0.4 | 100.0 |
| 2-<3 yrs | 29.6 | 33.4 | 14.8 | 3.8 | 7.8 | 5.1 | 5.1 | 0.4 | 100.0 |
| 3-<4 yrs | 33.0 | 31.9 | 15.3 | 3.6 | 6.9 | 5.0 | 4.0 | 0.3 | 100.0 |
| 4-<5 yrs | 33.5 | 35.3 | 13.0 | 3.6 | 6.0 | 4.5 | 3.8 | 0.2 | 100.0 |
| 5-<8 yrs | 38.5 | 34.4 | 12.4 | 2.6 | 4.7 | 3.5 | 3.6 | 0.3 | 100.0 |
| 8+ yrs | 35.2 | 36.5 | 12.0 | 3.0 | 5.2 | 3.7 | 4.2 | 0.2 | 100.0 |
| Total females | 29.8 | 33.4 | 14.6 | 3.6 | 7.1 | 5.2 | 4.8 | 0.4 | 100.0 |
| Males | | | | | | | | | |
| <4 wks | 37.8 | 31.9 | 10.2 | 1.7 | 3.3 | 1.8 | 1.4 | 0.1 | 100.0 |
| 4-<8 wks | 37.7 | 33.6 | 9.4 | 2.7 | 4.7 | 3.5 | 3.8 | 0.4 | 100.0 |
| 8-<13 wks | 28.6 | 35.5 | 15.3 | 3.4 | 5.8 | 4.0 | 5.1 | 0.5 | 100.0 |
| 13-<26 wks | 25.9 | 32.8 | 16.3 | 3.6 | 6.6 | 7.0 | 7.0 | 0.6 | 100.0 |
| 26-<39 wks | 23.0 | 34.7 | 16.7 | 4.2 | 6.2 | 5.9 | 8.6 | 0.5 | 100.0 |
| 39-<52 wks | 20.4 | 31.4 | 19.9 | 5.3 | 7.2 | 6.4 | 8.9 | 0.5 | 100.0 |
| 1-<2 yrs | 29.0 | 32.5 | 16.7 | 3.5 | 6.5 | 5.1 | 6.1 | 0.5 | 100.0 |
| 2-<3 yrs | 34.6 | 29.7 | 14.4 | 3.9 | 5.4 | 4.9 | 6.5 | 0.6 | 100.0 |
| 3-<4 yrs | 34.2 | 32.5 | 14.0 | 2.8 | 5.7 | 4.2 | 6.0 | 0.4 | 100.0 |
| 4–<5 yrs | 34.4 | 31.8 | 12.9 | 3.2 | 6.9 | 4.3 | 6.0 | 0.3 | 100.0 |
| 5–<8 yrs | 32.9 | 32.2 | 13.5 | 3.7 | 5.8 | 4.4 | 6.5 | 0.9 | 100.0 |
| 8+ yrs | 31.3 | 30.3 | 14.0 | 3.6 | 7.0 | 6.3 | 6.7 | 0.7 | 100.0 |
| Total males | 31.0 | 32.4 | 14.5 | 3.4 | 5.8 | 4.7 | 5.9 | 0.5 | 100.0 |
| Persons | | | | | | | | | |
| <4 wks | 35.8 | 31.3 | 11.3 | 2.2 | 4.0 | 1.9 | 1.6 | 0.1 | 100.0 |
| 4–<8 wks | 37.6 | 32.2 | 10.1 | 3.0 | 5.7 | 3.5 | 3.3 | 0.3 | 100.0 |
| 8–<13 wks | 26.8 | 36.4 | 14.5 | 3.1 | 6.8 | 4.9 | 5.2 | 0.6 | 100.0 |
| 13–<26 wks | 23.1 | 33.3 | 17.1 | 3.8 | 8.1 | 6.8 | 6.9 | 0.5 | 100.0 |
| 26–<39 wks | 21.4 | 33.9 | 15.9 | 4.4 | 8.3 | 7.4 | 7.9 | 0.7 | 100.0 |
| 39–<52 wks | 19.3 | 30.7 | 19.6 | 5.0 | 8.4 | 7.7 | 8.7 | 0.5 | 100.0 |
| 1–<2 yrs | 25.7 | 32.7 | 16.9 | 4.1 | 7.9 | 6.3 | 5.9 | 0.5 | 100.0 |
| 2–<3 yrs | 31.3 | 32.2 | 14.7 | 3.8 | 7.0 | 5.0 | 5.5 | 0.5 | 100.0 |
| 3–<4 yrs | 33.4 | 32.1 | 14.9 | 3.3 | 6.5 | 4.7 | 4.7 | 0.3 | 100.0 |
| 4–<5 yrs | 33.7 | 34.3 | 13.0 | 3.5 | 6.2 | 4.5 | 4.5 | 0.3 | 100.0 |
| 5–<8 yrs | 37.1 | 33.8 | 12.7 | 2.9 | 4.9 | 3.7 | 4.3 | 0.4 | 100.0 |
| 8+ yrs | 34.3 | 35.1 | 12.4 | 3.1 | 5.6 | 4.2 | 4.7 | 0.3 | 100.0 |
| Total persons | 30.2 | 33.1 | 14.5 | 3.5 | 6.6 | 5.0 | 5.2 | 0.4 | 100.0 |

Table 5.6 (continued): Separated permanent residents^(a), length of stay by sex and level of dependency at separation, 1 July 2002 to 30 June 2003

| | | High depe | endency | | ı | Low depe | ndency | | |
|----------------|-------|-----------|---------|-------|------------|----------|--------|-------|-------|
| Sex/ | RCS1 | RCS2 | RCS3 | RCS4 | RCS5 | RCS6 | RCS7 | RCS8 | Total |
| length of stay | | | | Р | er cent (c | olumn) | | | |
| Females | | | | | | | | | |
| <4 wks | 7.7 | 6.2 | 5.7 | 5.0 | 4.4 | 2.7 | 2.6 | 2.8 | 6.8 |
| 4-<8 wks | 5.9 | 4.4 | 3.4 | 4.3 | 4.3 | 3.1 | 2.8 | 2.8 | 4.7 |
| 8-<13 wks | 3.7 | 4.9 | 4.2 | 3.5 | 4.8 | 4.9 | 4.8 | 7.5 | 4.4 |
| 13-<26 wks | 5.5 | 7.8 | 9.5 | 8.7 | 10.1 | 10.1 | 10.9 | 7.5 | 7.8 |
| 26-<39 wks | 3.7 | 5.5 | 5.8 | 6.8 | 7.7 | 8.9 | 8.3 | 13.2 | 5.5 |
| 39-<52 wks | 3.0 | 4.4 | 6.6 | 6.6 | 6.4 | 8.1 | 8.7 | 6.6 | 4.9 |
| 1-<2 yrs | 12.2 | 14.9 | 17.8 | 19.0 | 18.8 | 20.5 | 18.1 | 17.9 | 15.3 |
| 2-<3 yrs | 11.9 | 11.9 | 12.1 | 12.6 | 13.1 | 11.7 | 12.6 | 13.2 | 11.9 |
| 3-<4 yrs | 9.9 | 8.5 | 9.4 | 8.8 | 8.7 | 8.5 | 7.5 | 6.6 | 8.9 |
| 4-<5 yrs | 8.1 | 7.7 | 6.5 | 7.2 | 6.1 | 6.3 | 5.8 | 4.7 | 7.2 |
| 5-<8 yrs | 18.2 | 14.4 | 12.0 | 10.2 | 9.3 | 9.3 | 10.4 | 11.3 | 14.0 |
| 8+ yrs | 10.1 | 9.3 | 7.0 | 7.2 | 6.3 | 6.0 | 7.4 | 5.7 | 8.6 |
| Total females | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Males | | | | | | | | | |
| <4 wks | 13.6 | 11.0 | 7.9 | 5.5 | 6.4 | 4.3 | 2.6 | 1.2 | 11.2 |
| 4-<8 wks | 8.4 | 7.1 | 4.5 | 5.5 | 5.6 | 5.1 | 4.5 | 5.9 | 6.9 |
| 8-<13 wks | 6.1 | 7.3 | 7.0 | 6.7 | 6.6 | 5.6 | 5.7 | 7.1 | 6.6 |
| 13-<26 wks | 8.9 | 10.8 | 12.0 | 11.3 | 12.2 | 15.7 | 12.7 | 12.9 | 10.7 |
| 26-<39 wks | 5.2 | 7.5 | 8.1 | 8.7 | 7.4 | 8.7 | 10.3 | 7.1 | 7.0 |
| 39-<52 wks | 3.9 | 5.7 | 8.0 | 9.2 | 7.2 | 7.9 | 8.9 | 5.9 | 5.9 |
| 1-<2 yrs | 14.7 | 15.7 | 18.0 | 16.3 | 17.6 | 16.7 | 16.3 | 16.5 | 15.7 |
| 2-<3 yrs | 11.9 | 9.8 | 10.6 | 12.2 | 9.8 | 10.9 | 11.7 | 12.9 | 10.6 |
| 3-<4 yrs | 8.3 | 7.5 | 7.2 | 6.2 | 7.3 | 6.7 | 7.6 | 5.9 | 7.5 |
| 4-<5 yrs | 5.8 | 5.2 | 4.7 | 4.9 | 6.3 | 4.8 | 5.4 | 3.5 | 5.3 |
| 5-<8 yrs | 9.1 | 8.5 | 8.0 | 9.2 | 8.5 | 8.0 | 9.5 | 15.3 | 8.5 |
| 8+ yrs | 4.3 | 3.9 | 4.1 | 4.4 | 5.1 | 5.6 | 4.8 | 5.9 | 4.2 |
| Total males | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Persons | | | | | | | | | |
| <4 wks | 9.9 | 7.9 | 6.5 | 5.1 | 5.1 | 3.2 | 2.6 | 2.1 | 8.4 |
| 4-<8 wks | 6.8 | 5.3 | 3.8 | 4.7 | 4.7 | 3.8 | 3.5 | 4.2 | 5.5 |
| 8-<13 wks | 4.6 | 5.7 | 5.2 | 4.6 | 5.4 | 5.1 | 5.2 | 7.3 | 5.2 |
| 13-<26 wks | 6.7 | 8.9 | 10.4 | 9.6 | 10.8 | 12.0 | 11.7 | 9.9 | 8.8 |
| 26-<39 wks | 4.3 | 6.2 | 6.6 | 7.5 | 7.6 | 8.8 | 9.1 | 10.5 | 6.0 |
| 39-<52 wks | 3.3 | 4.9 | 7.1 | 7.5 | 6.6 | 8.0 | 8.8 | 6.3 | 5.2 |
| 1-<2 yrs | 13.1 | 15.2 | 17.9 | 18.1 | 18.4 | 19.2 | 17.4 | 17.3 | 15.4 |
| 2-<3 yrs | 11.9 | 11.1 | 11.6 | 12.4 | 12.1 | 11.4 | 12.2 | 13.1 | 11.5 |
| 3-<4 yrs | 9.3 | 8.1 | 8.6 | 7.9 | 8.3 | 7.9 | 7.6 | 6.3 | 8.4 |
| 4-<5 yrs | 7.3 | 6.8 | 5.8 | 6.4 | 6.2 | 5.8 | 5.6 | 4.2 | 6.5 |
| 5-<8 yrs | 14.8 | 12.3 | 10.5 | 9.9 | 9.0 | 8.9 | 10.0 | 13.1 | 12.1 |
| 8+ yrs | 7.9 | 7.4 | 6.0 | 6.3 | 5.9 | 5.9 | 6.4 | 5.8 | 7.0 |
| Total persons | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

 ⁽a) Each person is counted once regardless of the number of separations the resident has during the period. The last length of stay is the length of stay evaluated from the last separation in the period. Transfers are not regarded as separations.
 Note: This table excludes 1,789 residents whose dependency levels were not reported.

Glossary

Admission day

The first day of a person's stay in an aged care service. In the case of a person transferring between services, where the time between leaving one service and entering another is less than 2 days, it is the date of the initial admission. Permanent and respite admissions are treated separately. For example, if a person transfers from a respite stay to a permanent stay, a new permanent admission is created.

Aged Care Assessment Team (ACAT)

A multidisciplinary team of health professionals responsible for determining eligibility for entry to residential aged care.

Care recipient

A person assessed by an Aged Care Assessment Team as having significant care needs which can be appropriately met through the provision of residential care, community care, and/or flexible care.

High care residents

A high care resident is one who is assigned to classification levels 1–4 using the Resident Classification Scale. The level of care required is broadly equivalent to the nursing home care provided under the previous system of residential care.

Hostel for the aged

A hostel is a care service in which residents receive hostel care or personal care services unless designated as a co-habitee. In this publication all references to hostels are to hostels for the aged, that is, those hostels designed to provide services to older people. A small number of young people with disabilities live in hostels for the aged. Hostels specifically established for young people with a disability are not included in this publication. Following the introduction of the *Aged Care Act 1997* hostels no longer exist as legal entities. Current practice in the Australian Department of Health and Ageing is to refer to both former nursing homes and former hostels as 'residential aged care services'.

Length of stay

The length of stay of a separated resident is based upon the time between the date of admission and the date of separation. For a current resident, it is the time between the date of admission and 30 June 2003. The admission day and the specified day (30 June 2003) are included but the separation day is excluded from the calculation of length of stay.

Low care residents

A low care resident is one who is assigned to classification levels 5–8 using the Resident Classification Scale. The level of care required is broadly equivalent to the hostel level of care provided under the previous system of residential care.

Nursing home for the aged

These include all nursing homes approved under the National Health Act other than nursing homes for disabled people. In this publication all references to nursing homes are to nursing homes for the aged. There has been a small number of young people with disabilities living in nursing homes for the aged. Following the introduction of the *Aged Care Act 1997* nursing homes no longer exist as legal entities. Current practice in the Australian Department of Health and Ageing is to refer to both former nursing homes and former hostels as 'residential aged care services'.

Permanent admission

A permanent admission is an admission to residential aged care for probable long-term care purposes.

Permanent care

A resident in residential aged care is under permanent care if this resident entered the service as a permanent admission.

Permanent resident

A resident who is admitted to residential aged care for permanent care (long-term care).

Personal Care Assessment Instrument (PCAI)

The PCAI was forwarded under the previous system of residential care to Australian Government offices in states and territories by hostels for each resident who may have been eligible for a personal care subsidy. On the basis of the information provided, residents were assigned to one of three service-need categories for the purpose of funding. The three categories were Personal Care High, Personal Care Intermediate and Personal Care Low. The PCAI categories were used in previous reports in this series to measure the level of dependency based on the assumption that the level of dependency positively relates to the level of care needs. This classification system has been replaced by the Resident Classification Scale (RCS) (see below).

Place-day

A place-day is a day on which a care recipient is occupying a place. The day that a care recipient enters residential aged care and the day he or she leaves are counted as one day.

Remoteness

The remoteness classification used in this report is based on the Australian Standard Geographical Classification Remoteness Structure developed by the Australian Bureau of Statistics. This categorises all Census Collection Districts (CDs) in Australia according to their remoteness, based on physical road distance to the nearest urban centre. Remoteness is measured by the Accessibility/Remoteness Index of Australia (ARIA) (ABS 2001). The structure of the classification is as follows:

Major cities CDs with an average ARIA index value of 0 to 0.2

Inner regional CDs with an average ARIA index value greater than 0.2 and

less than or equal to 2.4

Outer regional CDs with an average ARIA index value greater than 2.4 and

less than or equal to 5.92

Remote CDs with an average ARIA index value greater than 5.92 and

less than or equal to 10.53

Very remote CDs with an average ARIA index value greater than 10.53.

Resident

A resident is a person who has been assessed by an Aged Care Assessment Team as requiring residential care and who resides in an Australian Government funded aged care service.

Resident Classification Instrument (RCI)

The RCI was, under the previous system, forwarded to Australian Government state offices by nursing homes for each resident admitted. On the basis of the information provided, residents were assigned to one of five service-need categories for the purpose of funding. Category 1 represented the highest level of care needs and category 5 the lowest. The RCI categories were used in previous reports in this series to measure the level of dependency based on the assumption that the level of dependency positively relates to the level of care needs. This classification system has been replaced by the RCS (see below).

Resident Classification Scale (RCS)

The RCS is an instrument which assesses a care recipient's care needs. This scale has 8 classification levels ranging from low care (RCS 8) to high care (RCS 1), with each level having a specified subsidy level which is paid to the provider for providing the required care to the care recipient. The RCS was introduced with the amalgamation of hostels and nursing homes into one system of care on 1 October 1997, replacing the RCI (nursing homes) and the PCAI (hostels).

Residential aged care service

A service which consists of a number of approved places at a specific location.

Residential care

Personal and/or nursing care that is provided to a person in a residential care service in which the person is also provided with accommodation that includes appropriate staffing, meals, cleaning services, and furnishings, furniture and equipment, for the provision of that care and accommodation.

Respite admission

A respite admission is a short-term admission to residential aged care for respite care purposes.

Respite care

Respite care is care given as an alternative care arrangement with the primary purpose of giving the carer or a care recipient a short-term break from their usual care arrangement.

Respite resident

A respite resident is one who is admitted to residential aged care for respite care.

Separation

A separation occurs when a person is discharged from residential aged care and has not reentered the same or another service within 2 days.

Separation day

A separation day is the last day of a person's stay in an aged care service; the day on which the person leaves the service. In the case of a person transferring between services, where the time between leaving one service and entering another is less than 2 days, this is not viewed as a separation in terms of length of stay calculations.

Separation mode

The separation mode indicates the destination of a resident at separation, including death.

SPARC

The System for the Payment of Aged Residential Care (SPARC) is the current payment system for residential aged care.

Transfer

A transfer occurs where a person leaves an aged care service on one day and is admitted to another within 2 days.

Usual housing status

Usual housing status refers to housing tenure prior to the resident's application for admission to residential aged care.

References

ABS (Australian Bureau of Statistics) 1997. 1996 census dictionary. Cat. no. 2901.0. Canberra: ABS.

ABS (Australian Bureau of Statistics) 2001. Australian Standard Geographical Classification (ASGC) 2001. Cat. no. 1216.0. Canberra: ABS.

AIHW (Australian Institute of Health and Welfare) 1995. Australia's welfare 1995: services and assistance. Canberra: AIHW.

AIHW (Australian Institute of Health and Welfare) 1997. Australia's welfare 1997: services and assistance. Canberra: AIHW.

AIHW (Australian Institute of Health and Welfare) 1999. Residential aged care facilities in Australia 1998: a statistical overview. AIHW cat. no. AGE 14. Canberra: AIHW and Department of Health and Family Services (Aged Care Statistics Series).

AIHW (Australian Institute of Health and Welfare) 2000. Residential aged care facilities in Australia 1998–99: a statistical overview. AIHW cat. no. AGE 16. Canberra: AIHW (Aged Care Statistics Series no. 7).

AIHW (Australian Institute of Health and Welfare) 2001. Residential aged care in Australia 1999–00: a statistical overview. AIHW cat. no. AGE 19. Canberra: AIHW (Aged Care Statistics Series no. 9).

AIHW (Australian Institute of Health and Welfare) 2002. Residential aged care in Australia 2000–01: a statistical overview. AIHW cat. no. AGE 22. Canberra: AIHW (Aged Care Statistics Series no. 11).

AIHW (Australian Institute of Health and Welfare) 2003a. Australia's welfare 2003. Canberra: AIHW.

AIHW (Australian Institute of Health and Welfare) 2003b. Residential aged care in Australia 2001–02: a statistical overview. AIHW cat. no. AGE 29. Canberra: AIHW (Aged Care Statistics Series no. 13).

AIHW (Australian Institute of Health and Welfare) 2004a. Community Aged Care Packages census 2002. AIHW cat. no. AGE 35. Canberra: AIHW (Aged Care Statistics Series no. 17).

AIHW (Australian Institute of Health and Welfare) 2004b. Community Aged Care Packages in Australia 2002–2003 (forthcoming).