

APPENDIX 4

ICD-10-AM CODES USED IN THIS PUBLICATION

DIAGNOSIS CODES

| <i>Categories/Subcategories</i> | <i>ICD-10-AM codes</i> |
|--|---|
| Certain infectious and parasitic diseases | A00–B99 |
| Intestinal infectious diseases | A00–A09 |
| Tuberculosis | A15–A19 |
| Other bacterial diseases | A30–A49 |
| Septicaemia | A40–A41 |
| Pneumococcal septicaemia | A40.3 |
| Infectious sexual transmission | A50–A64 |
| Viral infections | A80–B19 |
| Viral hepatitis | B15–B19 |
| Other and unspecified infectious and parasitic diseases | A20–A28, A65–A69, A70–A74, A75–A79, B20–B24, B25–B34, B35–B99 |
| Neoplasms | C00–D48 |
| Malignant neoplasms | C00–C96 |
| In Situ, benign and neoplasms of uncertain or unknown behaviour | D00–D48 |
| Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism | D50–D89 |
| Endocrine, nutritional and metabolic disease | E00–E90 |
| Type 1 diabetes | E10 |
| Type 2 diabetes | E11 |
| Mental and behavioural disorders | F00–F99 |
| Organic mental disorders | F00–F09 |
| Mental disorders due to psychoactive substance abuse | F10–F19 |
| Schizophrenia, schizotypal & delusional disorders | F20–F29 |
| Mood and neurotic disorders | F30–F48 |
| Other mental disorders | F50–F99 |
| Diseases of the nervous system | G00–G99 |
| Meningitis | G00–G03 |
| Diseases of the eye and adnexa | H00–H59 |
| Diseases of the ear and mastoid process | H60–H95 |
| Otitis media | H65–H67 |
| Diseases of the circulatory system | I00–I99 |
| Rheumatic heart disease | I00–I02, I05–I09 |
| Hypertensive disease | I10–I15 |
| Ischaemic heart disease | I20–I25 |
| Other heart disease | I26–I28, I30–I52 |
| Cerebrovascular disease | I60–I69 |
| Diseases of the respiratory system | J00–J99 |
| Influenza | J10–J11 |
| Pneumonia | J12–J18 |
| Pneumococcal pneumonia | J13 |
| COPD | J41–J44 |
| Asthma | J45–J46 |

...continued

DIAGNOSIS CODES — *continued*

| <i>Categories/Subcategories</i> | <i>ICD-10-AM codes</i> |
|--|--|
| Diseases of the digestive system | K00–K93 |
| Diseases of the skin and subcutaneous tissue | L00–L99 |
| Diseases of the musculoskeletal system and connective system | M00–M99 |
| Diseases of the genitourinary system | N00–N99 |
| Chronic kidney disease | N01–N07, N11–N15, N18–N20, N25–N28 |
| Kidney Infections | N10–N12, N13.6, N15.1 |
| Pregnancy, childbirth and puerperium | O00–O99 |
| Certain conditions originating in the perinatal period | P00–P96 |
| Congenital malformations, deformations and chromosomal abnormalities | Q00–Q99 |
| Symptoms, signs and abnormal clinical and laboratory findings, n.e.c. | R00–R99 |
| Injury, poisoning and certain other consequences of external causes | S00–T98 |
| Injuries | S00–T19 |
| Burns and frostbite | T20–T35 |
| Poisoning | T36–T50 |
| Toxic effects | T51–T65 |
| Other effects of external causes, early complications of trauma | T66–T79, T89 |
| Complications of surgical and medical care, n.e.c. | T80–T88 |
| Sequelae of injuries, poisoning, external causes | T90–T98 |
| External causes of morbidity and mortality | V01–Y98 |
| Transport accidents | V01–V99 |
| Accidental falls | W00–W19 |
| Exposure to inanimate mechanical forces | W20–W49 |
| Exposure to animate mechanical forces | W50–W64 |
| Exposure to electric current/ smoke/fire/venomous animals/nature | W85–Y09 |
| Accidental poisoning | X40–X49 |
| Other accidental exposures | X50–X59 |
| Intentional self-harm | X60–X84 |
| Assault | X85–Y09 |
| Complications of medical and surgical care | Y40–Y84 |
| Other external causes | W65–84, Y10–Y36, Y85–Y98 |
| Factors influencing health status and contact with health services | Z00–Z99 |
| Care involving dialysis | Z49 |

Source: AIHW

PROCEDURE CODES

| <i>Chapter/Subcategories</i> | <i>ICD-10-AM blocks</i> |
|--|-------------------------|
| Procedures on nervous system | 1–86 |
| Procedures on endocrine system | 110–129 |
| Procedures on eye and adnexa | 160–256 |
| Procedures on ear and mastoid process | 300–333 |
| Procedures on nose, mouth and pharynx | 370–422 |
| Dental services | 450–490 |
| Procedures on respiratory system | 520–569 |
| Procedures on cardiovascular system | 600–767 |
| Procedures on blood and blood-forming organs | 800–817 |
| Procedures on digestive system | 850–1011 |
| Procedures on urinary system | 1040–1128 |
| Haemodialysis | 1059 |
| Procedures on male genital organs | 1160–1203 |
| Gynaecological procedures | 1230–1299 |
| Obstetric procedures | 1330–1347 |
| Procedures on musculoskeletal system | 1360–1579 |
| Dermatological and plastic procedures | 1600–1718 |
| Procedures on breast | 1740–1759 |
| Chemotherapeutic and radiation oncology procedures | 1780–1799 |
| Non-invasive, cognitive and interventions, ne.c. | 1820–1916 |
| Imaging services | 1940–2016 |

Source: AIHW

APPENDIX 5
**ESTIMATES AND PROJECTIONS OF THE INDIGENOUS
POPULATION — 1991–2006**

| Year | New South Wales | Victoria | Queensland | South Australia | Western Australia | Tasmania | Northern Territory | Australian Capital Territory | Australia(a) |
|---|-----------------|----------|------------|-----------------|-------------------|----------|--------------------|------------------------------|---------------------|
| EXPERIMENTAL ESTIMATED RESIDENT POPULATION(b) | | | | | | | | | |
| 1991 | 97 784 | 20 259 | 93 191 | 19 809 | 50 891 | 13 783 | 46 874 | 2 614 | 345 381 |
| 1992 | 100 027 | 20 678 | 95 341 | 20 204 | 51 859 | 14 058 | 47 850 | 2 699 | 352 897 |
| 1993 | 102 375 | 21 127 | 97 590 | 20 633 | 52 873 | 14 351 | 48 817 | 2 785 | 360 736 |
| 1994 | 104 799 | 21 586 | 99 884 | 21 083 | 53 910 | 14 654 | 49 788 | 2 872 | 368 765 |
| 1995 | 107 284 | 22 073 | 102 257 | 21 557 | 55 031 | 14 975 | 50 811 | 2 964 | 377 146 |
| 1996 | 109 925 | 22 598 | 104 817 | 22 051 | 56 205 | 15 322 | 51 876 | 3 058 | 386 049 |
| 2001 | 134 888 | 27 846 | 125 910 | 25 544 | 65 931 | 17 384 | 56 875 | 3 909 | 458 520 |
| PROJECTED POPULATION — LOW SERIES(c) | | | | | | | | | |
| 1996 | 109 925 | 22 598 | 104 817 | 22 051 | 56 205 | 15 322 | 51 876 | 3 058 | 386 049 |
| 1997 | 112 167 | 23 002 | 107 558 | 22 503 | 57 263 | 15 581 | 52 782 | 3 161 | 394 214 |
| 1998 | 114 411 | 23 403 | 110 324 | 22 953 | 58 321 | 15 841 | 53 687 | 3 266 | 402 404 |
| 1999 | 116 652 | 23 801 | 113 111 | 23 405 | 59 382 | 16 106 | 54 587 | 3 372 | 410 615 |
| 2000 | 118 895 | 24 195 | 115 919 | 23 857 | 60 441 | 16 373 | 55 480 | 3 480 | 418 841 |
| 2001 | 121 142 | 24 586 | 118 749 | 24 313 | 61 505 | 16 644 | 56 364 | 3 589 | 427 094 |
| 2002 | 123 405 | 24 974 | 121 601 | 24 770 | 62 577 | 16 917 | 57 236 | 3 699 | 435 381 |
| 2003 | 125 692 | 25 363 | 124 473 | 25 229 | 63 658 | 17 193 | 58 096 | 3 809 | 443 715 |
| 2004 | 128 006 | 25 753 | 127 375 | 25 692 | 64 752 | 17 470 | 58 944 | 3 921 | 452 114 |
| 2005 | 130 348 | 26 145 | 130 311 | 26 161 | 65 857 | 17 747 | 59 780 | 4 034 | 460 583 |
| 2006 | 132 716 | 26 541 | 133 288 | 26 633 | 66 976 | 18 023 | 60 610 | 4 149 | 469 135 |
| PROJECTED POPULATION — HIGH SERIES(b) | | | | | | | | | |
| 1996 | 109 925 | 22 598 | 104 817 | 22 051 | 56 205 | 15 322 | 51 876 | 3 058 | 386 049 |
| 1997 | 117 912 | 23 541 | 111 004 | 22 969 | 58 342 | 16 727 | 53 147 | 3 377 | 407 216 |
| 1998 | 126 402 | 24 507 | 117 454 | 23 907 | 60 522 | 18 257 | 54 416 | 3 723 | 429 386 |
| 1999 | 135 421 | 25 496 | 124 174 | 24 866 | 62 744 | 19 923 | 55 680 | 4 099 | 452 602 |
| 2000 | 144 994 | 26 507 | 131 169 | 25 848 | 65 005 | 21 739 | 56 928 | 4 508 | 476 899 |
| 2001 | 155 159 | 27 540 | 138 446 | 26 852 | 67 313 | 23 715 | 58 162 | 4 950 | 502 339 |
| 2002 | 165 958 | 28 595 | 146 010 | 27 878 | 69 669 | 25 863 | 59 377 | 5 428 | 528 981 |
| 2003 | 177 433 | 29 677 | 153 865 | 28 927 | 72 076 | 28 196 | 60 570 | 5 944 | 556 891 |
| 2004 | 189 629 | 30 784 | 162 029 | 29 999 | 74 534 | 30 731 | 61 738 | 6 504 | 586 151 |
| 2005 | 202 579 | 31 918 | 170 515 | 31 098 | 77 042 | 33 480 | 62 885 | 7 110 | 616 830 |
| 2006 | 216 323 | 33 079 | 179 338 | 32 220 | 79 600 | 36 465 | 64 015 | 7 766 | 649 009 |

(a) Includes Jervis Bay Territory.

(b) Final at 30 June 2001, backcasting for 1997–2000 not available at time of publication.

(c) See text for details about 'low series' and 'high series' estimates and projections.

Source: ABS 1998c, ABS 1998d, ABS 2003a, ABS data available on request.

APPENDIX 6
**EXPERIMENTAL INDIGENOUS ESTIMATED RESIDENT
POPULATION(a) — 30 JUNE 2001**

| <i>Age group (years)</i> | <i>Aboriginal(b)</i> | <i>Torres Strait Islander(b)</i> | <i>Aboriginal and Torres Strait Islander</i> | <i>Total Indigenous</i> |
|--------------------------|----------------------|----------------------------------|--|-------------------------|
| MALES | | | | |
| 0-4 | 27 063 | 1 890 | 1 598 | 30 551 |
| 5-9 | 28 580 | 1 934 | 1 551 | 32 065 |
| 10-14 | 26 111 | 1 782 | 1 259 | 29 152 |
| 15-19 | 21 049 | 1 494 | 983 | 23 526 |
| 20-24 | 16 557 | 1 295 | 748 | 18 600 |
| 25-29 | 16 190 | 1 184 | 695 | 18 069 |
| 30-34 | 14 936 | 1 032 | 598 | 16 566 |
| 35-39 | 13 181 | 887 | 544 | 14 612 |
| 40-44 | 11 140 | 797 | 534 | 12 471 |
| 45-49 | 8 854 | 706 | 373 | 9 933 |
| 50-54 | 6 731 | 562 | 318 | 7 611 |
| 55-59 | 4 500 | 365 | 224 | 5 089 |
| 60-64 | 3 191 | 292 | 140 | 3 623 |
| 65-69 | 2 143 | 248 | 98 | 2 489 |
| 70-74 | 1 277 | 142 | 54 | 1 473 |
| 75 and over | 1 436 | 188 | 72 | 1 696 |
| <i>Total</i> | 202 939 | 14 798 | 9 789 | 227 526 |
| FEMALES | | | | |
| 0-4 | 26 359 | 1 752 | 1 542 | 29 653 |
| 5-9 | 26 789 | 1 796 | 1 382 | 29 967 |
| 10-14 | 24 448 | 1 593 | 1 263 | 27 304 |
| 15-19 | 20 671 | 1 399 | 983 | 23 053 |
| 20-24 | 16 826 | 1 241 | 742 | 18 809 |
| 25-29 | 17 409 | 1 207 | 733 | 19 349 |
| 30-34 | 16 572 | 1 032 | 692 | 18 296 |
| 35-39 | 14 561 | 883 | 621 | 16 065 |
| 40-44 | 11 885 | 773 | 456 | 13 114 |
| 45-49 | 9 307 | 737 | 381 | 10 425 |
| 50-54 | 7 128 | 574 | 316 | 8 018 |
| 55-59 | 4 799 | 353 | 211 | 5 363 |
| 60-64 | 3 685 | 344 | 156 | 4 185 |
| 65-69 | 2 498 | 248 | 113 | 2 859 |
| 70-74 | 1 692 | 223 | 66 | 1 981 |
| 75 and over | 2 161 | 286 | 106 | 2 553 |
| <i>Total</i> | 206 790 | 14 441 | 9 763 | 230 994 |

(a) Final rebased experimental Indigenous estimated resident population as at 30 June 2001.

(b) Excludes those people who identified as both Aboriginal and Torres Strait Islander origin.

Source: ABS data available on request.