

Section F

F1. About what proportion of your friends and acquaintances consume alcohol?

(Mark one response only)



- All
- Most
- About half
- A few
- None

F2. Have you ever tried alcohol?



Yes

No (Skip to F22)

F3. Have you ever had a full serve of alcohol? (e.g. a glass of wine, a whole nip of spirits, a glass of beer, etc.)



Yes

No (Skip to F22)

F4. About what age were you when you had your first full serve of alcohol?



Age in years:

F5. Who supplied you with the first glass of alcohol you consumed?

(Mark one response only)



- Friend or acquaintance
- Brother or sister
- Parent
- Spouse or partner
- Other relative
- Stole it
- Purchased it myself from retailer (e.g. pub, bottleshop)
- Other
- Can't recall

F6a. Have you had an alcoholic drink of any kind in the last 12 months?



Yes (Skip to F7) No (Continue)

F6b. About what age were you when you last had an alcoholic drink?



Age in years:

(If non-drinker in past 12 months skip to F22 after answering F6b)

F7. In the last 12 months, how often did you have an alcoholic drink of any kind?

(Mark one response only)



- Every day
- 5 to 6 days a week
- 3 to 4 days a week
- 1 to 2 days a week
- 2 to 3 days a month
- About 1 day a month
- Less often
- No longer drink (Skip to F11)

F8. What type of alcohol do you usually drink?

(Mark all that apply)



- Cask wine
- Bottled wine
- Regular strength beer (greater than 4% Alc/Vol)
- Mid strength beer (3% to 3.9% Alc/Vol)
- Low alcohol beer (1% to 2.9% Alc/Vol)
- Home-brewed beer
- Pre-mixed spirits in a can (e.g. UDL, Jim Beam & Cola)
- Bottled spirits and liqueurs (e.g. scotch, brandy, vodka, rum, Kahlua, Midori, Baileys, etc.)
- Pre-mixed spirits in a bottle (e.g. Bacardi Breezer, Subzero, Lemon Ruski/Stoli)
- Cider
- Fortified wine, port, vermouth, sherry, etc.
- Other

F9. Where do you usually drink alcohol?

(Mark all that apply)



- In my own home
- At a friend's house
- At a party at someone's house
- At raves/dance parties
- At restaurants/cafés
- At licensed premises (e.g. pubs, clubs)
- At school, TAFE, university, etc.
- At my workplace
- In public places (e.g. parks)
- In a car or other vehicle
- Somewhere else

F10. Where do you usually obtain your alcohol now?

(Mark one response only)



- Friend or acquaintance
- Brother or sister
- Parent
- Spouse or partner
- Other relative
- Steal it
- Purchase it myself from retailer
(e.g. pub, bottleshop)
- Get stranger/someone not
known to me to get it
- Other

F11. In the last 12 months have you . . . ?

(Mark all that apply)



- Reduced the amount of alcohol
you drink at any one time
- Reduced the number of
times you drink
- Switched to drinking more
low-alcohol drinks than
you used to
- Stopped drinking alcohol
- None of the above (Skip to F13)

F12. What was the main reason for doing that?

(Mark one response only)



- Health reasons (e.g. weight,
diabetes, avoid hangover)
- Life style reasons
(e.g. work/study commitments,
less opportunity, young family)
- Social reasons (e.g. believe in
moderation, concerned about
violence, avoid getting drunk)
- Pregnant and/or breastfeeding
- Taste/enjoyment (e.g. prefer
low alcohol beer, don't get drunk)
- Drink driving regulations
- Financial reasons
- Peer pressure
- Other

If you no longer drink alcohol (at F7) – Skip to F15


F13. On a day that you have an alcoholic drink, how many standard drinks do you usually have? (see the coloured 'Standard Drinks Guide' provided to you, or the chart on page 3).

(Mark one response only)



- 13 or more drinks
- 11 – 12 drinks
- 7 – 10 drinks
- 5 – 6 drinks
- 3 – 4 drinks
- 1 – 2 drinks

Reminder:



Are you filling in the boxes correctly?



Are you shading the boxes fully for any mistakes?



F14. When you have an alcoholic drink, how often do you do any of the following?

(Mark one response for each row below)

	Always	Most of the time	Sometimes	Rarely	Never
Count the number of drinks you have	<input type="checkbox"/>				
Deliberately alternate between alcoholic and non-alcoholic drinks	<input type="checkbox"/>				
Make a point of eating while consuming alcohol	<input type="checkbox"/>				
Quench your thirst by having a non-alcoholic drink before having alcohol	<input type="checkbox"/>				
Only drink low-alcohol drinks	<input type="checkbox"/>				
Limit the number of drinks you have in an evening (e.g. when driving)	<input type="checkbox"/>				
Refuse an alcoholic drink you are offered because you really don't want it	<input type="checkbox"/>				

F15. Please record how often in the last 12 months you have had each of the following number of standard drinks in a day?

(Mark one response for each row below)



	Every day	5 – 6 days a week	3 – 4 days a week	1 – 2 days a week	2 – 3 days a month	About 1 day a month	Less often	Never
20 or more standard drinks a day	<input type="checkbox"/>							
11 – 19 standard drinks a day	<input type="checkbox"/>							
7 – 10 standard drinks a day	<input type="checkbox"/>							
5 – 6 standard drinks a day	<input type="checkbox"/>							
3 – 4 standard drinks a day	<input type="checkbox"/>							
1 – 2 standard drinks a day	<input type="checkbox"/>							
Less than 1 standard drink a day	<input type="checkbox"/>							
None	<input type="checkbox"/>							

F16. Please mark the day of the week that is today.

(Mark one response only)



- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- Sunday

F17. How many standard alcoholic drinks did you have yesterday?



Number of drinks:

If less than 1, please indicate to the nearest fraction:

$\frac{1}{4}$ $\frac{1}{2}$ $\frac{3}{4}$

None (Skip to F19)



The question on the next page asks how many cans, bottles, glasses or nips of alcohol did you drink yesterday.

HERE IS AN EXAMPLE OF HOW TO ANSWER THE QUESTION ON THE NEXT PAGE:

BEER	Beer Cans (375-440mL)	Small Beer Bottles (330-375 mL)	Large Beer Bottles (Approx. 750mL)	Small Beer Glass (210mL)	Medium Beer Glass (285mL)*	Large Beer Glass (425mL)	Other size (write in)
							<i>English Pint Glass</i>
Home-brewed beer							
Regular strength beer (greater than 4% Alc/Vol)						2	
Mid strength beer (3% to 3.9% Alc/Vol)							
Low alcohol beer (1% to 2.9% Alc/Vol)		1					2

* NSW, WA, ACT = Middy; VIC, QLD, TAS = Pot; NT = Handle; SA = Schooner

Yesterday, this person had 2 large beer glasses of regular strength beer, 1 small bottle of Low Alcohol Beer and 2 English pints of Low Alcohol Beer.

Notes -

- Small Beer Bottles (330-375 mL) – e.g. Stubbies, echos, half-bottles of wine, premixed spirit bottles, cider bottles, etc.
- Large Beer Glass (425 mL) – e.g. 15 oz, schooners in NSW, pints in SA, etc.
- Medium Beer Glass (285 mL) – e.g. 10 oz, middies in NSW, pots in VIC and QLD, schooners in SA, handles in NT, etc.
- Small Beer Glass (210 mL) – e.g. small beer glass (7 oz, butchers, ponies) etc.

OFFICE USE ONLY:

1	2	3	4	5	6	7
<input style="width: 40px; height: 25px;" type="text"/>						

F18. How many bottles, glasses, cans or nips of alcohol did you drink yesterday? Please write in the number for each type of drink below:



BEER	Beer Cans (375-440mL)	Small Beer Bottles (330-375mL)	Large Beer Bottles (Approx. 750mL)	Small Beer Glass (210 mL)	Medium Beer Glass (285 mL)*	Large Beer Glass (425mL)	Other size (write in)	1	
	Home-brewed beer								
Regular strength beer (greater than 4% Alc/Vol)									
Mid strength beer (3% to 3.9% Alc/Vol)									
Low alcohol beer (1% to 2.9% Alc/Vol)									
* NSW, WA, ACT = Middy; VIC, QLD, TAS = Pot; NT = Handle; SA = Schooner									
WINE		Small Wine Bottles (375mL)	Large Wine Bottles (750mL)	Small Wine Glass (120mL)	Medium Wine Glass (180mL)	Large Wine Glass (220mL)	Other size (write in)	2	
	Home-made wine								
Cask wine									
Bottled wine									
PRE-MIXED SPIRITS		Pre-mixed Spirit Cans (375-440mL)	Pre-mixed Spirit Bottles (Approx. 300mL)	Large pre-mixed Spirit Bottles (Approx. 650mL)			Other size (write in)	3	
	Pre-mixed spirits in cans (e.g. UDL, Jim Beam & Cola)								
Pre-mixed spirits in bottles (e.g. Lemon Ruski, Stoli, Bacardi Breezer)									
STRAIGHT SPIRITS (NOT PRE-MIXED)		Mini Spirit Bottles (50 mL)	Small Spirit Bottles (Approx. 350mL)	Large Spirit Bottles (700mL)	Single measure or one nip (30 mL)	Double measure or two nips (60 mL)	Triple measure or three nips (90 mL)	Other size (write in)	4
	Bottled spirits and liqueurs (e.g. Gin, Vodka, Rum, Kahlua)								
ALCOHOLIC CIDER		Cider Cans (375 mL)	Small Cider Bottles (375 mL)	Large Cider Bottles (750 mL)	Small Cider Glass (210 mL)	Medium Cider Glass (285 mL)	Large Cider Glass (425 mL)	Other size (write in)	5
	Cider								
OTHER		Cans (375 mL)	Small Bottles (375 mL)	Large Bottles (750 mL)	Small Glass (60 mL)	Medium Glass (120 mL)	Large Glass (180 mL)	Other size (write in)	6
	Fortified wine, port, vermouth, sherry, etc.								
Other (please write in)									



F19. In the **last 12 months**, about how often have you been **unable to remember** afterwards what happened while you were drinking?
(Mark one response only)



- Every day
- 5 to 6 days a week
- 3 to 4 days a week
- 1 to 2 days a week
- 2 to 3 days a month
- About 1 day a month
- Less often but at least once
- Never

F20. During the **last 12 months**, did you find that you couldn't stop or cut down on your use of alcohol, even though you wanted to or tried to?



Yes No

F21. Have you ever found that you drank alcohol much more often or in larger amounts than you intended?



Yes No

ALL PLEASE ANSWER

F22. At the present time do you consider yourself. . . ?
(Mark one response only)



- A non-drinker
- An ex-drinker
- An occasional drinker
- A light drinker
- A social drinker
- A heavy drinker
- A binge drinker

Just as a reminder, this survey is conducted under the *AIHW Act*, which prohibits the release of individuals' information collected from this survey. The information you provide in the following sections may appear to be self-incriminating, however, your individual information cannot be revealed and you will not be identified from the responses you provide.

Section G

FOR THIS SURVEY, THE TERM 'NON-MEDICAL PURPOSES' MEANS DRUGS USED:

1. either alone or with other drugs in order to induce or enhance a drug experience;
2. for performance enhancement (e.g. athletic); or
3. for cosmetic purposes (e.g. body shaping).

The term illicit drug and illegal drug are used interchangeably to describe each of the following:

- Any drug which is illegal to possess or use;
- Any legal drug used in an illegal manner, for example:
 - A drug obtained on prescription but given or sold to another person to use;
 - Glue or petrol which is sold legally, but is used in a manner that is not intended, such as inhaling fumes; or
 - Stolen pharmaceuticals sold on the black market (e.g. Pethidine).

G1. About what proportion of your friends and acquaintances use Pain killers/Analgesics for **non-medical** purposes?
(e.g. Aspirin, Paracetamol, Mersyndol)
(Mark one response only)



- All
- Most
- About half
- A few
- None

G2. Have you ever used Pain killers/Analgesics for **non-medical** purposes?



Yes (Continue) No (Skip to H1)



G3. About what age were you when you first used Pain killers/Analgesics for **non-medical** purposes?



Age in years:

G4. Have you used Pain killers/Analgesics for **non-medical** purposes in the **last 12 months**?



Yes (Continue) No (Skip to H1)



G5. During the last 12 months, did you find that you couldn't stop or cut down on your use of Pain killers/Analgesics for **non-medical** purposes, even though you wanted to or tried to?



Yes No

G6. Have you used Pain killers/Analgesics for **non-medical** purposes in the **last month**?



Yes (Continue) No (Skip to G8)