

Australian Capital Territory

Profiles with graph

Diseases of the circulatory system.....	156
Ischaemic heart disease	158
Cerebrovascular disease	160
All causes	162

Profiles without graph

Acute myocardial infarction.....	164
Other ischaemic heart disease	165

Total number of deaths only

Rheumatic fever and rheumatic heart disease.....	166
Hypertensive disease.....	166
Heart failure.....	166
Congestive heart failure.....	166
Atherosclerosis	166
Peripheral vascular disease	166
Other diseases of the circulatory system	166

**ICD-9: 390–459
Diseases of the circulatory system**


**ACT
Males**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
Deaths (number)															
< 25	1	2	2	1	1	1	1	3	1	0	0	0			
25–34	3	2	2	0	2	1	1	0	4	0	2	4			
35–44	6	4	4	12	5	7	2	9	4	4	4	6			
45–54	18	14	10	14	12	11	22	17	12	23	17	22			
55–59	22	16	20	19	9	12	25	14	15	10	10	11			
60–64	28	25	23	27	24	26	20	17	32	11	18	16			
65–69	33	35	25	41	31	34	32	34	29	33	34	35			
70–74	20	29	35	35	25	27	33	30	35	28	36	35			
75–84	40	43	44	59	56	62	56	52	70	82	78	68			
85+	10	16	20	18	14	21	21	25	19	22	30	31			
Not stated	0	0	1	0	0	0	0	0	0	0	0	0			
25–74	130	125	119	148	108	118	135	121	131	109	121	129			
All ages	181	186	186	226	179	202	213	201	221	213	229	228			
Age-specific rates (per million population)															
< 25	18	36	35	17	17	17	17	49	16	0	0	0			
25–34	137	91	89	0	84	41	41	0	161	0	78	155			
35–44	321	202	191	549	221	298	84	371	163	164	164	248	-4.4	44.1	
45–54	1,622	1,216	836	1,122	913	804	1,525	1,118	743	1,325	926	1,146	-1.2	16.9	
55–59	4,929	3,527	4,324	4,098	1,891	2,481	5,194	2,848	3,022	1,956	1,867	1,950	-7.0 **	-7.4	
60–64	8,610	7,005	6,077	7,098	6,227	6,472	4,922	4,164	7,702	2,604	4,239	3,772	-6.4 **	-4.2	
65–69	16,248	17,098	11,431	17,191	11,760	11,972	10,296	10,407	8,547	9,646	9,640	9,837	-5.5 **	21.2	
70–74	15,083	20,153	22,465	22,110	15,006	15,670	18,825	15,831	16,746	12,158	14,504	12,849	-3.8 *	-6.7	
75–84	39,643	38,154	35,060	44,833	40,433	41,499	34,483	29,731	36,515	40,474	36,740	30,951	-1.5	-14.2	
85+	64,935	96,970	114,286	87,805	65,116	85,020	77,778	88,028	63,758	66,465	81,081	75,426	-1.8	5.7	
All ages: Crude and age-standardised rates (per million population)															
Crude	1,515	1,519	1,481	1,744	1,349	1,486	1,543	1,425	1,528	1,444	1,526	1,507			
Age std	3,977	4,159	3,985	4,428	3,469	3,722	3,538	3,231	3,298	3,182	3,278	2,979	-3.0 **	-2.6 **	
Ages 25–74: Crude and age-standardised rates (per million population)															
Crude	2,069	1,923	1,765	2,120	1,493	1,578	1,767	1,545	1,635	1,326	1,439	1,510			
Age std	3,291	3,274	2,922	3,480	2,417	2,514	2,730	2,339	2,453	1,902	2,084	2,073	-4.8 **	6.6 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: *p < 0.05, **p < 0.01.




ICD-9: 390–459
Diseases of the circulatory system
ACT
Females

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
Deaths (number)															
< 25	1	0	0	0	0	1	0	0	0	1	0	0			
25–34	0	0	1	0	0	1	1	2	1	0	0	1			
35–44	2	1	2	2	1	6	2	2	1	2	1	2			
45–54	8	4	7	8	2	5	8	6	5	2	4	4			
55–59	5	6	4	5	4	4	2	7	5	10	6	5			
60–64	8	21	11	10	7	4	5	11	7	17	8	8			
65–69	19	24	11	17	14	13	9	9	16	19	7	20			
70–74	23	28	30	30	21	32	25	21	18	26	28	25			
75–84	53	72	64	53	71	72	75	69	77	71	89	90			
85+	42	41	48	67	60	60	61	62	66	76	68	102			
Not stated	0	0	0	0	0	0	0	0	0	0	0	0			
25–74	65	84	66	72	49	65	52	58	53	76	54	65			
All ages	161	197	178	192	180	198	188	189	196	224	211	257			
Age-specific rates (per million population)															
< 25	19	0	0	0	0	17	0	0	0	17	0	0			
25–34	0	0	43	0	0	41	41	81	40	0	0	40			
35–44	109	51	98	93	44	255	83	82	40	80	40	81	-3.7	19.9	
45–54	776	373	631	684	162	384	583	413	325	121	228	217	-10.1 *	3.1	
55–59	1,139	1,370	904	1,167	926	918	452	1,559	1,070	2,065	1,185	943	1.6	-32.4	
60–64	2,336	5,599	2,753	2,521	1,741	988	1,230	2,706	1,720	4,127	1,970	1,961	-3.8	-1.0	
65–69	7,793	9,728	4,275	6,168	4,690	3,976	2,565	2,457	4,212	4,969	1,814	5,219	-7.3 **	124.6 *	
70–74	13,016	14,470	14,313	13,966	9,477	14,004	10,629	8,592	6,672	8,962	8,852	7,359	-6.2 **	-2.4	
75–84	30,131	37,815	30,948	24,594	30,407	28,962	28,206	24,287	25,271	22,036	26,378	25,409	-2.8 *	10.5	
85+	86,242	77,652	78,947	112,040	96,000	89,686	86,158	82,557	85,161	89,835	72,187	102,513	0.1	25.8	
All ages: Crude and age-standardised rates (per million population)															
Crude	1,347	1,606	1,414	1,485	1,356	1,453	1,358	1,339	1,355	1,525	1,418	1,718			
Age std	2,779	3,179	2,644	2,772	2,551	2,581	2,349	2,201	2,187	2,339	2,079	2,401	-2.8 **	18.3 **	
Ages 25–74: Crude and age-standardised rates (per million population)															
Crude	1,022	1,278	973	1,029	677	869	680	739	656	923	644	765			
Age std	1,623	1,995	1,446	1,556	1,041	1,281	989	1,041	913	1,294	860	1,017	-5.9 **	21.7 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: *p < 0.05, **p < 0.01.



Source: Australian Institute of Health and Welfare

Diseases of the circulatory system, Australian Capital Territory, females, age-standardised mortality rates (all ages) and fitted trend

**ICD-9: 410–414
Ischaemic heart disease**


**ACT
Males**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
Deaths (number)															
< 25	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	1	0	0	0	1	1	0	0	1	0	2	2	2		
35–44	6	4	4	7	3	5	2	8	1	3	1	3	3		
45–54	14	12	8	13	8	6	18	11	10	13	14	19	19		
55–59	17	13	15	12	8	10	20	10	9	8	9	8	8		
60–64	14	20	18	18	16	17	13	12	26	8	10	13	13		
65–69	19	23	18	31	22	24	29	20	18	21	23	23	23		
70–74	16	20	23	23	15	13	23	20	22	18	25	22	22		
75–84	25	22	33	30	22	31	32	27	40	44	40	42	42		
85+	7	1	10	11	6	10	8	12	6	11	10	12	12		
Not stated	0	0	1	0	0	0	0	0	0	0	0	0	0		
25–74	87	92	86	104	73	76	105	81	87	71	84	90	90		
All ages	119	115	130	145	101	117	145	120	133	126	134	144	144		
Age-specific rates (per million population)															
< 25	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	46	0	0	0	42	41	0	0	40	0	78	77	77		
35–44	321	202	191	320	133	213	84	330	41	123	41	124	124	-9.8 *	44.1
45–54	1,262	1,042	668	1,042	608	439	1,248	723	619	749	762	990	990	-1.8	50.3
55–59	3,809	2,865	3,243	2,588	1,681	2,068	4,155	2,035	1,813	1,565	1,681	1,418	1,418	-7.1 *	-11.9
60–64	4,305	5,604	4,756	4,732	4,152	4,232	3,200	2,939	6,258	1,894	2,355	3,065	3,065	-5.3 *	8.7
65–69	9,355	11,236	8,230	12,998	8,346	8,451	9,331	6,122	5,305	6,139	6,521	6,464	6,464	-5.7 **	16.0
70–74	12,066	13,899	14,763	14,529	9,004	7,545	13,120	10,554	10,526	7,816	10,073	8,076	8,076	-4.3 *	-7.4
75–84	24,777	19,521	26,295	22,796	15,884	20,750	19,704	15,437	20,866	21,718	18,841	19,117	19,117	-1.6	3.7
85+	45,455	6,061	57,143	53,659	27,907	40,486	29,630	42,254	20,134	33,233	27,027	29,197	29,197	-3.3	4.3
All ages: Crude and age-standardised rates (per million population)															
Crude	996	939	1,035	1,119	761	861	1,051	851	920	854	893	952	952		
Age std	2,570	2,129	2,649	2,697	1,774	2,002	2,212	1,808	1,846	1,799	1,768	1,769	1,769	-3.6 **	6.6 **
Ages 25–74: Crude and age-standardised rates (per million population)															
Crude	1,385	1,416	1,276	1,490	1,009	1,017	1,375	1,035	1,086	864	999	1,054	1,054		
Age std	2,179	2,348	2,079	2,449	1,617	1,574	2,104	1,545	1,630	1,242	1,429	1,424	1,424	-5.0 **	8.9 **

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: *p < 0.05, **p < 0.01.




ICD-9: 410–414
Ischaemic heart disease
ACT
Females

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
Deaths (number)															
< 25	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	0	0	0	0	0	0	0	0	0	0	0	0	1		
35–44	2	0	0	0	0	0	1	1	0	1	0	1	1		
45–54	6	1	3	3	0	1	5	2	3	1	1	2			
55–59	2	4	3	4	2	3	1	4	4	5	4	1			
60–64	7	12	3	6	5	1	3	7	6	4	1	3			
65–69	7	16	8	9	8	13	5	7	9	11	4	7			
70–74	14	19	18	15	12	22	12	12	14	11	14	15			
75–84	27	32	36	25	31	31	46	38	40	37	46	46			
85+	12	15	19	25	23	18	22	21	32	33	20	43			
Not stated	0	0	0	0	0	0	0	0	0	0	0	0			
25–74	38	52	35	37	27	40	27	33	36	33	24	30			
All ages	77	99	90	87	81	89	95	92	108	103	90	119			
Age-specific rates (per million population)															
< 25	0	0	0	0	0	0	0	0	0	0	0	0			
25–34	0	0	0	0	0	0	0	0	0	0	0	40			
35–44	109	0	0	0	0	0	42	41	0	40	0	41			
45–54	582	93	270	257	0	77	365	138	195	61	57	109	-11.9 *	43.9	
55–59	455	913	678	933	463	689	226	891	856	1,033	790	189	-0.8	-78.2	
60–64	2,044	3,199	751	1,512	1,244	247	738	1,722	1,474	971	246	735	-10.2 *	20.4	
65–69	2,871	6,486	3,109	3,266	2,680	3,976	1,425	1,911	2,369	2,877	1,037	1,827	-8.6 *	16.5	
70–74	7,923	9,819	8,588	6,983	5,415	9,628	5,102	4,910	5,189	3,792	4,426	4,416	-7.4 **	13.8	
75–84	15,350	16,807	17,408	11,601	13,276	12,470	17,300	13,376	13,128	11,484	13,634	12,987	-2.0	4.8	
85+	24,641	28,409	31,250	41,806	36,800	26,906	31,073	27,963	41,290	39,007	21,231	43,216	1.7	35.5	
All ages: Crude and age-standardised rates (per million population)															
Crude	644	807	715	673	610	653	686	652	746	701	605	795			
Age std	1,296	1,572	1,363	1,252	1,139	1,173	1,193	1,076	1,202	1,077	895	1,111	-3.0 **	15.4 **	
Ages 25–74: Crude and age-standardised rates (per million population)															
Crude	598	791	516	529	373	535	353	421	446	401	286	353			
Age std	923	1,260	805	809	584	845	511	608	635	556	382	460	-7.8 **	9.1 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: *p < 0.05, **p < 0.01.



Source: Australian Institute of Health and Welfare

Ischaemic heart disease, Australian Capital Territory, females, age-standardised mortality rates (all ages) and fitted trend

**ICD-9: 430–438
Cerebrovascular disease**


**ACT
Males**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
Deaths (number)															
< 25	1	0	2	0	0	1	0	1	0	0	0	0	0		
25–34	0	0	1	0	1	0	0	0	1	0	0	0	2		
35–44	0	0	0	1	2	2	0	0	1	1	2	2	2		
45–54	1	2	1	0	0	2	2	3	1	1	0	1	1		
55–59	3	1	4	4	0	1	0	1	2	1	1	1	2		
60–64	6	2	3	3	3	2	3	2	2	2	7	1	1		
65–69	7	7	2	2	4	3	0	7	5	4	3	4	4		
70–74	3	5	6	5	5	7	5	4	4	3	2	5	5		
75–84	4	8	7	18	15	21	13	12	15	18	15	12	12		
85+	2	12	5	5	4	3	5	4	8	4	5	10	10		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	20	17	17	15	15	17	10	17	16	12	15	17	17		
All ages	27	37	31	38	34	42	28	34	39	34	35	39			
Age-specific rates (per million population)															
< 25	18	0	35	0	0	17	0	16	0	0	0	0	0		
25–34	0	0	45	0	42	0	0	0	40	0	0	77	77		
35–44	0	0	0	46	88	85	0	0	41	41	82	83	83		
45–54	90	174	84	0	0	146	139	197	62	58	0	52	52		
55–59	672	220	865	863	0	207	0	203	403	196	187	354	354		
60–64	1,845	560	793	789	778	498	738	490	481	473	1,649	236	236	-4.8	-66.9
65–69	3,447	3,420	914	839	1,517	1,056	0	2,143	1,474	1,169	851	1,124	1,124	-8.5	44.2
70–74	2,262	3,475	3,851	3,159	3,001	4,063	2,852	2,111	1,914	1,303	806	1,836	1,836	-8.4	33.9
75–84	3,964	7,098	5,578	13,678	10,830	14,056	8,005	6,861	7,825	8,885	7,065	5,462	5,462	-1.8	-36.3
85+	12,987	72,727	28,571	24,390	18,605	12,146	18,519	14,085	26,846	12,085	13,514	24,331	24,331	-6.4	107.9
All ages: Crude and age-standardised rates (per million population)															
Crude	226	302	247	293	256	309	203	241	270	230	233	258	258		
Age std	597	1,200	708	932	755	858	574	588	700	568	519	566	566	-4.5 **	4.9 **
Ages 25–74: Crude and age-standardised rates (per million population)															
Crude	318	262	252	215	207	227	131	217	200	146	178	199	199		
Age std	550	499	409	350	350	381	227	340	296	215	256	266	266	-7.1 **	26.6 **

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: *p < 0.05, **p < 0.01.




**ICD-9: 430–438
Cerebrovascular disease**
**ACT
Females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
Deaths (number)															
< 25	0	0	0	0	0	0	0	0	0	1	0	0			
25–34	0	0	1	0	0	1	1	0	1	0	0	0			
35–44	0	0	1	1	1	2	0	1	1	0	1	0			
45–54	0	3	4	3	1	4	1	2	0	1	1	1			
55–59	2	0	0	1	0	0	0	1	0	2	1	3			
60–64	1	5	2	4	0	2	1	2	0	7	1	3			
65–69	5	5	3	2	3	0	2	0	2	3	1	7			
70–74	7	8	4	7	3	2	4	2	0	6	7	6			
75–84	14	20	13	16	19	15	20	21	12	14	18	24			
85+	17	7	13	22	22	13	15	13	19	12	14	28			
Not stated	0	0	0	0	0	0	0	0	0	0	0	0			
25–74	15	21	15	18	8	11	9	8	4	19	12	20			
All ages	46	48	41	56	49	39	44	42	35	46	44	72			
Age-specific rates (per million population)															
< 25	0	0	0	0	0	0	0	0	0	17	0	0			
25–34	0	0	43	0	0	41	41	0	40	0	0	0			
35–44	0	0	49	46	44	85	0	41	40	0	40	0			
45–54	0	280	360	257	81	307	73	138	0	61	57	54			
55–59	455	0	0	233	0	0	0	223	0	413	197	566			
60–64	292	1,333	501	1,008	0	494	246	492	0	1,699	246	735	–0.1	41.1	
65–69	2,051	2,027	1,166	726	1,005	0	570	0	526	785	259	1,827	–7.4	797.8 **	
70–74	3,962	4,134	1,908	3,259	1,354	875	1,701	818	0	2,068	2,213	1,766	–8.1	77.1	
75–84	7,959	10,504	6,286	7,425	8,137	6,034	7,522	7,392	3,938	4,345	5,335	6,776	–4.5	48.4	
85+	34,908	13,258	21,382	36,789	35,200	19,432	21,186	17,310	24,516	14,184	14,862	28,141	–3.1	79.1 *	
All ages: Crude and age-standardised rates (per million population)															
Crude	385	391	326	433	369	286	318	298	242	313	296	481			
Age std	822	779	595	805	704	490	556	492	392	477	430	676	–4.7 **	77.5 **	
Ages 25–74: Crude and age-standardised rates (per million population)															
Crude	236	319	221	257	111	147	118	102	50	231	143	236			
Age std	396	499	307	368	166	175	170	130	57	327	186	321	–6.8 **	158.2 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: *p < 0.05, **p < 0.01.



Source: Australian Institute of Health and Welfare

Cerebrovascular disease, Australian Capital Territory, females, age-standardised mortality rates (all ages) and fitted trend

**ICD-9: 001–999
All causes**


**ACT
Males**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
Deaths (number)															
< 25	47	65	60	60	66	62	41	63	59	44	40	40			
25–34	15	30	20	16	24	24	37	18	21	26	36	26			
35–44	21	23	27	30	30	34	22	37	41	33	23	41			
45–54	46	44	39	41	52	43	50	54	41	61	55	64			
55–59	40	39	43	49	34	28	48	36	35	21	35	43			
60–64	51	55	53	60	62	65	55	65	70	39	58	45			
65–69	62	65	52	66	64	74	57	84	74	78	73	76			
70–74	51	67	66	79	58	67	60	69	75	66	77	90			
75–84	80	85	82	120	108	128	121	118	134	160	179	153			
85+	20	33	44	35	36	41	46	50	55	50	56	66			
Not stated	1	0	2	0	0	0	0	0	0	0	0	0			
25–74	286	323	300	341	324	335	329	363	357	324	357	385			
All ages	434	506	488	556	534	566	537	594	605	578	632	644			
Age-specific rates (per million population)															
< 25	848	1,157	1,058	1,029	1,123	1,044	686	1,037	947	698	630	633	-4.1 **	-14.7	
25–34	683	1,358	893	694	1,014	992	1,520	730	845	1,027	1,399	1,004	1.9	-14.3	
35–44	1,123	1,162	1,292	1,373	1,326	1,448	921	1,525	1,670	1,350	944	1,695	1.6	27.7	
45–54	4,146	3,821	3,259	3,287	3,955	3,143	3,465	3,550	2,539	3,514	2,995	3,335	-1.8	12.5	
55–59	8,963	8,596	9,297	10,569	7,144	5,790	9,973	7,325	7,051	4,107	6,536	7,621	-3.6 *	32.8	
60–64	15,683	15,410	14,003	15,773	16,087	16,181	13,537	15,920	16,847	9,233	13,660	10,608	-2.6 *	-19.6	
65–69	30,527	31,754	23,777	27,673	24,279	26,056	18,340	25,712	21,810	22,800	20,697	21,360	-3.2 *	7.1	
70–74	38,462	46,560	42,362	49,905	34,814	38,886	34,227	36,412	35,885	28,658	31,023	33,040	-3.4 **	11.2	
75–84	79,286	75,421	65,339	91,185	77,978	85,676	74,507	67,467	69,901	78,973	84,315	69,640	-0.4	-10.3	
85+	129,870	200,000	251,429	170,732	167,442	165,992	170,370	176,056	184,564	151,057	151,351	160,584	-1.6	2.5	
All ages: Crude and age-standardised rates (per million population)															
Crude	3,634	4,132	3,887	4,290	4,023	4,165	3,891	4,211	4,183	3,918	4,211	4,257			
Age std	8,481	9,413	8,847	9,598	8,548	8,827	8,001	8,222	8,139	7,571	7,965	7,555	-1.7 **	-1.9 **	
Ages 25–74: Crude and age-standardised rates (per million population)															
Crude	4,552	4,970	4,450	4,886	4,478	4,481	4,307	4,636	4,455	3,943	4,246	4,507			
Age std	7,118	7,725	6,694	7,558	6,513	6,631	6,054	6,591	6,221	5,304	5,684	5,842	-2.6 **	6.3 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: *p < 0.05, **p < 0.01.




ICD-9: 001–999
All causes
ACT
Females

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
Deaths (number)															
< 25	48	43	29	27	37	32	23	30	31	28	15	18			
25–34	11	10	5	5	13	8	8	11	11	5	12	15			
35–44	13	13	25	24	20	26	24	19	17	14	13	16			
45–54	33	22	26	31	29	23	21	39	33	22	33	33			
55–59	20	24	22	21	19	20	15	18	25	25	21	24			
60–64	26	40	35	34	38	21	22	40	33	35	25	26			
65–69	40	41	37	52	38	45	34	47	46	51	38	49			
70–74	50	51	49	61	43	58	57	41	52	66	60	60			
75–84	93	107	105	112	134	128	147	160	133	132	146	172			
85+	64	73	74	105	93	89	92	103	110	118	115	165			
Not stated	0	0	1	0	0	0	0	0	0	0	0	0			
25–74	193	201	199	228	200	201	181	215	217	218	202	223			
All ages	404	424	410	472	472	450	443	508	491	499	478	578			
Age-specific rates (per million population)															
< 25	894	789	524	477	644	549	393	507	516	463	247	299	-7.9 **	-8.7	
25–34	480	434	216	213	544	329	328	445	436	198	472	593	2.1	60.8	
35–44	709	669	1,220	1,111	885	1,105	999	775	682	563	526	650	-4.2	0.8	
45–54	3,202	2,051	2,343	2,652	2,354	1,767	1,531	2,687	2,145	1,332	1,880	1,792	-4.0 *	8.6	
55–59	4,555	5,478	4,972	4,901	4,397	4,590	3,389	4,010	5,349	5,163	4,146	4,528	-0.8	3.3	
60–64	7,593	10,664	8,761	8,571	9,453	5,186	5,412	9,840	8,108	8,497	6,158	6,373	-2.5	-9.0	
65–69	16,407	16,619	14,380	18,868	12,730	13,761	9,689	12,831	12,108	13,337	9,850	12,787	-3.6 *	23.7	
70–74	28,297	26,357	23,378	28,399	19,404	25,383	24,235	16,776	19,274	22,751	18,969	17,663	-3.7 **	-4.6	
75–84	52,871	56,197	50,774	51,972	57,388	51,488	55,284	56,318	43,649	40,968	43,272	48,560	-2.0 *	11.1	
85+	131,417	138,258	121,711	175,585	148,800	133,034	129,944	137,150	141,935	139,480	122,081	165,829	0.4	25.3 *	
All ages: Crude and age-standardised rates (per million population)															
Crude	3,380	3,457	3,258	3,651	3,556	3,303	3,201	3,599	3,394	3,397	3,212	3,864			
Age std	5,959	6,041	5,428	6,248	5,839	5,364	5,140	5,497	5,041	4,934	4,465	5,191	-2.1 **	11.3 **	
Ages 25–74: Crude and age-standardised rates (per million population)															
Crude	3,035	3,058	2,933	3,259	2,765	2,687	2,366	2,741	2,687	2,647	2,409	2,626			
Age std	4,447	4,351	4,036	4,571	3,803	3,674	3,200	3,579	3,507	3,556	3,023	3,256	-3.2 **	6.3 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: *p < 0.05, **p < 0.01.



Source: Australian Institute of Health and Welfare

All causes, Australian Capital Territory, females, age-standardised mortality rates (all ages) and fitted trend

ICD-9: 410
Acute myocardial infarction
ACT
Males and females

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
Males															
Deaths (number)															
< 25	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	1	0	0	0	1	1	0	0	0	0	0	0	1		
35–44	2	3	3	5	3	5	2	3	0	2	1	3			
45–54	12	9	5	7	5	3	14	7	7	10	7	11			
55–59	11	12	10	10	4	8	14	5	6	7	8	5			
60–64	12	15	12	11	11	15	10	7	20	2	4	8			
65–69	14	18	14	21	11	13	20	11	10	15	15	11			
70–74	7	18	17	14	12	8	14	9	17	11	12	14			
75–84	22	14	26	22	17	20	17	15	24	27	27	26			
85+	3	1	7	4	2	6	4	7	4	6	4	7			
Not stated	0	0	1	0	0	0	0	0	0	0	0	0			
25–74	59	75	61	68	47	53	74	42	60	47	47	53			
All ages	84	90	95	94	66	79	95	64	88	80	78	86			
Age-specific rates (per million population)															
< 25	0	0	0	0	0	0	0	0	0	0	0	0			
25–34	46	0	0	0	42	41	0	0	0	0	0	39			
35–44	107	152	144	229	133	213	84	124	0	82	41	124	-7.7	111.1	
45–54	1,082	782	418	561	380	219	970	460	434	576	381	573	-4.0	44.3	
55–59	2,465	2,645	2,162	2,157	841	1,654	2,909	1,017	1,209	1,369	1,494	886	-7.2 *	-26.1	
60–64	3,690	4,203	3,170	2,892	2,854	3,734	2,461	1,714	4,813	473	942	1,886	-8.0 *	18.7	
65–69	6,893	8,793	6,401	8,805	4,173	4,577	6,435	3,367	2,947	4,385	4,253	3,092	-8.0 **	-5.4	
70–74	5,279	12,509	10,911	8,844	7,203	4,643	7,986	4,749	8,134	4,776	4,835	5,140	-6.1 **	6.6	
75–84	21,804	12,422	20,717	16,717	12,274	13,387	10,468	8,576	12,520	13,327	12,718	11,834	-4.2 *	13.9	
85+	19,481	6,061	40,000	19,512	9,302	24,291	14,815	24,648	13,423	18,127	10,811	17,032	-2.9	17.3	
All ages: Crude and age-standardised rates (per million population)															
Crude	703	735	757	725	497	581	688	454	608	542	520	569			
Age std	1,800	1,630	1,957	1,692	1,137	1,306	1,354	972	1,207	1,107	1,022	1,061	-5.7 **	14.2 **	
Ages 25–74: Crude and age-standardised rates (per million population)															
Crude	939	1,154	905	974	650	709	969	536	749	572	559	620			
Age std	1,430	1,932	1,503	1,591	1,040	1,054	1,446	792	1,139	806	794	830	-6.9 **	8.5 **	
Females															
Deaths (number)															
< 25	0	0	0	0	0	0	0	0	0	0	0	0			
25–34	0	0	0	0	0	0	0	0	0	0	0	0			
35–44	0	0	0	0	0	0	1	1	0	1	0	1			
45–54	3	1	3	2	0	1	4	1	3	1	1	2			
55–59	2	3	3	3	2	1	1	3	2	3	3	1			
60–64	4	8	2	5	3	1	3	6	5	2	1	2			
65–69	5	14	7	7	6	8	3	5	5	1	2	4			
70–74	13	13	10	9	9	19	8	9	11	5	8	11			
75–84	19	24	26	22	20	22	27	25	19	26	26	34			
85+	7	9	9	14	15	7	12	8	20	19	14	19			
Not stated	0	0	0	0	0	0	0	0	0	0	0	0			
25–74	27	39	25	26	20	30	20	25	26	13	15	22			
All ages	53	72	60	62	55	59	59	58	65	58	55	75			
Age-specific rates (per million population)															
< 25	0	0	0	0	0	0	0	0	0	0	0	0			
25–34	0	0	0	0	0	0	0	0	0	0	0	40			
35–44	0	0	0	0	0	0	42	41	0	40	0	41			
45–54	291	93	270	171	0	77	292	69	195	61	57	109			
55–59	455	685	678	700	463	230	226	668	428	620	592	189	-3.5	-62.0	
60–64	1,168	2,133	501	1,260	746	247	738	1,476	1,229	486	246	490	-8.4	-9.0	
65–69	2,051	5,675	2,721	2,540	2,010	2,446	855	1,365	1,316	262	518	1,044	-15.5 **	92.6	
70–74	7,357	6,718	4,771	4,190	4,061	8,315	3,401	3,682	4,077	1,724	2,529	3,238	-8.4 **	33.6	
75–84	10,802	12,605	12,573	10,209	8,565	8,850	10,154	8,800	6,236	8,070	7,706	9,599	-3.6	39.6	
85+	14,374	17,045	14,803	23,411	24,000	10,463	16,949	10,652	25,806	22,459	14,862	19,095	1.1	1.4	
All ages: Crude and age-standardised rates (per million population)															
Crude	443	587	477	480	414	433	426	411	449	395	370	501			
Age std	910	1,145	906	897	768	779	729	674	715	608	543	700	-4.9 **	28.3 **	
Ages 25–74: Crude and age-standardised rates (per million population)															
Crude	425	593	368	372	277	401	261	319	322	158	179	259			
Age std	689	951	564	564	432	641	373	461	457	208	236	329	-9.4 **	30.4 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: *p < 0.05, **p < 0.01.

ICD-9: 411–414
Other ischaemic heart disease
ACT
Males and females

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
Males															
Deaths (number)															
< 25	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	0	0	0	0	0	0	0	0	1	0	2	1			
35–44	4	1	1	2	0	0	0	5	1	1	0	0			
45–54	2	3	3	6	3	3	4	4	3	3	7	8			
55–59	6	1	5	2	4	2	6	5	3	1	1	3			
60–64	2	5	6	7	5	2	3	5	6	6	6	5			
65–69	5	5	4	10	11	11	9	9	8	6	8	12			
70–74	9	2	6	9	3	5	9	11	5	7	13	8			
75–84	3	8	7	8	5	11	15	12	16	17	13	16			
85+	4	0	3	7	4	4	4	5	2	5	6	5			
Not stated	0	0	0	0	0	0	0	0	0	0	0	0			
25–74	28	17	25	36	26	23	31	39	27	24	37	37			
All ages	35	25	35	51	35	38	50	56	45	46	56	58			
Age-specific rates (per million population)															
< 25	0	0	0	0	0	0	0	0	0	0	0	0			
25–34	0	0	0	0	0	0	0	0	40	0	78	39			
35–44	214	51	48	92	0	0	0	206	41	41	0	0			
45–54	180	261	251	481	228	219	277	263	186	173	381	417	2.7	55.6	
55–59	1,344	220	1,081	431	841	414	1,247	1,017	604	196	187	532	–6.8	28.9	
60–64	615	1,401	1,585	1,840	1,297	498	738	1,225	1,444	1,420	1,413	1,179	0.8	–10.7	
65–69	2,462	2,443	1,829	4,193	4,173	3,873	2,896	2,755	2,358	1,754	2,268	3,373	–1.4	43.5	
70–74	6,787	1,390	3,851	5,685	1,801	2,902	5,134	5,805	2,392	3,040	5,238	2,937	–1.2	–26.8	
75–84	2,973	7,098	5,578	6,079	3,610	7,363	9,236	6,861	8,346	8,391	6,123	7,283	3.8	–14.0	
85+	25,974	0	17,143	34,146	18,605	16,194	14,815	17,606	6,711	15,106	16,216	12,165	–3.9	–9.8	
All ages: Crude and age-standardised rates (per million population)															
Crude	293	204	279	393	264	280	362	397	311	312	373	383			
Age std	770	499	692	1,006	636	696	859	836	639	692	746	708	0.2 *	–6.2 **	
Ages 25–74: Crude and age-standardised rates (per million population)															
Crude	446	262	371	516	359	308	406	498	337	292	440	433			
Age std	749	416	576	858	576	520	657	753	491	436	635	594	–1.1 **	6.2 **	
Females															
Deaths (number)															
< 25	0	0	0	0	0	0	0	0	0	0	0	0			
25–34	0	0	0	0	0	0	0	0	0	0	0	0			
35–44	2	0	0	0	0	0	0	0	0	0	0	0			
45–54	3	0	0	1	0	0	1	1	0	0	0	0			
55–59	0	1	0	1	0	2	0	1	2	2	1	0			
60–64	3	4	1	1	2	0	0	1	1	2	0	1			
65–69	2	2	1	2	2	5	2	2	4	10	2	3			
70–74	1	6	8	6	3	3	4	3	3	6	6	4			
75–84	8	8	10	3	11	9	19	13	21	11	20	12			
85+	5	6	10	11	8	11	10	13	12	14	6	24			
Not stated	0	0	0	0	0	0	0	0	0	0	0	0			
25–74	11	13	10	11	7	10	7	8	10	20	9	8			
All ages	24	27	30	25	26	30	36	34	43	45	35	44			
Age-specific rates (per million population)															
< 25	0	0	0	0	0	0	0	0	0	0	0	0			
25–34	0	0	0	0	0	0	0	0	0	0	0	0			
35–44	109	0	0	0	0	0	0	0	0	0	0	0			
45–54	291	0	0	86	0	0	73	69	0	0	0	0			
55–59	0	228	0	233	0	459	0	223	428	413	197	0			
60–64	876	1,066	250	252	498	0	0	246	246	486	0	245			
65–69	820	811	389	726	670	1,529	570	546	1,053	2,615	518	783	4.9	–44.4	
70–74	566	3,101	3,817	2,793	1,354	1,313	1,701	1,227	1,112	2,068	1,897	1,178	–4.9	–21.1	
75–84	4,548	4,202	4,836	1,392	4,711	3,620	7,146	4,576	6,892	3,414	5,928	3,388	1.5	–41.5	
85+	10,267	11,364	16,447	18,395	12,800	16,442	14,124	17,310	15,484	16,548	6,369	24,121	2.3	83.9	
All ages: Crude and age-standardised rates (per million population)															
Crude	201	220	238	193	196	220	260	241	297	306	235	294			
Age std	386	427	458	355	372	394	464	402	487	470	353	411	0.4 **	–4.6 **	
Ages 25–74: Crude and age-standardised rates (per million population)															
Crude	173	198	147	157	97	134	92	102	124	243	107	94			
Age std	233	309	240	245	151	204	139	146	177	348	146	131	–3.8 **	–26.3 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: *p < 0.05, **p < 0.01.

Total deaths for residual causes

ACT
Males and females

Total number of deaths classified by year and sex for causes of death which do not meet the criteria for a full mortality surveillance profile.

ICD-9: 390–398

Rheumatic fever and rheumatic heart disease

	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
Males	1	4	1	1	0	1	0	0	1	0	3	0
Females	5	4	3	3	4	3	3	3	3	4	4	2

ICD-9: 401–405

Hypertensive disease

	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
Males	4	4	2	5	5	1	4	5	6	1	3	3
Females	4	2	4	3	3	10	6	3	6	4	7	12

ICD-9: 428

Heart failure

	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
Males	3	4	1	4	6	6	8	6	4	16	21	12
Females	7	15	16	22	17	20	13	10	16	26	23	24

ICD-9: 428.0

Congestive heart failure

	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
Males	2	4	0	2	2	5	5	4	1	13	13	8
Females	2	12	11	15	13	14	6	5	7	15	12	16

ICD-9: 440

Atherosclerosis

	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
Males	1	4	7	4	5	3	4	2	3	6	2	3
Females	4	12	10	5	5	9	7	5	7	13	2	4

ICD-9: 441–444

Peripheral vascular disease

	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
Males	10	8	11	11	9	19	8	12	18	14	10	9
Females	8	5	5	3	8	11	7	12	4	9	11	9

ICD-9: 415–427, 429, 446–459

Other diseases of the circulatory system

	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994
Males	16	10	3	18	19	13	16	22	17	16	21	18
Females	10	12	9	13	13	17	13	22	17	19	30	15