

Appendix 1: Data sources

Introduction

In order to present a broad picture of mental health-related care in Australia, this report has used data drawn from a variety of AIHW and other data sources. These data sources include AIHW databases such as the National Hospital Morbidity Database (NHMD) and the National Community Mental Health Establishments Database (NCMHED) which were supplied data under the National Health Information Agreement and specified as the National Minimum Data Sets (NMDSs) for Mental Health Care in the *National Health Data Dictionary*, Version 11.0. For a description of the component data sets of the NMDSs for Mental Health Care, refer to the next section in this appendix.

The range of the mental health-related care services provided in Australia is broader and more diverse than is currently included in the scope of the NMDSs for Mental Health Care. Therefore, this report presents data from other AIHW data collections such as the National Public Hospital Establishments Database (NPHEd), the Bettering the Evaluation and Care of Health (BEACH) survey of general practice activity, and the Commonwealth State/Territory Disability Agreement (CSTDA) National Minimum Data Set collection. Data from collections external to the AIHW were also used, including the Australian Bureau of Statistics (ABS) Private Health Establishments Collection (PHEC), and the Department of Health and Ageing's (DHA) Medicare, Pharmaceutical and Repatriation Pharmaceutical Benefits Scheme (MBS, PBS and RPBS) data collections. Each of these data sources has different characteristics that need to be considered when interpreting the data, as reviewed below.

Overall, there is potential for inconsistency when collections rely on data extracted from the information systems of different state and territory health authorities and private providers. In these situations, NMDSs based on agreed data definitions as specified in the *National Health Data Dictionary* are often used to enhance the consistency of the data obtained. However, the quality of NMDS reporting by state and territory health authorities and private providers may be affected by variations from the *National Health Data Dictionary* definitions and differences in scope. The definitions used for originally recording the data may have varied among the data providers and from one year to another. In addition, fine details of the scope of the data collections may vary. Comparisons between different state and territory health authorities, reporting years and sectors should therefore be made with reference to the accompanying text and footnotes.

Service utilisation data can reflect an aspect of the burden of disease in the community but they are not a measure of the incidence or prevalence of specific disease conditions. This is because not all persons with an illness receive the same treatment, and the number and pattern of services received can reflect admission or registration practices, regional differences in service provision, and repeat service provision for some chronic conditions. Each state and territory has a particular demographic structure that differs from other jurisdictions. Factors such as the geographic spread of the population and the proportion of Aboriginal and Torres Strait Islander peoples can have a substantial effect on the delivery of health care.

Data collections

National Hospital Morbidity Database (NHMD)

The NHMD is a compilation of electronic summary records from admitted-patient morbidity data collections in Australian hospitals. It includes demographic, administrative and length of stay data, and data on the diagnoses of patients, the procedures they underwent in hospital, external causes of injury and poisoning, and the AR-DRG for each hospital separation (see Glossary).

Records for 2002–03 are for hospital separations between 1 July 2002 and 30 June 2003. Data on patients admitted before 1 July 2002 are included, provided they separated between 1 July 2002 and 30 June 2003. A record is included for each separation, not for each patient; thus, patients who separated more than once in the year have more than one record in the database.

Data relating to admitted patients in almost all hospitals are included. The coverage is described in greater detail in *Australian Hospital Statistics 2002–03* (AIHW 2004d).

This report contains data specified under the NMDS for Admitted Patient Mental Health Care, which represents a subset of the data collated in the NHMD, for patients receiving specialised mental health care.

This care is identified through recording the fact they had one or more psychiatric care days, i.e. care received in a specialised psychiatric hospital, unit or ward. In acute care hospitals, a 'specialised' episode of care or separation may comprise some psychiatric care days and some days in general care, or psychiatric care days only. An episode of care from a public psychiatric hospital is deemed to comprise psychiatric care days only and to be 'specialised', unless some care was given in a unit other than a psychiatric unit, such as a drug and alcohol unit.

States and territories have confirmed that all public hospitals with specialised psychiatric facilities reported psychiatric care days to the NHMD for 2002–03, with estimates that between 95% and 100% of psychiatric care days were reported.

The majority of data elements were reported for at least 95% of all separations that received specialised psychiatric care. However, *Employment status* was not recorded for public acute hospitals in New South Wales and Victoria, for private hospitals in New South Wales, Victoria, South Australia and the Australian Capital Territory, and for public psychiatric hospitals in New South Wales. *Type of usual accommodation* was not recorded for public acute and private hospitals in Victoria, and was not reported for 29.9% of public psychiatric hospital separations nationally. *Referral to further care (psychiatric patient)* was not recorded for 53% of separations with care in a specialised psychiatric unit or hospital nationally. *Previous specialised treatment* was not recorded for public acute hospitals in Victoria, for private hospitals in New South Wales and Victoria, and was not stated/unknown for 24% of mental health-related separations that received specialised psychiatric care nationally. Data quality was deemed to be too poor for publication due to the high numbers not reported for the data elements *Type of usual accommodation*, *Employment status*, *Referral to further care (psychiatric patient)* and *Previous specialised treatment*.

Data for 2002–03 on source of referral as presented in previous *Mental Health Services in Australia* reports are now on the Internet (under Internet-only tables) at <www.aihw.gov.au>.

Unless otherwise specified, the state and territory of the hospital is reported, rather than the state or territory of the patient's usual residence. Additional notes are provided in the descriptive commentary throughout this report highlighting data quality and interpretation issues in specific instances. For greater detail on the scope, definitions and quality of data obtained from the NHMD, refer to *Australian Hospital Statistics 2002–03* (AIHW 2004d). Lists of the public psychiatric hospitals and public acute hospitals with specialised psychiatric units contributing to this report can be found on the Internet (under Internet-only tables) at <www.aihw.gov.au>.

National Community Mental Health Establishments Database (NCMHED)

The NCMHED includes data on public community mental health establishments, and their expenditure and staffing. For residential facilities, data on beds and 'separations' are also collected. Within this database, the term 'separation' refers to episodes of non-admitted-patient residential care in residential services. The data collated in the NCMHED is specified by the NMDS for Community Mental Health Establishments.

For this NMDS, community mental health care refers to all specialised public mental health services dedicated to the assessment, treatment, rehabilitation or care of non-admitted patients. The scope is both residential and ambulatory public community mental health care establishments, including adult, aged, and adolescent and child community mental health services, and non-admitted services in hospitals such as specialised psychiatric outpatient services. The scope excludes admitted-patient mental health care services, support services that are not specialised mental health care services (e.g. accommodation support services) and services provided by non-government organisations. Only residential services that were staffed 24 hours per day were included.

For more information on the NMDS for Community Mental Health Establishments, refer to *Mental Health Services in Australia 2000–01* (AIHW 2003a). A list of the public community mental health establishments contributing to this report can be found on the Internet (under Internet-only tables) at <www.aihw.gov.au>.

National Community Mental Health Care Database (NCMHCD)

The NCMHCD includes data on ambulatory service contacts provided by public community mental health establishments. The data collated in the NCMHCD are specified by the NMDS for Community Mental Health Care. The NCMHCD contains data on the date of service contact and on the characteristics of the patient ranging from demographic information such as age and sex to clinically relevant information such as principal diagnosis and mental health legal status.

The scope for this collection is all ambulatory mental health service contacts provided by the public community mental health establishments that are included in for the NMDS for Community Mental Health Establishments. A list of the public community mental health establishments contributing this patient-level data to NCMHCD can be found on the Internet (under Internet-only tables) at <www.aihw.gov.au>.

A mental health service contact for the purposes of this collection was defined as the provision of a clinically significant service by a specialised mental health service provider(s) for patients/clients, other than those admitted to psychiatric hospitals or designated psychiatric units in acute care hospitals, and those resident in 24 hour staffed specialised

residential mental health services, where the nature of the service would normally warrant a dated entry in the clinical record of the patient/client in question.

In 2002–03, a small number of mental health care establishments that provided ambulatory care services did not contribute data to the National Community Mental Health Care Database (NCMHCD) (see Chapter 3, Section 3.4 for more details).

Table A1.1 provides an indication of the quality of NCMHCD data from 2000–01 to 2002–03 in relation to the number of service contacts and the estimated number of patients treated in community mental health services. For service contacts, there was an increase in the number during this time period which mainly reflects improvements in coverage.

There has been interest in knowing the number of patients treated in community mental health care services in order to monitor trends in patient numbers and access to services. An estimate of patient numbers can be derived by counting patient identifiers in records for service contacts within individual establishments. However, not all establishments have used, or currently use, unique person identifiers for each individual patient. When a non-unique identifier is used this results in the same patient being allocated a different patient identifier and being counted in the estimation process as a new patient. This leads to an over-estimate of the real number of patients treated by that establishment. The changes in the national figures in Table A1.1 indicate variation over time in the use of unique patient identifiers. It is anticipated, however, that these data will be used to provide estimates of patients at some time in the future.

Further discussion of the estimation process is included in *Community Mental Health Care 2000–01: Review of the data collected under the National Minimum Data Set for Community Mental Health Care* (AIHW 2004c).

National Public Hospital Establishments Database (NPHEd)

The AIHW is the custodian of the NPHEd, which holds a record for each public hospital in Australia. The data are collected by state and territory health authorities from the routine administrative collections of public acute hospitals, psychiatric hospitals, drug and alcohol hospitals and dental hospitals in all states and territories. The database does not include private hospital data, which are collated by the ABS in the Private Health Establishments Collection.

The collection covers only hospitals within the jurisdiction of the state and territory health authorities. Hence, public hospitals not administered by the state and territory health authorities (e.g. some hospitals run by correctional authorities in some jurisdictions and those in off-shore territories) are not included.

Information is included on hospital resources (beds, staff and specialised services), recurrent expenditure, non-appropriation revenue and summary information on services to admitted and non-admitted patients. Limitations have been identified in the financial data reported to the NPHEd. In particular, some states and territories have not yet fully implemented accrual accounting procedures and systems, which means the expenditure and revenue data are a mixture of expenditure/payments and revenue/receipts, respectively. A need for further development has been identified in the areas of capital expenditure, expenditure at the area health service administration level and group services expenditure (e.g. central laundry and

pathology services). Refer to *Australian Hospital Statistics 2002–03* for further detail on the data quality for the NPHEd (AIHW 2004d).

The NPHEd includes the data for *Full-time-equivalent staff, Salaries and wages* and the *Non-salary operating costs* subcategory data elements (types of staff and types of non-salary expenditure). The public acute hospital establishments that contain one or more specialised psychiatric units or wards are flagged in NPHEd. However, no financial or staffing data are available for these specialised psychiatric wards, as these data are not provided for separate units or wards.

Additional notes are provided in the descriptive commentary throughout this report highlighting data quality and interpretation issues in specific instances. For greater detail on the scope, definitions and quality of data obtained from the NPHEd, refer to *Australian Hospital Statistics 2002–03* (AIHW 2004d).

A list of the public psychiatric hospitals contributing to this report can be found on the Internet (under Internet-only tables) at <www.aihw.gov.au>.

Private Health Establishments Collection (PHEC)

The ABS conducts an annual census of all private acute care hospitals and private psychiatric hospitals licensed by state and territory health authorities and all freestanding day hospital facilities approved by the DHA. The collection contains data on the staffing, finances and activity of these establishments. Differences in accounting policy and practices, and the administration of property and fixed asset accounts by parent organisations may have resulted in some inconsistencies in the financial data (ABS 2004).

The data definitions used in the PHEC are largely based on definitions in the *National Health Data Dictionary, Version 11.0* (NHDC 2002), which makes comparison between the NPHEd and NCMHED possible. The ABS definition for private psychiatric hospitals is ‘those establishments that are licensed/approved by each state or territory health authority and cater primarily for admitted patients with psychiatric or behavioural disorders’. The term ‘cater primarily’ applies when 50% or more of total patient-days are for psychiatric patients.

Additional information on the PHEC can be obtained from the annual ABS publication on private hospitals (ABS 2004).

Bettering the Evaluation and Care of Health (BEACH)

The BEACH survey of general practice activity is a collaborative study between the AIHW and the University of Sydney. For each year’s data collection, a random sample of about 1,000 general practitioners reports details of 100 consecutive general practice encounters of all types on structured encounter forms. Each form collects information about the consultation (e.g. date, type of consultation), the patient (e.g. date of birth, sex, reasons for encounter), the problems managed and the management of each problem (e.g. treatment provided, prescriptions, referrals). Data on patient risk factors and health status, and on general practitioner characteristics are also collected. BEACH data for 2003–04 have been used in Tables 3.3 to 3.13 and for Figures 1.8, 1.16 and 3.1 to 3.3. BEACH data for 2002–03 have been used in Table 3.2 and Table 3.1 presents BEACH data for the years 1998–99 to 2003–04.

At least one diagnosis or problem is identified for each encounter, although up to four problems can be reported for each. Problems are classified according to the International

Classification of Primary Care, 2nd edition (ICPC-2) (Family Practice Wonca News), and codes more specifically according to ICPC-2 Plus, an extended terminology of terms. Additional information on the BEACH survey can be obtained from *General Practice Activity in Australia 2003–04* (Britt et al. 2004).

Commonwealth State/Territory Disability Agreement (CSTDA) National Minimum Data Set collection

The CSTDA allocates the responsibility for specific types of disability support services between Australian, state and territory governments. The AIHW manages the CSTDA NMDS to collate nationally consistent data on services funded under the CSTDA and their clients.

The collection covers disability support services receiving funding under the CSTDA. Services that do not receive CSTDA funding are specifically excluded. Not every specialist psychiatric disability support service is included in the CSTDA NMDS collection as some are not funded through the CSTDA.

- In New South Wales, psychiatric disability services are provided by the New South Wales Department of Health and are not included in the CSTDA NMDS collection.
- South Australia and Tasmania do not report data for psychiatric disability services to the CSTDA NMDS collection.
- In Victoria, specialist psychiatric and other disability support services are included in the CSTDA NMDS collection.
- In Queensland, psychiatric disability services wholly or jointly funded by Disability Services Queensland are included in the CSTDA NMDS collection.
- In the Australian Capital Territory and the Northern Territory, only some psychiatric disability services are included in the CSTDA NMDS collection.
- In Western Australia, only some psychiatric disability services are included in the CSTDA NMDS collection. The Health Department is the main provider of services for people with a psychiatric disability and these services are not included.

However, even in those states where specific psychiatric services are not CSTDA-funded, people with a psychiatric disability do receive various CSTDA disability support services.

Prior to 2003, data were available from the CSTDA NMDS collection on these services and their clients on a snapshot day each year. From 2003, unit record data on all clients (known as 'service users') and all the disability support services they receive were collected for the period from 1 January to 30 June 2003. In this report, data have been presented for service users with any significant psychiatric disability. Therefore, data are presented for service users with a primary psychiatric disability or where the service user has indicated an 'other significant' psychiatric disability. The term 'primary disability' refers to the disability category identified by the service user, carer or service as the disability most affecting the client's everyday life. A number of 'other significant' disabilities may be identified by the service user.

Given that the 2002–03 collection was the first time an on-going collection was conducted and there were the limitations listed above with respect to the coverage of psychiatric disability support services in the CSTDA NMDS, these data need to be interpreted with caution and data quality considerations need to be taken into account. Additional information on the data from the CSTDA NMDS collection can be obtained from the

publication *Disability support services 2002–03: the first six months of data from the Commonwealth State/Territory Disability Agreement National Minimum Dataset* (see Chapter 3 of this publication for detailed information on data quality) (AIHW 2004g).

National Medical Labour Force Survey and National Nursing Labour Force Survey data

The AIHW conducts the National Medical Labour Force Survey and the National Nursing Labour Force Survey, in conjunction with the annual registration renewal of these practitioners with the relevant registration boards in each state and territory. The AIHW has conducted the medical practitioner survey annually since 1993 and the nursing survey since 1995. The National Nursing Labour Force Survey is collected biennially.

The figures produced from these surveys are estimates only. Not all medical practitioners or nurses who were sent a questionnaire responded to the survey, and estimates of the whole medical practitioner and nursing populations are based on survey data weighted to match available registration information.

Coverage in some jurisdictions may exclude some practitioners who registered for the first time during the survey year and practitioners with conditional registration. The latest information on these surveys is provided in *Medical Labour Force 2002* (AIHW 2004e) and *Nursing Labour Force 2002* (AIHW 2003b) reports.

Medicare data

The Health Insurance Commission (HIC) collects data on all medical services funded through Medicare and provides these data to the DHA. Information collected includes the type of service provided (Medicare item number) and the benefit paid by Medicare for the service. The figures presented in this report on services provided by private psychiatrists include only those services performed by a registered provider that qualify for Medicare benefit and for which a claim has been processed by the HIC. They do not include services provided to public patients in public hospitals or services that qualify for a benefit under the Department of Veterans' Affairs National Treatment Account.

The state or territory is determined according to the patient's mailing address postcode at the time of making the claim. In some cases this will not be the same as the patient's residential address postcode. The year is determined from the date the service was processed by the HIC, not the date the service was provided.

Time series data presented in this report are based on the mapping of old item numbers to current item numbers. For example, item 144 (private psychiatrist home visit of less than 15 minutes) was renumbered to item 330 during 1996.

Repatriation Pharmaceutical Benefits Scheme (RPBS) and Pharmaceutical Benefits Scheme (PBS) data

The HIC collects data on prescriptions funded through the RPBS and PBS and provides these data to the DHA. Details are collected on the medication prescribed (e.g. type and cost), the prescribing practitioner (e.g. speciality) and the supplying pharmacy (e.g. location). The figures reported in this publication relate to the prescription costs funded by the PBS and the number of prescriptions processed by the HIC. They refer only to paid services processed

from claims presented by approved pharmacies. They do not include any adjustments made against pharmacists' claims, any manually paid claims or any benefits paid as a result of retrospective entitlement or refund of patient contributions. Items supplied to general patients that cost less than \$23.10 from 1 January 2003 or \$23.70 from 1 January 2004 do not receive an RPBS or PBS benefit and are therefore not included. The RPBS and PBS data do not contain Section 100 items, i.e. highly specialised drugs available through hospital pharmacies for outpatients.

The state or territory is determined as the address of the pharmacy supplying the item. The year is determined from the date the service was processed by the HIC, not the date of prescribing or the date of supply by the pharmacy. The data presented in this report include medications provided to war veterans through the RPBS, except in the case of time series data where only PBS data were available.

Superseded
7/3/2005

Table A1.1: Counts of service contacts and estimated number of clients, states and territories, 2000–01 to 2002–03

	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
Service contacts									
2000–01^(a)	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	3,635,873
2001–02	942,307	1,645,974	705,895	395,513	280,056	48,246	156,108	29,952	4,203,731
2002–03	1,301,233	1,610,674	779,527	414,183	314,085	51,314	178,751	22,656	4,672,423
Number of person identifier-establishment identifier combinations^(b)									
2000–01	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	224,773
2001–02	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	251,074
2002–03	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	228,764

(a) State and territory data for 2000–01 have been withdrawn from the *Mental Health Services in Australia 2002–03* publication as the quality of the data is not considered to be comparable to that for the following years.

(b) State and territory data have not been published, due to the likely variability in reporting of person identifiers and establishment identifiers.

n.p. Not published.

Appendix 2: Definitions of mental health-related care and medications, and of ambulatory-equivalent separations

With the exception of NCMHED and NCMHCD, the health care data collections used in this report contain data on more than just mental health care, so a mental health-related subset of the data needed to be defined. For some data collections this was relatively simple. For NPHEd and PHEC data, mental health-related care was defined by hospital type (psychiatric hospital) or specialised unit flag (e.g. specialised psychiatric unit in acute care hospital). Medicare and National Medical Labour Force Survey data were defined as mental health-related based on the profession of the medical practitioner (e.g. psychiatrist).

For other data collections, it was necessary to use the classifications in the collections for diagnoses, problems or disabilities to define mental health-related care. The principal and additional diagnosis data in the NHMD are classified using the ICD-10-AM classification; the BEACH data set uses ICPC-2 for coding reasons for encounters (RFEs) and problems; and the CSTDA MDS collection uses a simple customised classification to classify disabilities. Details are provided below for each classification for which codes were used to define a mental health-related principal or additional diagnosis, a mental health-related problem or RFE, or mental health-related disability.

The definition of mental health-related medications was based on the Anatomical Therapeutic Chemical (ATC) classification for PBS data. Details are provided in Table A2.1.

National Hospital Morbidity Database

The definition of a mental health-related diagnosis includes all ICD-10-AM 3rd edition codes which were either clinically or statistically relevant to mental health. This definition was developed in consultation with the National Mental Health Working Group Information Strategy Committee and the Clinical Casemix Committee of Australia. The list of codes and further information can be found in *Mental Health Services in Australia 2000–01* (AIHW 2003a). This list of codes was compiled using ICD-10-AM 2nd edition codes. For ICD-10-AM third edition, a number of these disease codes were expanded at the fourth or fifth character level to provide more detail. These changes are not likely to have affected the statistics included in this report. The ICD-9-CM codes used to define mental health-related separations for 1995–96 to 1997–98 are available on request.

Same-day separations that could be considered equivalent to ambulatory mental health care

Mental Health Services in Australia reports up to 2000–01 presented all same-day mental health-related hospital separation data in the chapters on admitted-patient care. However, it was considered that some of these data could be more appropriately placed in the chapter on ambulatory care. For *Mental Health Services in Australia 2001–02*, a definition of same-day mental health-related separations that could be considered to be equivalent to ambulatory mental health care (termed ‘ambulatory-equivalent mental health-related separations’) was developed. Data for these ambulatory-equivalent mental health-related separations were included in the chapter on ambulatory care of the 2001–02 report and of this report. (AIHW 2004a)

Ambulatory-equivalent mental health-related separations were defined by excluding those same-day separations unlikely to involve the type of activity to be undertaken in ambulatory mental health care. Excluded were separations for which the following were reported:

- electroconvulsive therapy and/or general anaesthesia procedures
- other procedures that would not be expected to be undertaken in ambulatory mental health care
- a mode of admission of care type change or transfer
- a mode of separation of transfer, care type change, left against medical advice or death.

Procedures used to exclude separations

In general, separations were excluded from the ambulatory-equivalent category if they were reported with procedures that were considered unlikely to be undertaken in ambulatory mental health care. The procedures used as the basis for excluding separations were mainly electroconvulsive therapy (ECT) and general anaesthesia. A smaller number of separations were excluded on the basis that they had other procedures, other than selected non-invasive intervention, that were also unlikely to be undertaken in ambulatory mental health care.

Procedures not used to exclude separations

A small number of procedures were identified as probably equivalent to ambulatory mental health care provided by specialised community mental health services. Separations for which the only procedures reported were from the following list were included in the ambulatory-equivalent category (unless they were excluded for another reason such as mode of separation or mode of admission).

The procedures were mostly psychosocial interventions, located in the ICD-10-AM 3rd edition procedure, *Non-invasive, cognitive and interventions, not elsewhere classified* (Chapter 19). They are as follows:

- 1822 Assessment of personal care and other activities of daily/independent living
- 1823 Mental, behavioural or psychosocial assessment
- 1867 Counselling or education relating to personal care and other activities of daily/independent living
- 1868 Psychosocial counselling
- 1869 Other counselling or education
- 1872 Alcohol and drug rehabilitation

- 1873 Psychological or psychosocial therapies
- 1875 Skills training in relation to learning, knowledge and cognition
- 1878 Skills training for personal care and other activities of daily/independent living
- 1879 Other skills training
- 1916 Generalised allied health interventions as follows:
 - 95550-01 Allied health intervention, social work
 - 95550-02 Allied health intervention, occupational therapy
 - 95550-10 Allied health intervention, psychology.

For more information on the definition of ambulatory-equivalent mental health-related separations and on data quality concerns to be considered when interpreting the data, see *Mental Health Services in Australia 2001–02* (AIHW 2004a).

Bettering the Evaluation and Care of Health

For the purposes of this report, mental health-related reasons for encounters (RFEs) and problems managed were defined as those included in the ICPC-2 *Psychological* chapter. The same set of codes was used for both RFEs and problems. For the list of the codes used, refer to *Mental Health Services in Australia 2000–01* (AIHW 2003a). Additional information on the BEACH survey can be obtained from *General Practice Activity in Australia 2003–04* (Britt et al. 2004).

Commonwealth State/Territory Disability Agreement National Minimum Data Set

The CSTDA NMDS questionnaire has an item that asks users of a service or their carer ‘What is the service user’s primary disability group?’ The survey form also asks respondents to tick all applicable other significant disability groups. For both questions, the 12 disability categories are listed in tick-a-box format. The list of categories can be found in *Mental Health Services in Australia 2000–01* (AIHW 2003a).

Data are presented in this report on those service users with a psychiatric primary disability or a psychiatric disability as one of their other significant disabilities. The CSTDA NMDS disability groups are a broad categorisation of disabilities in terms of the underlying impairment, health condition, cause or activity limitation, and reflect those disabilities identified as significant in the CSTDA. The specification of the CSTDA NMDS disability groups arose from terminology commonly used by service providers and was formulated specifically for the CSTDA collection. Refer to the *National Community Services Data Dictionary* for additional detail on the CSTDA NMDS disability groups (AIHW 2004f).

Repatriation Pharmaceutical Benefits Scheme and Pharmaceutical Benefits Scheme

Prescription data from the RPBS and PBS are coded using the ATC classification. Table A2.1 contains the list of the codes used to define mental health-related medications. Not all

medications included in each code group are used solely for mental health-related conditions. In addition, not all medications listed under the mental health-related ATC codes are classified under mental health-related codes by the RPBS and PBS. For example, prochlorperazine (N05AB04) is classified under the ATC as an antipsychotic, but is frequently prescribed as an anti-nausea medication. This medication is not included under the antipsychotics (NO5A) code by the RPBS or PBS.

Table A2.1: Anatomical Therapeutic Chemical codes used to define mental health-related medication prescribed by general practitioners and non-psychiatrist medical specialists in RPBS and PBS data

ATC code	Description
N05	Psycholeptics
N05A	Antipsychotics
N05B	Anxiolytics
N05C	Hypnotics and sedatives
N06	Psychoanaleptics
N06A	Antidepressants

Superseded
7/3/2005

Appendix 3: State and territory ambulatory and admitted patient mental health care data

This appendix presents state and territory data on ambulatory (community mental health services) mental health care, ambulatory-equivalent mental health-related hospital separations and admitted-patient mental health care.

Ambulatory and ambulatory-equivalent mental health care

Tables A3.1 to A3.4 present information on ambulatory-equivalent mental health-related hospital separations (see Appendix 2) with and without specialised psychiatric care by state and territory and principal diagnosis. See Chapter 3 for the national data on these separations.

Tables A3.5 and A3.6 provide information by state and territory for public community mental health service contacts by age and sex and by principal diagnosis. See Chapter 3 for the national data on these service contacts.

Admitted patient mental health care

The remaining tables in this appendix provide more detailed state and territory information on admitted-patient mental health care that was not considered to be ambulatory-equivalent.

Tables A3.7 to A3.18 provide information by state and territory for mental health-related separations with specialised psychiatric care which were not considered ambulatory-equivalent. These tables include counts of separations, patient-days and psychiatric care days by principal diagnosis, AR-DRGs and procedures. See Chapter 5 for the national data on these separations.

Tables A3.19 to A3.29 provide information by state and territory for mental health-related separations without specialised psychiatric care which were not considered ambulatory-equivalent. These tables include counts of separations and patient-days by principal diagnosis, AR-DRGs and procedures. See Chapter 6 for the national data on these separations.

Table A3.1: Ambulatory-equivalent mental health-related separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories,^(a) 2002–03

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03	Dementia	66	1	1	0	0	0	0	0	68
F04–F09	Other organic mental disorders	3	0	8	0	0	0	0	0	11
F10	Mental and behavioural disorders due to use of alcohol	273	23	220	9	18	3	0	2	548
F11–F19	Mental and behav disorders due to other psychoactive substances use	19	13	196	6	7	1	3	1	246
F20	Schizophrenia	358	73	459	12	30	7	1	4	944
F21, F24, F28–F29	Schizotypal and other delusional disorders	250	6	23	0	6	0	0	0	285
F22	Persistent delusional disorders	94	6	17	1	1	2	0	0	121
F23	Acute and transient psychotic disorders	43	2	31	2	2	1	0	0	81
F25	Schizoaffective disorders	343	10	106	0	8	2	1	3	473
F30	Manic episode	13	2	7	1	1	0	0	0	24
F31	Bipolar affective disorders	57	12	80	13	4	5	1	1	173
F32	Depressive episode	2,063	35	462	16	22	4	5	1	2,608
F33	Recurrent depressive disorders	341	5	41	2	2	1	0	1	393
F34	Persistent mood (affective) disorders	67	3	70	4	8	0	1	0	153
F38, F39	Other and unspecified mood (affective) disorders	50	1	3	0	0	0	0	0	54
F40	Phobic anxiety disorders	54	17	5	1	0	0	0	0	77
F41	Other anxiety disorders	896	5	98	22	5	2	0	1	1,029
F42	Obsessive–compulsive disorders	55	0	4	4	0	0	0	0	63
F43	Reaction to severe stress and adjustment disorders	262	83	845	30	75	21	4	10	1,330
F44	Dissociative (conversion) disorders	0	0	7	1	3	0	0	0	11
F45, F48	Somatoform and other neurotic disorders	213	0	10	0	0	0	0	0	223
F50	Eating disorders	149	737	15	0	0	0	0	0	901
F51–F59	Other behavioural syndromes associated w physiol dist and phys factors	30	7	14	0	1	0	0	0	52
F60	Specific personality disorders	152	26	187	16	14	13	7	1	416
F61–F69	Disorders of adult personality and behaviour	3	4	14	2	1	1	0	0	25
F70–F79	Mental retardation	3	0	21	0	0	2	0	0	26
F80–F89	Disorders of psychological development	74	0	7	0	0	0	0	0	81
F90	Hyperkinetic disorders	218	0	6	0	0	0	0	0	224
F91	Conduct disorders	1,943	3	19	0	7	1	0	0	1,973
F92–F98	Other and unspec disorders w onset childhood adolescence	365	0	6	45	0	0	0	0	416
F99	Mental disorder not otherwise specified	2	5	4	0	0	0	0	0	11
G30	Alzheimer's disease	1	0	1	0	0	0	0	0	2
G47	Sleep disorders	0	0	5	0	1	0	0	0	6
O99.3	Mental disorders and dis of the nerv sys complic preg, child and puerp	0	0	0	1	0	0	0	0	1
R44	Other symptoms and signs involving general sensations and perceptions	0	0	1	0	0	0	0	0	1
R45	Symptoms and signs involving emotional state	4	4	6	0	0	1	0	0	15
	Other factors related to mental and behavioural disorders ^(a)	147	1	45	0	6	1	0	1	201
	Other ^(b)	282	15	361	6	20	7	7	2	700
	Total	8,893	1,099	3,405	194	242	75	30	28	13,966
	Age-standardised same-day separation rate^(c)	1.35	0.23	0.94	0.10	0.16	0.16	0.10	0.16	0.72
	95% confidence interval	1.38–1.32	0.24–0.21	0.98–0.91	0.12–0.09	0.18–0.14	0.19–0.12	0.13–0.06	0.21–0.10	0.73–0.71

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) All other codes not included in the mental health principal diagnosis as listed in Appendix 3, *Mental Health Services in Australia 2000–01*.

(c) Indirect age-standardisation using the estimated resident population as at 30 June 2001.

Note: behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiological.

Table A3.2: Ambulatory-equivalent mental health-related separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories,^(a) 2002–03

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	0	150	1	12	0	n.p.	n.p.	n.p.	163
F04–F09 Other organic mental disorders	10	87	21	40	1	n.p.	n.p.	n.p.	159
F10 Mental and behavioural disorders due to use of alcohol	2,525	1,583	689	233	4	n.p.	n.p.	n.p.	5,149
F11–F19 Mental and behav disorders due to other psychoactive substances use	620	253	127	84	0	n.p.	n.p.	n.p.	1,090
F20 Schizophrenia	488	1,400	546	48	61	n.p.	n.p.	n.p.	2,557
F21, F24, F28–F29 Schizotypal and other delusional disorders	65	99	23	35	0	n.p.	n.p.	n.p.	259
F22 Persistent delusional disorders	0	45	5	1	3	n.p.	n.p.	n.p.	56
F23 Acute and transient psychotic disorders	57	41	53	59	0	n.p.	n.p.	n.p.	214
F25 Schizoaffective disorders	364	1,483	373	15	137	n.p.	n.p.	n.p.	2,414
F30 Manic episode	21	42	25	0	0	n.p.	n.p.	n.p.	88
F31 Bipolar affective disorders	575	2,279	639	335	111	n.p.	n.p.	n.p.	3,982
F32 Depressive episode	3,407	7,699	4,254	1,642	131	n.p.	n.p.	n.p.	17,407
F33 Recurrent depressive disorders	1,276	6,302	2,075	1,691	486	n.p.	n.p.	n.p.	12,097
F34 Persistent mood (affective) disorders	237	438	601	159	0	n.p.	n.p.	n.p.	1,588
F38, F39 Other and unspecified mood (affective) disorders	37	39	57	15	1	n.p.	n.p.	n.p.	155
F40 Phobic anxiety disorders	150	242	172	121	13	n.p.	n.p.	n.p.	702
F41 Other anxiety disorders	1,231	2,279	1,627	771	178	n.p.	n.p.	n.p.	6,322
F42 Obsessive–compulsive disorders	33	572	89	216	1	n.p.	n.p.	n.p.	913
F43 Reaction to severe stress and adjustment disorders	2,555	2,235	3,514	844	71	n.p.	n.p.	n.p.	9,415
F44 Dissociative (conversion) disorders	62	133	493	10	0	n.p.	n.p.	n.p.	699
F45, F48 Somatoform and other neurotic disorders	57	16	20	8	0	n.p.	n.p.	n.p.	226
F50 Eating disorders	2,347	1,409	378	38	0	n.p.	n.p.	n.p.	4,176
F51–F59 Other behavioural syndromes associated w physiol dist and phys factors	0	143	8	19	0	n.p.	n.p.	n.p.	170
F60 Specific personality disorders	1,176	936	16	70	3	n.p.	n.p.	n.p.	2,246
F61–F69 Disorders of adult personality and behaviour	194	38	16	20	0	n.p.	n.p.	n.p.	293
F80–F89 Disorders of psychological development	0	52	15	2	0	n.p.	n.p.	n.p.	108
F90 Hyperkinetic disorders	2	4	0	18	0	n.p.	n.p.	n.p.	24
F91 Conduct disorders	0	103	0	29	0	n.p.	n.p.	n.p.	132
F92–F98 Other and unspec disorders w onset childhood adolescence	0	204	0	12	0	n.p.	n.p.	n.p.	216
F99 Mental disorder not otherwise specified	1	6	0	0	0	n.p.	n.p.	n.p.	8
G30 Alzheimer's disease	0	48	3	0	0	n.p.	n.p.	n.p.	51
G47 Sleep disorders	0	3	0	0	0	n.p.	n.p.	n.p.	3
R45 Symptoms and signs involving emotional state	0	9	1	0	0	n.p.	n.p.	n.p.	10
Other factors related to mental and behavioural disorders ^(b)	2	0	0	7	0	n.p.	n.p.	n.p.	9
Other ^(b)	88	12	10	1	0	41	n.p.	n.p.	152
Total	17,580	30,384	15,851	6,555	1,201	n.p.	n.p.	n.p.	73,253
Age-standardised same-day separation rate^(c)	2.68	6.31	4.38	3.44	0.79	n.p.	n.p.	n.p.	3.77
95% confidence interval	2.72–2.64	6.38–6.24	4.45–4.31	3.52–3.35	0.83–0.74	n.p.	n.p.	n.p.	3.80–3.75

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: n.p. Not published, behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiol

Table A3.3: Ambulatory-equivalent mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories,^(a) 2002–03

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03	Dementia	49	37	14	3	8	4	0	0	115
F04–F09	Other organic mental disorders	24	35	8	7	6	1	0	1	82
F10	Mental and behavioural disorders due to use of alcohol	1,310	989	494	445	293	63	17	49	3,660
F11–F19	Mental and behav disorders due to other psychoactive substances use	328	169	66	102	59	13	1	4	742
F20	Schizophrenia	150	133	39	18	59	6	3	5	413
F22	Persistent delusional disorders	31	39	3	4	3	4	1	2	87
F23	Acute and transient psychotic disorders	43	44	12	6	10	2	0	0	117
F25	Schizoaffective disorders	19	18	4	0	14	0	0	1	56
F21, F24, F28–F29	Schizotypal and other delusional disorders	45	57	7	5	4	1	1	0	120
F30	Manic episode	12	13	4	1	2	1	0	0	33
F31	Bipolar affective disorders	60	39	14	8	27	1	0	0	149
F32	Depressive episode	368	336	94	44	93	13	5	7	960
F33	Recurrent depressive disorders	35	12	7	9	39	3	1	0	106
F34	Persistent mood (affective) disorders	20	13	8	0	3	0	0	0	44
F38, F39	Other and unspecified mood (affective) disorders	8	6	1	1	0	0	0	0	16
F40	Phobic anxiety disorders	3	4	0	0	0	0	0	0	7
F41	Other anxiety disorders	579	638	138	71	90	14	5	5	1,540
F42	Obsessive–compulsive disorders	7	3	3	2	5	1	0	1	22
F43	Reaction to severe stress and adjustment disorders	189	410	91	97	129	23	1	1	941
F44	Dissociative (conversion) disorders	35	42	27	11	5	2	0	2	124
F45, F48	Somatoform and other neurotic disorders	41	20	10	4	6	3	0	1	85
F50	Eating disorders	14	37	3	3	2	1	0	1	61
F51–F59	Other behav syndromes associated w physiol dist and phys factors	30	57	3	3	4	0	1	0	98
F60	Specific personality disorders	89	71	18	14	34	7	1	0	234
F61–F69	Disorders of adult personality and behaviour	7	5	4	1	3	0	0	1	21
F70–F79	Mental retardation	10	5	3	3	1	0	0	0	22
F80–F89	Disorders of psychological development	8	4	6	0	2	0	0	0	20
F90	Hyperkinetic disorders	2	1	1	0	0	0	1	0	5
F91	Conduct disorders	23	58	4	0	2	2	0	0	89
F92–F98	Other and unspec disorders w onset childhood adolescence	16	41	2	1	1	0	0	0	61
F99	Mental disorder not otherwise specified	22	12	3	0	1	0	0	0	38
G30	Alzheimer's disease	15	6	6	1	5	0	0	0	33
G47	Sleep disorders	11	1,578	22	2	1	0	0	0	1,614
O99.3	Mental disorders and dis of the nerv sys complic preg, child and puerp	83	79	34	11	17	3	2	6	235
R44	Other symptoms and signs involving general sensations and perceptions	23	30	4	3	3	0	0	0	63
R45	Symptoms and signs involving emotional state	24	48	5	9	11	1	0	0	98
	Other factors related to mental and behavioural disorders ^(a)	36	40	11	3	0	7	0	1	98
	Other factors related to substance use ^(b)	13	0	0	0	0	0	0	0	13
	Total	3,782	5,129	1,173	892	942	176	40	88	12,222
	Age-standardised same day separation rate^(c)	0.58	1.07	0.32	0.47	0.64	0.38	0.12	0.41	0.63
	95% confidence interval	0.56–0.59	1.04–1.10	0.30–0.34	0.44–0.50	0.60–0.68	0.33–0.44	0.08–0.16	0.32–0.49	0.62–0.64

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiological.

Table A3.4: Ambulatory-equivalent mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories,^(a) 2002–03

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03	Dementia	1	1	5	0	1	n.p.	n.p.	n.p.	8
F04–F09	Other organic mental disorders	0	0	1	1	0	n.p.	n.p.	n.p.	2
F10	Mental and behavioural disorders due to use of alcohol	10	1,368	2,134	42	3	n.p.	n.p.	n.p.	3,810
F11–F19	Mental and behav disorders due to other psychoactive substances use	11	34	283	8	0	n.p.	n.p.	n.p.	339
F20	Schizophrenia	181	33	3	0	0	n.p.	n.p.	n.p.	217
F21, F24,	Schizotypal and other delusional disorders	29	0	1	0	2	n.p.	n.p.	n.p.	49
F23	Acute and transient psychotic disorders	0	1	0	0	0	n.p.	n.p.	n.p.	9
F25	Schizoaffective disorders	29	13	28	0	0	n.p.	n.p.	n.p.	103
F30	Manic episode	0	0	0	1	0	n.p.	n.p.	n.p.	1
F31	Bipolar affective disorders	96	60	20	1	0	n.p.	n.p.	n.p.	199
F32	Depressive episode	156	259	167	7	1	n.p.	n.p.	n.p.	1,147
F33	Recurrent depressive disorders	635	32	76	0	0	n.p.	n.p.	n.p.	878
F34	Persistent mood (affective) disorders	8	0	16	1	0	n.p.	n.p.	n.p.	68
F38, F39	Other and unspecified mood (affective) disorders	0	0	1	0	0	n.p.	n.p.	n.p.	2
F40	Phobic anxiety disorders	8	0	0	0	0	n.p.	n.p.	n.p.	16
F41	Other anxiety disorders	442	36	90	9	8	n.p.	n.p.	n.p.	865
F42	Obsessive–compulsive disorders	0	1	0	0	0	n.p.	n.p.	n.p.	54
F43	Reaction to severe stress and adjustment disorders	620	11	104	6	1	n.p.	n.p.	n.p.	873
F44	Dissociative (conversion) disorders	42	0	0	1	0	n.p.	n.p.	n.p.	46
F45, F48	Somatoform and other neurotic disorders	0	0	0	2	1	n.p.	n.p.	n.p.	55
F50	Eating disorders	3	0	1	0	0	n.p.	n.p.	n.p.	64
F51–F59	Other behav syndromes associated w physiol dist and phys factors	1	13	3	42	1	n.p.	n.p.	n.p.	64
F60	Specific personality disorders	42	2	1	2	0	n.p.	n.p.	n.p.	56
F61–F69	Disorders of adult personality and behaviour	0	0	12	0	0	n.p.	n.p.	n.p.	15
F80–F89	Disorders of psychological development	0	0	0	1	0	n.p.	n.p.	n.p.	1
F90	Hyperkinetic disorders	1	0	0	0	0	n.p.	n.p.	n.p.	1
F91	Conduct disorders	0	0	1	0	0	n.p.	n.p.	n.p.	1
F99	Mental disorder not otherwise specified	0	0	0	2	0	n.p.	n.p.	n.p.	2
G30	Alzheimer's disease	1	0	0	0	1	n.p.	n.p.	n.p.	2
G47	Sleep disorders	1	503	1	2	1	n.p.	n.p.	n.p.	508
O99.3	Mental disorders and dis of the nerv sys complic preg, child and puerp	6	6	7	7	3	n.p.	n.p.	n.p.	30
R44	Other symptoms and signs involving general sensations and perceptions	0	0	1	0	0	n.p.	n.p.	n.p.	1
R45	Symptoms and signs involving emotional state	1	0	1	2	1	n.p.	n.p.	n.p.	6
	Other factors related to mental and behavioural disorders ^(a)	0	0	0	13	0	n.p.	n.p.	n.p.	13
	Total	2,324	2,373	2,957	150	24	n.p.	n.p.	n.p.	9,505
	Age-standardised same day separation rate^(c)	0.35	0.49	0.82	0.08	0.02	n.p.	n.p.	n.p.	0.49
	95% confidence interval	0.34–0.37	0.47–0.51	0.79–0.85	0.07–0.09	0.01–0.02	n.p.	n.p.	n.p.	0.48–0.50

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: n.p. Not published, behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physio

Table A3.5: Community mental health service contacts, by sex and age group, states and territories, 2002–03^(a)

Sex and age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Males									
Less than 15 years	51,198	82,085	73,470	23,383	28,235	1,744	6,019	1,305	267,439
15–24	108,488	134,252	67,883	29,882	25,066	2,263	21,459	3,046	392,339
25–34	158,469	215,404	91,417	45,239	35,492	4,453	23,295	3,742	577,511
35–44	148,919	162,776	74,491	40,255	38,293	4,438	22,123	3,794	495,089
45–54	97,476	104,213	50,368	31,962	20,560	3,054	8,890	1,191	317,714
55–64	42,816	52,893	26,596	14,837	8,733	1,245	3,267	446	150,833
65+	32,231	86,832	22,533	18,224	11,590	5,777	3,171	236	180,594
<i>Total males^(b)</i>	<i>641,243</i>	<i>838,761</i>	<i>406,827</i>	<i>203,894</i>	<i>168,075</i>	<i>23,018</i>	<i>88,224</i>	<i>13,773</i>	<i>2,383,815</i>
Females									
Less than 15 years	32,765	44,776	43,289	13,156	13,975	1,502	5,317	587	155,367
15–24	112,635	113,675	69,348	29,242	20,515	2,862	21,290	1,922	371,489
25–34	127,980	139,154	67,097	39,001	24,930	3,766	17,422	2,263	421,613
35–44	128,593	146,658	68,397	42,594	26,257	4,190	15,666	2,049	434,404
45–54	102,380	112,381	52,694	34,998	20,902	4,131	12,474	1,539	341,499
55–64	59,865	66,055	30,972	18,866	14,369	1,750	9,248	255	201,380
65+	60,164	147,905	40,829	32,171	24,491	10,086	8,030	186	323,862
<i>Total females^(b)</i>	<i>625,130</i>	<i>771,871</i>	<i>372,693</i>	<i>210,163</i>	<i>145,562</i>	<i>28,296</i>	<i>89,447</i>	<i>8,820</i>	<i>2,251,982</i>
Total persons^(b)									
Less than 15 years	88,866	126,861	116,760	36,539	42,386	3,246	11,434	1,892	427,984
15–24	221,588	247,929	137,234	59,163	45,736	5,125	42,971	4,969	764,715
25–34	295,529	354,580	158,514	84,242	60,461	8,219	40,781	6,067	1,008,393
35–44	279,970	309,450	142,889	82,888	64,605	8,628	37,835	5,843	932,108
45–54	201,669	216,596	103,062	67,001	41,464	7,185	21,397	2,730	661,104
55–64	102,950	118,948	57,568	33,706	23,102	2,995	12,515	701	352,485
65+	92,660	234,737	63,362	50,397	36,093	15,863	11,273	422	504,807
Total^(b)	1,301,233	1,610,674	779,527	414,183	314,085	51,314	178,751	22,656	4,672,423

(a) These data should be interpreted with caution due to incomplete coverage and inconsistencies in the definition of a service contact used between jurisdictions. For more information refer to Appendix 1 and Chapter 3.

(b) Includes service contacts for which sex and/or age group was not reported.

Table A3.6: Community mental health service contacts, by principal diagnosis, states and territories, 2002–03^{(a)(b)}

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT ^(c)	NT ^(c)	Australia
F00–F03	Dementia	5,382	43,595	n.a.	11,358	7,175	3,823	1,372	24	72,729
F04–F09	Other organic mental disorders	2,281	7,615	n.a.	8,101	1,734	67	1,974	141	21,913
F10	Mental and behavioural disorders due to use of alcohol	6,940	13,726	n.a.	3,695	1,395	146	1,406	217	27,525
F11–F19	Mental and behav disorders due to other psychoactive substances	12,722	24,468	n.a.	9,697	1,873	164	3,654	539	53,117
F20	Schizophrenia	264,861	547,419	n.a.	106,333	96,820	11,639	55,077	2,630	1,084,779
F21, F24, F28, F29	Schizotypal and other delusional disorders	1,029	23,675	n.a.	8,905	6,178	93	5,021	88	44,989
F22	Persistent delusional disorders	883	19,958	n.a.	4,846	3,636	34	2,850	100	32,307
F23	Acute and transient psychotic disorders	50,379	16,845	n.a.	6,765	5,671	1,479	1,689	111	82,939
F25	Schizoaffective disorders	7,519	119,076	n.a.	11,479	20,847	2,254	8,985	369	170,529
F30	Manic episode	1,195	6,055	n.a.	5,846	2,873	162	1,223	21	17,375
F31	Bipolar affective disorders	45,171	118,995	n.a.	29,366	24,731	2,980	12,645	379	234,267
F32	Depressive episode	107,713	144,451	n.a.	53,159	34,961	4,372	12,473	1,541	358,670
F33	Recurrent depressive disorders	1,970	40,677	n.a.	14,716	4,922	184	4,409	273	67,151
F34	Persistent mood (affective) disorders	839	13,491	n.a.	7,365	2,387	107	2,796	85	27,070
F38, F39	Other and unspecified mood (affective) disorders	335	1,657	n.a.	1,664	885	24	1,587	80	6,232
F40	Phobic anxiety disorders	6,334	4,729	n.a.	3,216	2,644	132	585	59	17,699
F41	Other anxiety disorders	32,232	25,145	n.a.	17,270	8,406	2,095	3,694	290	89,132
F42	Obsessive–compulsive disorders	2,816	7,333	n.a.	4,860	1,983	297	1,379	9	18,677
F43	Reaction to severe stress and adjustment disorders	28,289	69,018	n.a.	30,518	16,221	1,311	2,878	1,597	149,832
F44	Dissociative (conversion)	1,487	794	n.a.	626	113	38	9	16	3,083
F45, F48	Somatoform and other neurotic disorders	2,761	1,386	n.a.	1,286	851	35	143	0	6,462

(continued)

Table A3.6 (continued): Community mental health service contacts, by principal diagnosis, states and territories, 2002–03^{(a)(b)}

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT ^(c)	NT ^(c)	Australia
F50	Eating disorders	3,501	7,360	n.a.	2,564	457	379	873	49	15,183
F51–F59	Other behav syndromes associated with phys dist & phys	238	2,131	n.a.	1,830	303	83	994	79	5,658
F60	Specific personality disorders	14,068	51,451	n.a.	13,466	7,575	934	6,396	368	94,258
F61–F69	Disorders of adult personality and behaviour	1,325	2,254	n.a.	1,450	1,412	49	1,043	112	7,645
F70–F79	Mental retardation	2,801	4,531	n.a.	1,807	520	233	977	16	10,885
F80–F89	Disorders of psychological development	1,502	14,324	n.a.	1,852	1,996	131	748	55	20,608
F90	Hyperkinetic disorders	3,807	8,512	n.a.	3,103	1,176	434	596	185	17,813
F91	Conduct disorders	7,469	17,592	n.a.	2,647	5,827	234	977	121	34,867
F92–F98	Other & unspec disorders with onset childhood adolescence	2,480	23,390	n.a.	10,531	5,525	265	3,668	227	46,086
	Other	59,291	103,700	n.a.	13,276	6,585	1,115	0	0	183,967
<i>Total with specified principal diagnosis</i>		<i>679,620</i>	<i>1,485,353</i>	<i>n.a.</i>	<i>393,597</i>	<i>277,682</i>	<i>35,293</i>	<i>142,121</i>	<i>9,781</i>	<i>3,023,447</i>
F99	Mental disorder not otherwise specified	241,820	125,321	n.a.	20,586	36,403	5	36,266	115	460,516
	Not reported	379,793	0	779,527	0	0	16,016	364	12,760	1,188,460
<i>Total with unspecified principal diagnosis</i>		<i>621,613</i>	<i>125,321</i>	<i>779,527</i>	<i>20,586</i>	<i>36,403</i>	<i>16,021</i>	<i>36,630</i>	<i>12,875</i>	<i>1,648,976</i>
Total service contacts		1,301,233	1,610,674	779,527	414,183	314,085	51,314	178,751	22,656	4,672,423

(a) These data should be interpreted with caution due to incomplete coverage and inconsistencies in the definition of a service contact used across jurisdictions. For more information refer to Appendix 1 and Chapter 3.

(b) These data should be interpreted with caution due to differences in the statistical unit used by jurisdictions when reporting principal diagnosis.

(c) The Australian Capital Territory and Northern Territory reported principal diagnosis using the 'Mental and behavioural disorders' chapter of the ICD-10-AM classification only.

n.a. Not available.

Table A3.7: Same day separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, states and territories,^(a) 2002–03

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	2	6	1	1	0	1	0	0	11
F04–F09 Other organic mental disorders	5	3	3	12	2	0	0	0	25
F10 Mental and behavioural disorders due to use of alcohol	32	9	21	7	4	0	0	1	74
F11–F19 Mental and behav disorders due to other psychoactive substances use	24	14	24	11	7	0	0	1	81
F20 Schizophrenia	70	49	207	9	85	29	1	0	450
F21, F24, F28–F29 Schizotypal and other delusional disorders	20	5	12	1	5	0	0	0	43
F22 Persistent delusional disorders	60	8	31	5	5	0	0	0	109
F23 Acute and transient psychotic disorders	53	79	153	9	48	11	2	1	356
F25 Schizoaffective disorders	71	8	4	4	4	2	0	0	93
F30 Manic episode	2	3	2	3	1	0	1	0	12
F31 Bipolar affective disorders	129	149	267	45	61	98	1	2	752
F32 Depressive episode	940	385	1,245	141	88	435	23	3	3,260
F33 Recurrent depressive disorders	512	309	747	229	536	10	45	2	2,390
F34 Persistent mood (affective) disorders	10	3	21	2	5	0	1	0	42
F38, F39 Other and unspecified mood (affective) disorders	1	0	3	1	1	0	0	0	6
F40 Phobic anxiety disorders	2	3	0	0	0	0	0	0	5
F41 Other anxiety disorders	75	18	30	3	6	7	0	0	139
F42 Obsessive–compulsive disorders	40	2	0	0	0	0	0	0	42
F43 Reaction to severe stress and adjustment disorders	43	45	166	40	38	6	1	3	342
F44 Dissociative (conversion) disorders	22	2	2	1	0	0	0	0	27
F45, F48 Somatoform and other neurotic disorders	4	4	3	0	0	0	0	0	11
F50 Eating disorders	22	30	3	1	1	0	0	0	57
F51–F59 Other behavioural syndromes associated w physiol dist and phys factors	2	5	5	1	0	0	1	0	14
F60 Specific personality disorders	20	21	32	14	11	5	0	0	103
F61–F69 Disorders of adult personality and behaviour	2	0	1	1	0	0	1	0	5
F70–F79 Mental retardation	2	0	0	0	0	1	0	0	3
F80–F89 Disorders of psychological development	73	0	0	0	1	0	0	0	74
F90 Hyperkinetic disorders	0	0	0	0	1	0	0	0	1
F91 Conduct disorders	5	1	6	0	1	0	0	0	13
F92–F98 Other and unspec disorders w onset childhood adolescence	13	0	1	1	0	0	0	0	15
F99 Mental disorder not otherwise specified	3	2	8	0	0	0	0	0	13
G30 Alzheimer's disease	0	0	1	0	2	0	0	0	3
O99.3 Mental disorders and dis of the nerv sys complic preg, child and puerp	2	0	0	1	0	0	0	0	3
R44 Other symptoms and signs involving general sensations and perceptions	4	1	2	3	0	0	0	0	4
R45 Symptoms and signs involving emotional state	1	3	3	4	0	0	0	0	11
Other factors related to mental and behavioural disorders ^(b)	41	8	69	5	234	3	1	4	365
Other ^(c)	2	3	6	0	0	0	0	0	11
Total	2,309	1,178	3,079	555	1,147	608	78	17	8,965
Age-standardised same day separation rate^(d)	0.35	0.24	0.84	0.29	0.73	1.26	0.26	0.10	0.46
95% confidence interval	0.33–0.36	0.23–0.25	0.81–0.87	0.27–0.32	0.69–0.77	1.16–1.36	0.2–0.31	0.05–0.15	0.45–0.47

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) All other codes not included in the mental health principal diagnosis as listed in Appendix 3, *Mental Health Services in Australia 2000–01*.

(d) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiological.

Table A3.8: Overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories,^(a) 2002–03

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	202	344	89	139	101	36	4	0	915
F04–F09 Other organic mental disorders	216	124	144	186	70	24	7	2	773
F10 Mental and behavioural disorders due to use of alcohol	888	221	383	190	156	60	10	37	1,945
F11–F19 Mental and behav disorders due to other psychoactive substances use	1,344	656	869	524	297	88	41	81	3,900
F20 Schizophrenia	5,880	5,190	4,686	1,619	1,454	568	179	165	19,741
F21, F24, F28–F29 Schizotypal and other delusional disorders	546	376	236	282	52	43	25	27	1,587
F22 Persistent delusional disorders	301	273	195	126	104	31	27	8	1,065
F23 Acute and transient psychotic disorders	850	284	394	149	149	28	39	25	1,918
F25 Schizoaffective disorders	1,504	1,339	1,038	332	597	80	67	72	5,029
F30 Manic episode	253	144	124	65	58	25	12	15	696
F31 Bipolar affective disorders	2,478	1,781	1,563	812	797	252	138	57	7,878
F32 Depressive episode	2,535	2,515	2,188	870	904	336	145	102	9,595
F33 Recurrent depressive disorders	720	489	448	279	486	59	93	33	2,607
F34 Persistent mood (affective) disorders	338	196	343	83	130	28	29	11	1,158
F38, F39 Other and unspecified mood (affective) disorders	43	25	29	24	5	16	7	0	149
F40 Phobic anxiety disorders	22	5	15	7	11	4	0	0	64
F41 Other anxiety disorders	254	156	204	146	108	42	21	5	936
F42 Obsessive–compulsive disorders	83	35	34	26	18	15	4	0	215
F43 Reaction to severe stress and adjustment disorders	1,888	1,264	1,709	1,335	957	371	109	102	7,735
F44 Dissociative (conversion) disorders	46	24	47	13	6	18	2	1	157
F45, F48 Somatoform and other neurotic disorders	40	16	20	8	10	5	2	0	101
F50 Eating disorders	71	187	136	26	84	19	5	1	529
F51–F59 Other behav syndromes associated w physiol dist and phys factors	37	97	27	10	15	3	8	1	198
F60 Specific personality disorders	1,332	698	849	544	296	149	132	12	4,012
F61–F69 Disorders of adult personality and behaviour	79	22	53	35	34	9	8	1	241
F70–F79 Mental retardation	81	20	50	13	5	18	1	0	188
F80–F89 Disorders of psychological development	72	19	68	15	7	0	0	0	181
F90 Hyperkinetic disorders	35	12	26	9	0	0	1	1	84
F91 Conduct disorders	161	67	87	22	16	7	3	0	363
F92–F98 Other and unspec disorders w onset childhood adolescence	45	22	46	38	15	0	1	0	167
F99 Mental disorder not otherwise specified	30	127	16	1	1	3	1	0	179
G30 Alzheimer's disease	137	168	49	186	115	18	1	0	674
G47 Sleep disorders	2	1	4	2	1	1	0	1	12
O99.3 Mental disorders and dis of the nerv sys complic preg, child and puerp	25	11	19	4	5	7	0	0	71
R44 Other symptoms and signs involving general sensations and perceptions	11	8	3	1	1	2	0	0	26
R45 Symptoms and signs involving emotional state	9	18	17	3	0	6	0	2	55
R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified	0	0	0	1	0	0	0	0	1
Other factors related to mental and behavioural disorders ^(b)	446	53	24	9	0	3	3	2	540
Other factors related to substance use ^(c)	9	0	0	0	0	0	0	0	9
Other ^(d)	3,233	380	1,454	167	527	122	111	45	6,039
Total	26,246	17,367	17,686	8,301	7,592	2,496	1,236	809	81,733
Age-standardised overnight separation rate^(e)	3.99	3.59	4.91	4.37	5.05	5.47	3.75	4.01	4.21
95% confidence interval	3.94–4.04	3.53–3.64	4.84–4.98	4.27–4.46	4.93–5.16	5.25–5.68	3.54–3.96	3.74–4.29	4.18–4.24

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) All other codes not included in the mental health principal diagnosis as listed in Appendix 3, *Mental Health Services in Australia 2000–01*.

(e) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiological.

Table A3.9: Overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories,^(a) 2002–03

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	23	67	20	9	4	n.p.	n.p.	n.p.	128
F04–F09 Other organic mental disorders	24	65	23	28	13	n.p.	n.p.	n.p.	157
F10 Mental and behavioural disorders due to use of alcohol	985	577	192	231	167	n.p.	n.p.	n.p.	2,230
F11–F19 Mental and behav disorders due to other psychoactive substances use	651	162	89	102	47	n.p.	n.p.	n.p.	1,068
F20 Schizophrenia	276	232	328	83	93	n.p.	n.p.	n.p.	1,029
F21, F24, F28–F29 Schizotypal and other delusional disorders	25	24	22	13	6	n.p.	n.p.	n.p.	93
F22 Persistent delusional disorders	33	28	22	13	19	n.p.	n.p.	n.p.	122
F23 Acute and transient psychotic disorders	29	12	14	15	6	n.p.	n.p.	n.p.	82
F25 Schizoaffective disorders	235	250	152	50	139	n.p.	n.p.	n.p.	845
F30 Manic episode	31	13	16	8	1	n.p.	n.p.	n.p.	73
F31 Bipolar affective disorders	466	694	381	289	220	n.p.	n.p.	n.p.	2,110
F32 Depressive episode	1,635	1,236	1,435	441	273	n.p.	n.p.	n.p.	5,099
F33 Recurrent depressive disorders	571	1,152	492	607	494	n.p.	n.p.	n.p.	3,482
F34 Persistent mood (affective) disorders	81	68	117	19	37	n.p.	n.p.	n.p.	360
F38, F39 Other and unspecified mood (affective) disorders	8	9	18	1	2	n.p.	n.p.	n.p.	41
F40 Phobic anxiety disorders	19	16	12	6	6	n.p.	n.p.	n.p.	59
F41 Other anxiety disorders	246	297	210	121	81	n.p.	n.p.	n.p.	982
F42 Obsessive–compulsive disorders	35	72	17	15	9	n.p.	n.p.	n.p.	151
F43 Reaction to severe stress and adjustment disorders	492	441	733	411	164	n.p.	n.p.	n.p.	2,401
F44 Dissociative (conversion) disorders	10	40	214	10	11	n.p.	n.p.	n.p.	287
F45, F48 Somatoform and other neurotic disorders	20	8	14	12	8	n.p.	n.p.	n.p.	62
F50 Eating disorders	176	99	92	79	24	n.p.	n.p.	n.p.	475
F51–F59 Other behav syndromes associated w physiol dist and phys factors	52	22	3	15	5	n.p.	n.p.	n.p.	99
F60 Specific personality disorders	142	124	36	56	26	n.p.	n.p.	n.p.	397
F61–F69 Disorders of adult personality and behaviour	38	3	4	7	9	n.p.	n.p.	n.p.	63
F70–F79 Mental retardation	0	1	1	1	0	n.p.	n.p.	n.p.	3
F80–F89 Disorders of psychological development	0	2	6	0	1	n.p.	n.p.	n.p.	11
F90 Hyperkinetic disorders	5	0	0	1	2	n.p.	n.p.	n.p.	8
F91 Conduct disorders	0	0	3	2	2	n.p.	n.p.	n.p.	7
F92–F98 Other and unspec disorders w onset childhood adolescence	3	3	2	0	0	n.p.	n.p.	n.p.	8
F99 Mental disorder not otherwise specified	1	0	0	0	0	n.p.	n.p.	n.p.	3
G30 Alzheimer's disease	5	37	34	11	2	n.p.	n.p.	n.p.	89
G47 Sleep disorders	1	2	51	3	0	n.p.	n.p.	n.p.	57
O99.3 Mental disorders and dis of the nerv sys complic preg, child and puerp	0	2	0	2	0	n.p.	n.p.	n.p.	4
R44 Other symptoms and signs involving general sensations and perceptions	0	0	1	1	1	n.p.	n.p.	n.p.	3
R45 Symptoms and signs involving emotional state	0	2	0	1	0	n.p.	n.p.	n.p.	3
Other factors related to mental and behavioural disorders ^(b)	1	5	1	2	0	n.p.	n.p.	n.p.	9
Other ^(c)	77	31	77	29	6	n.p.	n.p.	n.p.	247
Total	6,396	5,796	4,832	2,694	1,878	n.p.	n.p.	n.p.	22,347
Age-standardised overnight separation rate^(e)	0.97	1.20	1.34	1.43	1.22	n.p.	n.p.	n.p.	1.15
95% confidence interval	0.95–1.00	1.17–1.23	1.31–1.38	1.37–1.48	1.16–1.27	n.p.	n.p.	n.p.	1.14–1.17

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) All other codes not included in the mental health principal diagnosis as listed in Appendix 3, *Mental Health Services in Australia 2000–01*.

(e) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: n.p. Not published, behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiol

Table A3.10: Patient days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories,^(a) 2002–03

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03	Dementia	12,142	12,811	4,524	11,276	4,026	1,557	122	0	46,458
F04–F09	Other organic mental disorders	7,697	4,091	22,285	6,161	2,655	403	201	6	43,499
F10	Mental and behavioural disorders due to use of alcohol	7,694	2,344	4,736	3,216	1,958	347	97	163	20,555
F11–F19	Mental and behav disorders due to other psychoactive substances use	9,586	6,340	9,731	4,906	1,668	461	269	663	33,624
F20	Schizophrenia	291,973	132,223	283,991	57,627	30,504	12,691	2,636	2,705	814,350
F21, F24, F28–F29	Schizotypal and other delusional disorders	8,634	5,924	3,318	5,774	499	357	265	242	25,013
F22	Persistent delusional disorders	5,310	6,092	4,260	3,427	1,388	826	360	83	21,746
F23	Acute and transient psychotic disorders	11,437	4,122	4,234	2,220	1,321	429	505	182	24,450
F25	Schizoaffective disorders	46,688	27,624	25,793	7,700	13,509	2,360	763	1,293	125,730
F30	Manic episode	4,473	2,417	1,857	1,085	560	353	136	255	11,136
F31	Bipolar affective disorders	53,864	33,919	32,062	18,965	12,568	6,528	1,841	806	160,553
F32	Depressive episode	40,774	33,705	23,923	14,769	14,833	3,384	1,923	1,081	134,392
F33	Recurrent depressive disorders	12,933	8,593	8,043	5,799	6,336	747	1,310	295	44,056
F34	Persistent mood (affective) disorders	5,222	2,235	2,224	739	869	409	142	47	11,887
F38, F39	Other and unspecified mood (affective) disorders	540	494	297	341	48	82	123	0	1,925
F40	Phobic anxiety disorders	355	49	191	156	144	46	0	0	941
F41	Other anxiety disorders	4,979	2,564	1,703	1,830	967	1,285	123	23	13,474
F42	Obsessive–compulsive disorders	1,070	514	603	390	219	125	40	0	2,961
F43	Reaction to severe stress and adjustment disorders	9,523	8,711	7,964	8,036	6,914	1,463	657	494	43,762
F44	Dissociative (conversion) disorders	332	164	502	78	48	290	14	10	1,438
F45, F48	Somatoform and other neurotic disorders	507	355	149	222	89	29	60	0	1,411
F50	Eating disorders	3,130	4,167	4,255	323	2,132	468	87	3	14,565
F51–F59	Other behav syndromes associated w physiol dist and phys factors	356	1,491	214	162	169	22	98	17	2,529
F60	Specific personality disorders	9,425	5,709	10,354	4,224	1,679	1,633	781	66	33,871
F61–F69	Disorders of adult personality and behaviour	667	297	12,094	342	464	252	69	6	14,191
F70–F79	Mental retardation	17,661	360	36,982	165	83	102	2	0	55,355
F80–F89	Disorders of psychological development	803	356	2,159	392	42	0	0	0	3,752
F90	Hyperkinetic disorders	325	245	267	162	0	0	20	2	1,021
F91	Conduct disorders	809	902	515	208	41	31	39	0	2,545
F92–F98	Other and unspec disorders w onset childhood adolescence	364	354	525	839	70	0	3	0	2,155
F99	Mental disorder not otherwise specified	273	6,601	153	11	1	12	1	0	7,052
G30	Alzheimer's disease	21,414	6,339	2,938	12,445	5,628	2,472	12	0	51,248
G47	Sleep disorders	2	3	19	13	9	4	0	6	56
O99.3	Mental disorders and dis of the nerv sys complic preg, child and puerp	543	185	198	87	54	48	0	0	1,115
R44	Other symptoms and signs involving general sensations and perceptions	126	73	3	27	7	11	0	0	247
R45	Symptoms and signs involving emotional state	30	150	57	23	0	25	0	11	296
R48	Dyslexia and other symbolic dysfunctions, not elsewhere classified	0	0	0	26	0	0	0	0	26
	Other factors related to mental and behavioural disorders ^(b)	2,162	1,213	243	31	0	5	6	30	3,690
	Other factors related to substance use ^(c)	762	0	0	0	0	0	0	0	762
	Other ^(d)	52,616	8,439	56,536	5,777	51,671	3,603	1,234	340	180,216
	Total	647,201	332,175	569,902	179,974	163,173	42,860	13,939	8,829	1,958,053
	Age-standardised overnight patient day rate^(e)	98.1	68.5	159.0	95.6	107.2	93.0	43.4	46.4	100.9
	95% confidence limit	97.8–98.3	68.3–68.7	158.6–159.4	95.2–96.1	106.7–107.7	92.1–93.8	42.7–44.1	45.4–47.4	100.8–101.1

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) All other codes not included in the mental health principal diagnosis as listed in Appendix 3, *Mental Health Services in Australia 2000–01*.

(e) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiological.

Table A3.11: Patient days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories,^(a) 2002–03

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	484	1,857	547	468	98	n.p.	n.p.	n.p.	3,700
F04–F09 Other organic mental disorders	489	1,410	431	387	195	n.p.	n.p.	n.p.	2,991
F10 Mental and behavioural disorders due to use of alcohol	15,539	7,571	2,852	4,108	2,403	n.p.	n.p.	n.p.	33,445
F11–F19 Mental and behav disorders due to other psychoactive substances use	10,251	1,510	1,320	2,165	793	n.p.	n.p.	n.p.	16,196
F20 Schizophrenia	5,343	4,967	7,722	2,262	1,481	n.p.	n.p.	n.p.	22,082
F21, F24, F28–F29 Schizotypal and other delusional disorders	293	671	440	159	86	n.p.	n.p.	n.p.	1,685
F22 Persistent delusional disorders	457	615	450	249	353	n.p.	n.p.	n.p.	2,207
F23 Acute and transient psychotic disorders	251	224	1,148	275	63	n.p.	n.p.	n.p.	2,081
F25 Schizoaffective disorders	4,234	4,608	2,794	1,081	2,756	n.p.	n.p.	n.p.	15,746
F30 Manic episode	421	193	278	151	24	n.p.	n.p.	n.p.	1,143
F31 Bipolar affective disorders	10,225	12,398	8,135	4,957	3,575	n.p.	n.p.	n.p.	40,270
F32 Depressive episode	35,039	24,947	30,244	8,068	5,076	n.p.	n.p.	n.p.	104,763
F33 Recurrent depressive disorders	12,306	22,328	10,514	9,519	9,363	n.p.	n.p.	n.p.	66,916
F34 Persistent mood (affective) disorders	1,805	1,221	2,101	376	499	n.p.	n.p.	n.p.	6,604
F38, F39 Other and unspecified mood (affective) disorders	168	214	311	8	25	n.p.	n.p.	n.p.	775
F40 Phobic anxiety disorders	354	239	194	56	84	n.p.	n.p.	n.p.	927
F41 Other anxiety disorders	4,418	5,350	3,689	2,017	1,035	n.p.	n.p.	n.p.	16,915
F42 Obsessive–compulsive disorders	726	1,784	440	167	173	n.p.	n.p.	n.p.	3,355
F43 Reaction to severe stress and adjustment disorders	9,340	6,232	12,288	6,820	2,025	n.p.	n.p.	n.p.	39,011
F44 Dissociative (conversion) disorders	274	700	2,721	247	131	n.p.	n.p.	n.p.	4,102
F45, F48 Somatoform and other neurotic disorders	370	199	311	241	59	n.p.	n.p.	n.p.	1,180
F50 Eating disorders	5,047	2,804	3,806	2,153	470	n.p.	n.p.	n.p.	14,358
F51–F59 Other behav syndromes associated w physiol dist and phys factors	1,161	328	21	124	104	n.p.	n.p.	n.p.	1,773
F60 Specific personality disorders	2,347	1,463	377	885	334	n.p.	n.p.	n.p.	5,555
F61–F69 Disorders of adult personality and behaviour	677	54	114	124	203	n.p.	n.p.	n.p.	1,191
F70–F79 Mental retardation	0	15	14	14	0	n.p.	n.p.	n.p.	43
F80–F89 Disorders of psychological development	0	100	66	0	9	n.p.	n.p.	n.p.	197
F90 Hyperkinetic disorders	145	0	0	12	4	n.p.	n.p.	n.p.	161
F91 Conduct disorders	0	0	57	34	16	n.p.	n.p.	n.p.	107
F92–F98 Other and unspec disorders w onset childhood adolescence	19	89	25	0	0	n.p.	n.p.	n.p.	133
F99 Mental disorder not otherwise specified	3	0	0	0	0	n.p.	n.p.	n.p.	15
G30 Alzheimer's disease	95	858	860	293	52	n.p.	n.p.	n.p.	2,158
G47 Sleep disorders	8	13	63	80	0	n.p.	n.p.	n.p.	164
O99.3 Mental disorders and dis of the nerv sys complic preg, child and puerp	0	32	0	9	0	n.p.	n.p.	n.p.	41
R44 Other symptoms and signs involving general sensations and perceptions	0	0	2	3	9	n.p.	n.p.	n.p.	14
R45 Symptoms and signs involving emotional state	0	12	0	10	0	n.p.	n.p.	n.p.	22
Other factors related to mental and behavioural disorders ^(b)	2	122	24	9	0	n.p.	n.p.	n.p.	157
Other ^(c)	1,455	753	1,352	960	64	n.p.	n.p.	n.p.	4,958
Total	123,746	105,881	95,711	48,491	31,562	n.p.	n.p.	n.p.	417,141
Age-standardised overnight patient day rate^(d)	18.8	21.9	26.7	25.8	20.3	n.p.	n.p.	n.p.	21.5
95% confidence limit	18.7–18.9	21.8–22.0	26.5–26.8	25.6–26.0	20.1–20.6	n.p.	n.p.	n.p.	21.4–21.6

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) All other codes not included in the mental health principal diagnosis as listed in Appendix 3, *Mental Health Services in Australia 2000–01*.

(d) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: n.p. Not published, behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiol

Table A3.12: Psychiatric care days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories,^(a) 2002–03

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03	Dementia	12,024	12,811	4,348	11,222	4,026	1,557	122	0	46,110
F04–F09	Other organic mental disorders	7,470	4,091	22,244	6,074	2,655	403	194	6	43,137
F10	Mental and behavioural disorders due to use of alcohol	7,514	2,298	4,603	3,165	1,958	347	97	159	20,141
F11–F19	Mental and behav disorders due to other psychoactive substances use	9,405	6,250	9,691	4,861	1,668	461	268	654	33,258
F20	Schizophrenia	290,467	118,675	283,861	57,126	30,504	12,691	2,633	2,699	798,656
F21, F24,	Schizotypal and other delusional disorders	8,413	5,866	3,308	5,710	499	357	265	241	24,659
F22	Persistent delusional disorders	5,255	4,917	4,207	3,408	1,388	826	360	83	20,444
F23	Acute and transient psychotic disorders	11,067	4,089	4,207	2,157	1,321	429	487	181	23,938
F25	Schizoaffective disorders	46,227	27,622	25,735	7,591	13,509	2,360	763	1,292	125,099
F30	Manic episode	4,351	2,407	1,812	1,070	560	353	136	255	10,944
F31	Bipolar affective disorders	52,855	33,919	31,967	18,610	12,568	6,528	1,840	805	159,092
F32	Depressive episode	39,124	33,621	23,526	14,310	14,833	3,384	1,887	1,050	131,735
F33	Recurrent depressive disorders	12,543	8,593	7,903	5,579	6,336	747	1,307	293	43,301
F34	Persistent mood (affective) disorders	5,196	2,235	2,203	727	869	409	139	47	11,825
F38, F39	Other and unspecified mood (affective) disorders	533	494	295	338	48	82	123	0	1,913
F40	Phobic anxiety disorders	337	49	191	156	144	46	0	0	923
F41	Other anxiety disorders	4,488	2,564	1,685	1,737	967	1,285	122	23	12,871
F42	Obsessive–compulsive disorders	993	514	602	386	219	125	40	0	2,879
F43	Reaction to severe stress and adjustment disorders	9,282	8,711	7,859	7,828	6,914	1,463	655	476	43,188
F44	Dissociative (conversion) disorders	302	164	494	78	48	290	14	10	1,400
F45, F48	Somatoform and other neurotic disorders	481	355	148	222	89	29	60	0	1,384
F50	Eating disorders	2,748	4,167	4,148	250	2,132	468	87	3	14,003
F51–F59	Other behav syndromes associated w physiol dist and phys factors	346	1,491	214	162	169	22	98	17	2,519
F60	Specific personality disorders	9,254	5,348	10,308	4,160	1,679	1,633	777	61	33,220
F61–F69	Disorders of adult personality and behaviour	661	297	12,084	342	464	252	69	3	14,172
F70–F79	Mental retardation	17,629	360	36,982	164	83	102	2	0	55,322
F80–F89	Disorders of psychological development	798	287	2,159	390	42	0	0	0	3,676
F90	Hyperkinetic disorders	315	245	267	160	0	0	20	2	1,009
F91	Conduct disorders	798	902	513	206	41	31	39	0	2,530
F92–F98	Other and unspec disorders w onset childhood adolescence	326	354	522	744	70	0	2	0	2,018
F99	Mental disorder not otherwise specified	265	6,601	153	11	1	12	1	0	7,044
G30	Alzheimer's disease	21,348	6,339	2,906	12,228	5,628	2,472	12	0	50,933
G47	Sleep disorders	2	3	19	13	9	4	0	6	56
O99.3	Mental disorders and dis of the nerv sys complic preg, child and puerp	473	185	176	86	54	48	0	0	1,022
R44	Other symptoms and signs involving general sensations and perceptions	112	73	3	27	7	11	0	0	233
R45	Symptoms and signs involving emotional state	29	150	35	22	0	25	0	11	272
R48	Dyslexia and other symbolic dysfunctions, not elsewhere classified	0	0	0	26	0	0	0	0	26
	Other factors related to mental and behavioural disorders ^(b)	2,160	1,170	239	30	0	5	6	30	3,640
	Other factors related to substance use ^(c)	737	0	0	0	0	0	0	0	737
	Other ^(d)	48,534	8,179	54,951	5,234	51,671	3,603	1,072	259	173,503
	Total	634,862	316,396	566,568	176,610	163,173	42,860	13,697	8,666	1,922,832
	Age-standardised overnight psychiatric care day rate^(e)	96.19	65.23	158.05	93.85	107.19	93.00	42.63	45.50	99.13
	95% confidence limit	96.0–96.4	65.0–65.5	157.6–158.5	93.4–94.3	106.7–107.7	92.1–93.9	41.9–43.3	44.5–46.5	99.0–99.3

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) All other codes not included in the mental health principal diagnosis as listed in Appendix 3, *Mental Health Services in Australia 2000–01*.

(e) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiological.

Table A3.13: Psychiatric care days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories,^(a) 2002–03

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03	Dementia	469	1,857	547	468	98	n.p.	n.p.	n.p.	3,595
F04–F09	Other organic mental disorders	486	1,410	431	387	195	n.p.	n.p.	n.p.	2,988
F10	Mental and behavioural disorders due to use of alcohol	15,125	7,571	2,833	4,108	2,403	n.p.	n.p.	n.p.	33,012
F11–F19	Mental and behav disorders due to other psychoactive substances use	10,240	1,510	1,319	2,165	793	n.p.	n.p.	n.p.	16,184
F20	Schizophrenia	5,336	4,967	7,722	2,262	1,481	n.p.	n.p.	n.p.	22,072
F21, F24, F28–F29	Schizotypal and other delusional disorders	293	671	440	159	86	n.p.	n.p.	n.p.	1,685
F22	Persistent delusional disorders	436	615	450	249	353	n.p.	n.p.	n.p.	2,186
F23	Acute and transient psychotic disorders	251	224	1,148	275	63	n.p.	n.p.	n.p.	2,081
F25	Schizoaffective disorders	4,219	4,608	2,794	1,081	2,756	n.p.	n.p.	n.p.	15,731
F30	Manic episode	421	193	278	151	24	n.p.	n.p.	n.p.	1,143
F31	Bipolar affective disorders	10,139	12,398	8,063	4,954	3,575	n.p.	n.p.	n.p.	40,068
F32	Depressive episode	34,286	24,947	30,152	7,980	5,076	n.p.	n.p.	n.p.	103,830
F33	Recurrent depressive disorders	12,200	22,328	10,505	9,517	9,363	n.p.	n.p.	n.p.	66,777
F34	Persistent mood (affective) disorders	1,737	1,221	2,011	376	499	n.p.	n.p.	n.p.	6,446
F38, F39	Other and unspecified mood (affective) disorders	168	214	311	8	25	n.p.	n.p.	n.p.	775
F40	Phobic anxiety disorders	354	239	194	56	84	n.p.	n.p.	n.p.	927
F41	Other anxiety disorders	4,402	5,350	3,689	2,017	1,035	n.p.	n.p.	n.p.	16,894
F42	Obsessive–compulsive disorders	726	1,784	440	167	173	n.p.	n.p.	n.p.	3,355
F43	Reaction to severe stress and adjustment disorders	9,307	6,232	12,287	6,786	2,025	n.p.	n.p.	n.p.	38,943
F44	Dissociative (conversion) disorders	274	700	2,721	168	131	n.p.	n.p.	n.p.	4,023
F45, F48	Somatoform and other neurotic disorders	367	199	311	241	59	n.p.	n.p.	n.p.	1,177
F50	Eating disorders	4,942	2,804	3,806	2,153	470	n.p.	n.p.	n.p.	14,253
F51–F59	Other behav syndromes associated w physiol dist and phys factors	1,158	328	21	124	104	n.p.	n.p.	n.p.	1,770
F60	Specific personality disorders	2,328	1,463	377	879	334	n.p.	n.p.	n.p.	5,530
F61–F69	Disorders of adult personality and behaviour	676	54	114	124	203	n.p.	n.p.	n.p.	1,190
F70–F79	Mental retardation	0	15	14	14	0	n.p.	n.p.	n.p.	43
F80–F89	Disorders of psychological development	0	100	66	0	9	n.p.	n.p.	n.p.	197
F90	Hyperkinetic disorders	145	0	0	12	4	n.p.	n.p.	n.p.	161
F91	Conduct disorders	0	0	57	34	16	n.p.	n.p.	n.p.	107
F92–F98	Other and unspec disorders w onset childhood adolescence	19	89	25	0	0	n.p.	n.p.	n.p.	133
F99	Mental disorder not otherwise specified	3	0	0	0	0	n.p.	n.p.	n.p.	15
G30	Alzheimer's disease	95	858	860	293	52	n.p.	n.p.	n.p.	2,158
G47	Sleep disorders	8	13	63	49	0	n.p.	n.p.	n.p.	133
O99.3	Mental disorders and dis of the nerv sys complic preg, child and puerp	0	32	0	9	0	n.p.	n.p.	n.p.	41
R44	Other symptoms and signs involving general sensations and perceptions	0	0	2	3	9	n.p.	n.p.	n.p.	14
R45	Symptoms and signs involving emotional state	0	12	0	10	0	n.p.	n.p.	n.p.	22
	Other factors related to mental and behavioural disorders ^(b)	2	122	24	9	0	n.p.	n.p.	n.p.	157
	Other ^(c)	1,315	753	1,170	737	64	n.p.	n.p.	n.p.	4,389
	Total	121,927	105,881	95,245	48,025	31,562	n.p.	n.p.	n.p.	414,205
	Age-standardised overnight psychiatric care day rate^(d)	18.5	21.9	26.5	25.5	20.4	n.p.	n.p.	n.p.	21.3
	95% confidence limit	18.4–18.6	21.8–22.0	26.4–26.7	25.3–25.8	20.1–20.6	n.p.	n.p.	n.p.	21.3–21.4

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) All other codes not included in the mental health principal diagnosis as listed in Appendix 3, *Mental Health Services in Australia 2000–01*.

(d) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: n.p. Not published, behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiol

Table A3.14: Overnight separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,^(b) 2002–03

AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public acute									
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	3,253	3,486	3,018	1,231	1,125	400	329	177	13,019
U61A Schizophrenia Disorders W Mental Health Legal Status	2,983	4,015	3,268	549	623	281	125	76	11,920
U67Z Personality Disorders and Acute Reactions	2,232	2,023	2,698	1,615	929	528	250	116	10,391
U61B Schizophrenia Disorders W/O Mental Health Legal Status	2,198	2,343	2,042	712	502	289	128	165	8,379
U64Z Other Affective and Somatoform Disorders	955	1,095	1,073	330	202	148	73	39	3,915
V61Z Drug Intoxication and Withdrawal	715	481	686	252	137	57	32	70	2,430
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	430	736	508	83	340	88	24	4	2,213
U62A Paranoia and Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	653	504	451	171	95	38	44	23	1,979
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	425	358	245	190	78	43	39	33	1,411
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	153	562	187	78	122	17	8	0	1,127
X62B Poisoning/Toxic Effects of Drugs & Other Substances Age <60 W/O CC	288	52	346	27	71	52	40	16	892
X62A Poisoning/Toxic Effects of Drugs & Other Substances Age >59 or W CC	261	61	336	31	97	29	38	6	859
U65Z Anxiety Disorders	191	128	208	88	88	48	24	5	780
U66Z Eating and Obsessive–Compulsive Disorders	118	224	161	48	100	35	9	1	696
V60B Alcohol Intoxication and Withdrawal W/O CC	255	97	201	52	31	22	4	22	684
Private									
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	1,330	2,342	1,832	1,070	812	n.p.	n.p.	n.p.	7,595
U67Z Personality Disorders and Acute Reactions	362	567	642	477	205	n.p.	n.p.	n.p.	2,428
U61B Schizophrenia Disorders W/O Mental Health Legal Status	340	482	456	100	230	n.p.	n.p.	n.p.	1,631
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	235	590	332	112	157	n.p.	n.p.	n.p.	1,479
V62A Alcohol Use Disorder and Dependence	420	540	71	164	150	n.p.	n.p.	n.p.	1,401
U64Z Other Affective and Somatoform Disorders	246	350	243	214	89	n.p.	n.p.	n.p.	1,238
U65Z Anxiety Disorders	154	258	387	112	72	n.p.	n.p.	n.p.	1,006
U66Z Eating and Obsessive–Compulsive Disorders	135	174	109	94	33	n.p.	n.p.	n.p.	554
V64Z Other Drug Use Disorder and Dependence	207	55	36	44	37	n.p.	n.p.	n.p.	391
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	26	124	39	24	12	n.p.	n.p.	n.p.	234
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	53	58	44	29	24	n.p.	n.p.	n.p.	218
V63A Opioid Use Disorder and Dependence	73	87	6	25	5	n.p.	n.p.	n.p.	199
V60B Alcohol Intoxication and Withdrawal W/O CC	43	23	21	54	10	n.p.	n.p.	n.p.	173
V61Z Drug Intoxication and Withdrawal	20	18	17	33	5	n.p.	n.p.	n.p.	95
O61Z Postpartum and Post Abortion W/O O.R. Procedure	41	19	3	12	1	n.p.	n.p.	n.p.	77

(continued)

Table A3.14 (continued): Overnight separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,^(b) 2002–03

AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	Public psychiatric								
U61A Schizophrenia Disorders W Mental Health Legal Status	1,158	184	4	488	746	17	2,597
U67Z Personality Disorders and Acute Reactions	1,222	29	0	317	341	15	1,924
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	1,106	21	2	291	410	58	1,888
U61B Schizophrenia Disorders W/O Mental Health Legal Status	1,066	8	1	165	126	75	1,441
V61Z Drug Intoxication and Withdrawal	227	16	1	157	91	0	492
U62A Paranoia and Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	187	19	0	118	94	1	419
Z64A Other Factors Influencing Health Status	391	24	0	2	1	0	418
U64Z Other Affective and Somatoform Disorders	307	3	1	37	62	1	411
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	107	2	0	32	129	50	320
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	100	0	0	17	135	45	297
V60B Alcohol Intoxication and Withdrawal W/O CC	206	2	0	29	8	1	246
V64Z Other Drug Use Disorder and Dependence	153	8	0	38	28	0	227
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	186	0	0	18	9	5	218
V62A Alcohol Use Disorder and Dependence	118	1	0	11	14	0	144
U65Z Anxiety Disorders	55	2	0	4	18	2	81
	Total								
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	5,689	5,849	4,852	2,592	2,347	n.p.	n.p.	n.p.	22,502
U67Z Personality Disorders and Acute Reactions	3,816	2,619	3,340	2,409	1,475	n.p.	n.p.	n.p.	14,743
U61A Schizophrenia Disorders W Mental Health Legal Status	4,141	4,199	3,290	1,071	1,370	n.p.	n.p.	n.p.	14,583
U61B Schizophrenia Disorders W/O Mental Health Legal Status	3,604	2,833	2,499	977	858	n.p.	n.p.	n.p.	11,451
U64Z Other Affective and Somatoform Disorders	1,508	1,448	1,317	581	353	n.p.	n.p.	n.p.	5,564
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	765	1,326	840	212	632	n.p.	n.p.	n.p.	3,989
V61Z Drug Intoxication and Withdrawal	962	515	704	442	233	n.p.	n.p.	n.p.	3,017
U62A Paranoia and Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	841	525	457	298	190	n.p.	n.p.	n.p.	2,423
V62A Alcohol Use Disorder and Dependence	759	629	191	234	249	n.p.	n.p.	n.p.	2,163
U65Z Anxiety Disorders	400	388	595	204	178	n.p.	n.p.	n.p.	1,867
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	664	416	289	237	111	n.p.	n.p.	n.p.	1,847
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	286	688	226	134	263	n.p.	n.p.	n.p.	1,681
U66Z Eating and Obsessive–Compulsive Disorders	291	399	270	146	137	n.p.	n.p.	n.p.	1,297
V64Z Other Drug Use Disorder and Dependence	533	198	180	146	96	n.p.	n.p.	n.p.	1,213
V60B Alcohol Intoxication and Withdrawal W/O CC	504	122	222	135	49	n.p.	n.p.	n.p.	1,103

(a) Separations for which the care type was acute, or was not reported.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

Note: W—with, W/O—without, CC—complications and comorbidities, ECT—electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room Psych—psychotic.

.. Not applicable.

n.p. Not published

Table A3.15: Average length of stay (days) for overnight separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,^(b) 2002–03

AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public acute									
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	16.0	14.6	12.5	16.6	12.7	12.8	13.8	12.1	14.4
U61A Schizophrenia Disorders W Mental Health Legal Status	24.6	21.5	20.0	26.3	19.6	15.3	17.6	20.8	21.8
U67Z Personality Disorders and Acute Reactions	5.5	7.1	4.6	5.8	6.8	4.5	6.1	4.9	5.7
U61B Schizophrenia Disorders W/O Mental Health Legal Status	16.6	18.0	10.6	16.4	13.7	11.8	9.9	14.9	15.0
U64Z Other Affective and Somatoform Disorders	9.3	12.7	6.6	9.1	9.1	8.8	6.8	8.1	9.4
V61Z Drug Intoxication and Withdrawal	7.7	9.8	7.5	9.4	6.0	6.2	7.3	7.9	8.1
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	28.3	25.2	26.4	27.1	16.7	9.3	21.1	n.p.	24.2
U62A Paranoia and Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	14.0	16.0	13.5	20.8	9.9	11.8	14.0	9.8	14.7
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	11.0	14.0	8.5	10.5	11.1	7.7	11.6	7.4	11.1
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	22.9	34.8	23.9	24.2	29.4	14.1	n.p.	.	29.7
X62B Poisoning/Toxic Effects of Drugs & Other Substances Age <60 W/O CC	6.3	3.2	4.7	3.9	5.5	4.5	3.5	4.5	5.1
X62A Poisoning/Toxic Effects of Drugs & Other Substances Age >59 or W CC	11.4	5.1	8.8	6.4	8.8	11.4	14.4	n.p.	9.5
U65Z Anxiety Disorders	9.4	11.5	7.7	10.2	6.8	11.4	6.3	n.p.	9.1
U66Z Eating and Obsessive–Compulsive Disorders	26.3	21.2	28.1	13.6	23.5	17.1	n.p.	n.p.	23.1
V60B Alcohol Intoxication and Withdrawal W/O CC	3.4	6.4	3.8	6.8	6.8	4.0	n.p.	2.7	4.3
All AR-DRGs	13.8	16.7	11.9	13.4	12.7	9.6	11.3	10.9	13.7
Private									
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	21.0	18.9	19.7	16.7	17.4	n.p.	n.p.	n.p.	18.9
U67Z Personality Disorders and Acute Reactions	15.8	13.6	14.5	16.5	13.1	n.p.	n.p.	n.p.	14.7
U61B Schizophrenia Disorders W/O Mental Health Legal Status	18.5	19.9	21.8	18.5	18.3	n.p.	n.p.	n.p.	19.8
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	28.8	21.3	23.7	19.6	23.1	n.p.	n.p.	n.p.	23.0
V62A Alcohol Use Disorder and Dependence	15.7	13.3	11.2	19.7	14.8	n.p.	n.p.	n.p.	14.8
U64Z Other Affective and Somatoform Disorders	19.2	19.1	18.3	16.1	14.1	n.p.	n.p.	n.p.	17.9
U65Z Anxiety Disorders	19.1	17.4	13.9	16.9	11.5	n.p.	n.p.	n.p.	15.7
U66Z Eating and Obsessive–Compulsive Disorders	22.0	26.6	39.0	24.7	19.5	n.p.	n.p.	n.p.	27.0
V64Z Other Drug Use Disorder and Dependence	19.1	12.1	10.8	18.4	18.1	n.p.	n.p.	n.p.	16.8
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	17.3	24.8	25.1	14.2	20.9	n.p.	n.p.	n.p.	23.1
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	10.2	22.0	17.5	13.8	18.3	n.p.	n.p.	n.p.	16.2
V63A Opioid Use Disorder and Dependence	14.8	7.0	n.p.	26.7	n.p.	n.p.	n.p.	n.p.	13.2
V60B Alcohol Intoxication and Withdrawal W/O CC	12.3	11.3	17.3	12.5	9.8	n.p.	n.p.	n.p.	12.4
V61Z Drug Intoxication and Withdrawal	12.7	12.7	23.1	20.8	n.p.	n.p.	n.p.	n.p.	17.1
O61Z Postpartum and Post Abortion W/O O.R. Procedure	26.1	15.4	n.p.	9.0	n.p.	n.p.	n.p.	n.p.	19.5
All AR-DRGs	19.4	18.3	18.9	17.8	16.8	n.p.	n.p.	n.p.	18.3

(continued)

Table A3.15 (continued): Average length of stay (days) for overnight separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,^(b) 2002–03

AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public psychiatric									
U61A Schizophrenia Disorders W Mental Health Legal Status	34.3	53.8	n.p.	37.5	27.2	65.5	34.4
U67Z Personality Disorders and Acute Reactions	6.1	14.4	..	10.0	7.4	31.0	7.3
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	17.9	23.2	n.p.	25.5	16.3	11.2	18.6
U61B Schizophrenia Disorders W/O Mental Health Legal Status	24.2	n.p.	n.p.	28.0	23.4	47.7	25.9
V61Z Drug Intoxication and Withdrawal	7.7	12.6	n.p.	11.8	5.7	8.9
U62A Paranoia and Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	14.1	23.4	..	25.8	10.6	n.p.	17.1
Z64A Other Factors Influencing Health Status	3.8	40.7	..	n.p.	n.p.	5.9
U64Z Other Affective and Somatoform Disorders	10.1	n.p.	n.p.	12.5	13.6	n.p.	11.0
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	56.4	n.p.	..	32.2	51.0	54.5	51.6
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	23.8	38.0	35.9	16.6	29.0
V60B Alcohol Intoxication and Withdrawal W/O CC	4.9	n.p.	..	9.2	n.p.	n.p.	5.9
V64Z Other Drug Use Disorder and Dependence	5.3	n.p.	..	7.2	4.7	6.9
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	16.0	22.6	n.p.	n.p.	16.4
V62A Alcohol Use Disorder and Dependence	13.5	n.p.	..	9.6	6.0	12.7
U65Z Anxiety Disorders	10.0	n.p.	12.5
All AR-DRGs	17.6	37.9	49.1	24.2	21.6	35.2	20.5
All hospitals									
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	17.5	16.4	15.2	17.6	14.9	13.5	14.6	12.1	16.3
U67Z Personality Disorders and Acute Reactions	6.7	8.6	6.5	8.4	7.8	6.8	7.6	4.9	7.4
U61A Schizophrenia Disorders W Mental Health Legal Status	27.2	22.9	20.0	31.9	23.7	18.0	17.6	20.8	24.0
U61B Schizophrenia Disorders W/O Mental Health Legal Status	19.0	18.4	12.7	18.6	16.3	18.9	10.6	14.9	17.1
U64Z Other Affective and Somatoform Disorders	11.0	14.3	8.8	11.9	11.1	11.6	8.6	8.1	11.4
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	27.9	23.4	25.3	24.0	22.4	12.5	18.8	n.p.	24.1
V61Z Drug Intoxication and Withdrawal	7.8	10.0	7.9	11.1	6.0	6.2	7.4	7.9	8.5
U62A Paranoia and Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	14.0	16.5	13.6	23.0	10.2	13.7	14.0	9.8	15.2
V62A Alcohol Use Disorder and Dependence	12.3	12.7	7.0	16.4	13.6	9.8	15.7	n.p.	12.4
U65Z Anxiety Disorders	13.2	15.4	11.8	13.8	9.3	15.1	7.5	n.p.	12.8
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	12.3	15.1	9.8	11.8	12.6	9.0	11.5	7.4	12.3
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	34.8	33.1	24.1	24.2	39.6	43.1	35.7	..	32.9
U66Z Eating and Obsessive–Compulsive Disorders	24.6	23.5	32.5	20.7	22.0	17.8	13.9	n.p.	24.9
V64Z Other Drug Use Disorder and Dependence	10.9	10.1	5.7	9.3	9.7	4.1	5.4	9.7	9.4
V60B Alcohol Intoxication and Withdrawal W/O CC	4.7	7.6	5.0	9.6	8.2	7.9	n.p.	2.7	6.0
All AR-DRGs	15.4	17.4	13.4	16.4	15.8	12.9	12.1	10.9	15.4

(a) Separations for which the care was acute, or was not reported and the length of stay was less than 366 days.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Refer to Box 4.2 for information.

Note: W—with, W/O—without, CC—complications and comorbidities, ECT—electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room Psych—psychotic.

.. Not applicable.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Northern Territory, Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

Table A3.16: Median length of stay (days) for overnight separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,^(b) 2002–03

AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public acute									
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	11.0	10.0	8.0	12.0	9.0	9.0	9.0	10.0	10.0
U61A Schizophrenia Disorders W Mental Health Legal Status	16.0	14.0	12.0	18.0	14.0	9.0	12.0	15.0	14.0
U67Z Personality Disorders and Acute Reactions	3.0	4.0	3.0	4.0	4.0	3.0	3.0	3.0	3.0
U61B Schizophrenia Disorders W/O Mental Health Legal Status	10.0	11.0	6.0	10.0	8.0	6.0	7.0	8.0	9.0
U64Z Other Affective and Somatoform Disorders	5.0	6.0	4.0	6.0	5.5	6.0	4.0	6.0	5.0
V61Z Drug Intoxication and Withdrawal	4.0	6.0	4.0	5.0	4.0	5.0	5.5	6.0	5.0
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	21.0	17.0	17.0	20.0	6.0	4.0	17.0	n.p.	16.0
U62A Paranoia and Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	9.0	11.0	8.0	14.0	4.0	8.0	11.5	8.0	10.0
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	7.0	9.0	5.0	8.0	6.0	5.0	8.0	6.0	7.0
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	13.0	25.5	15.0	16.5	22.5	3.0	n.p.	.	21.0
X62B Poisoning/Toxic Effects of Drugs & Other Substances Age <60 W/O CC	3.0	2.0	3.0	3.0	3.0	3.0	2.0	2.5	3.0
X62A Poisoning/Toxic Effects of Drugs & Other Substances Age >59 or W CC	5.0	3.0	6.0	4.0	4.0	4.0	9.5	n.p.	5.0
U65Z Anxiety Disorders	5.0	7.5	5.0	7.0	3.0	6.5	5.0	n.p.	6.0
U66Z Eating and Obsessive–Compulsive Disorders	11.5	14.0	14.0	8.0	14.0	3.0	n.p.	n.p.	13.0
V60B Alcohol Intoxication and Withdrawal W/O CC	2.0	3.0	1.0	3.5	3.0	3.0	n.p.	2.0	2.0
All AR-DRGs	7.0	10.0	6.0	8.0	7.0	5.0	7.0	6.0	7.0
Private									
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	17.0	15.0	15.0	13.0	14.0	n.p.	n.p.	n.p.	15.0
U67Z Personality Disorders and Acute Reactions	11.0	9.0	11.0	10.0	9.0	n.p.	n.p.	n.p.	10.0
U61B Schizophrenia Disorders W/O Mental Health Legal Status	13.0	16.0	14.0	14.0	15.0	n.p.	n.p.	n.p.	14.0
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	24.0	16.0	19.0	14.0	21.0	n.p.	n.p.	n.p.	19.0
V62A Alcohol Use Disorder and Dependence	14.5	11.0	7.0	16.0	13.0	n.p.	n.p.	n.p.	12.0
U64Z Other Affective and Somatoform Disorders	14.5	14.5	12.0	14.0	14.0	n.p.	n.p.	n.p.	14.0
U65Z Anxiety Disorders	16.0	14.0	10.0	12.0	9.5	n.p.	n.p.	n.p.	12.0
U66Z Eating and Obsessive–Compulsive Disorders	21.0	18.0	29.0	17.5	19.0	n.p.	n.p.	n.p.	21.0
V64Z Other Drug Use Disorder and Dependence	16.0	9.0	6.0	11.0	15.0	n.p.	n.p.	n.p.	13.0
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	14.5	20.0	21.0	8.5	17.5	n.p.	n.p.	n.p.	18.0
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	9.0	15.5	12.0	10.0	15.5	n.p.	n.p.	n.p.	11.0
V63A Opioid Use Disorder and Dependence	12.0	5.0	n.p.	16.0	n.p.	n.p.	n.p.	n.p.	8.0
V60B Alcohol Intoxication and Withdrawal W/O CC	9.0	9.0	12.0	10.0	7.5	n.p.	n.p.	n.p.	10.0
V61Z Drug Intoxication and Withdrawal	8.0	8.5	12.0	16.0	n.p.	n.p.	n.p.	n.p.	12.0
O61Z Postpartum and Post Abortion W/O O.R. Procedure	27.0	12.0	n.p.	6.5	n.p.	n.p.	n.p.	n.p.	17.0
All AR-DRGs	15.0	14.0	13.0	13.0	14.0	n.p.	n.p.	n.p.	14.0

(continued)

Table A3.16 (continued): Median length of stay (days) for overnight separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,^(b) 2002–03

AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public psychiatric									
U61A Schizophrenia Disorders W Mental Health Legal Status	20	28	n.p.	27	18	62	21
U67Z Personality Disorders and Acute Reactions	3	9	..	6	4	5	4
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	12	22	n.p.	21	12	7	13
U61B Schizophrenia Disorders W/O Mental Health Legal Status	12	n.p.	n.p.	18	16	23	13
V61Z Drug Intoxication and Withdrawal	5	10	n.p.	8	3	5
U62A Paranoia and Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	10	17	..	17	7	n.p.	11
Z64A Other Factors Influencing Health Status	4	29	..	n.p.	n.p.	4
U64Z Other Affective and Somatoform Disorders	5	n.p.	n.p.	9	9	n.p.	6
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	37	n.p.	..	22	32	22	31
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	20	43	25	3	20
V60B Alcohol Intoxication and Withdrawal W/O CC	2	n.p.	..	3	n.p.	n.p.	2
V64Z Other Drug Use Disorder and Dependence	3	n.p.	..	5	3	4
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	9	14	n.p.	n.p.	9
V62A Alcohol Use Disorder and Dependence	4	n.p.	..	7	4	5
U65Z Anxiety Disorders	4	n.p.	6
All AR-DRGs	7.0	20.0	32.5	15.0	12.0	14.0	0.0	0.0	9.0
AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
All hospitals									
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	12	12	10	13	12	10	10	10	12
U67Z Personality Disorders and Acute Reactions	3	4	3	5	4	4	4	3	4
U61A Schizophrenia Disorders W Mental Health Legal Status	17	14	12	23	16	11	12	15	15
U61B Schizophrenia Disorders W/O Mental Health Legal Status	11	12	7	12	11	8	7	8	10
U64Z Other Affective and Somatoform Disorders	6	8	5	8	8	8	6	6	7
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	21	16	18	17	16	4	13	n.p.	17
V61Z Drug Intoxication and Withdrawal	5	6	5	7	3	5	6	6	5
U62A Paranoia and Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	9	12	9	16	5	8	12	8	10
V62A Alcohol Use Disorder and Dependence	7	10	4	13	11	7	17	n.p.	9
U65Z Anxiety Disorders	7	11	8	9	6	8	6	n.p.	8
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	7	10	6	8	7	6	8	6	8
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	16	24	17	15	26	18	21	..	21
U66Z Eating and Obsessive–Compulsive Disorders	15	16	22	13	14	4	11	n.p.	15
V64Z Other Drug Use Disorder and Dependence	6	6	3	4	6	4	5	3	5
V60B Alcohol Intoxication and Withdrawal W/O CC	2	4	1	5	3	6	n.p.	2	2
All AR-DRGs	8.0	11.0	7.0	10.0	10.0	7.0	8.0	6.0	9.0

(a) Separations for which the care type was acute, or was not reported.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

Note: W—with, W/O—without, CC—complications and comorbidities, ECT—electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room Psych—psychotic.

.. Not applicable.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Northern Territory, Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

Table A3.17: The 15 most frequently reported procedures for same day non-ambulatory-equivalent separations with specialised psychiatric care, states and territories,^(a) 2002–03

Procedure	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
93340–00 Electroconvulsive therapy [ECT] <=8 treatments	1,431	620	2,505	395	823	543	69	2	6,388
92514–99 General anaesthesia, ASA 99	1,232	689	2,362	366	206	494	60	2	5,411
92514–29 General anaesthesia, ASA 29	80	23	80	42	565	0	0	0	790
93340–01 Electroconvulsive therapy [ECT] > 8 treatments	53	130	64	18	122	12	0	0	399
92514–19 General anaesthesia, ASA 19	213	1	52	0	44	0	0	0	310
96175–00 Mental/behavioural assessment	0	0	0	2	250	0	0	0	252
95550–01 Allied health intervention, social work	174	18	4	5	7	0	0	0	208
95550–00 Allied health intervention, dietetics	30	35	96	0	1	0	1	0	163
92514–39 General anaesthesia, ASA 39	12	19	6	2	112	0	0	0	151
95550–10 Allied health intervention, psychology	101	36	4	0	0	0	0	0	141
95550–02 Allied health intervention, occupational therapy	44	11	3	0	1	0	0	0	59
96185–00 Supportive psychotherapy, not elsewhere classified	57	0	0	0	0	0	0	0	57
92515–99 Sedation, ASA 99	3	12	21	1	0	0	8	0	45
30026–00 Repair of wound of skin and subcutaneous tissue of other site, superficial	1	0	25	4	0	0	0	0	30
95550–11 Allied health intervention, other	0	26	0	0	0	0	0	0	26

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

Table A3.18: The 15 most frequently reported procedures for overnight separations with specialised psychiatric care, states and territories,^(a) 2002–03

Procedure	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
95550–01 Allied health intervention, social work	7,019	3,587	2,008	2,664	2,829	65	339	8	18,519
92514–99 General anaesthesia, ASA 99	5,375	4,264	4,971	1,100	359	515	320	2	16,906
95550–02 Allied health intervention, occupational therapy	4,910	3,475	1,027	2,502	1,058	5	197	2	13,176
95550–10 Allied health intervention, psychology	2,336	1,712	524	632	471	0	117	1	5,793
56001–00 Computerised tomography of brain	1,381	684	930	604	477	74	75	57	4,282
92514–29 General anaesthesia, ASA 29	1,108	225	431	534	1,766	10	18	1	4,093
95550–03 Allied health intervention, physiotherapy	1,507	589	585	736	594	10	53	4	4,078
93340–00 Electroconvulsive therapy [ECT] <=8 treatments	974	1,045	1,182	322	235	174	78	9	4,019
95550–00 Allied health intervention, dietetics	1,028	637	665	609	356	4	201	6	3,506
96175–00 Mental/behavioural assessment	308	50	454	37	2,503	0	1	0	3,353
92514–19 General anaesthesia, ASA 19	1,714	268	297	129	209	10	23	0	2,650
92514–39 General anaesthesia, ASA 39	348	871	128	126	450	2	8	1	1,934
96180–00 Other psychotherapies or psychosocial therapies	1,407	51	19	0	0	0	0	0	1,477
93340–01 Electroconvulsive therapy [ECT] > 8 treatments	474	353	319	125	171	11	11	3	1,467
96090–00 Other counselling or education	1,367	1	0	9	6	0	0	0	1,383

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

Table A3.19: Same day mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories,^(a) 2002–03

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	57	54	17	13	5	4	0	1	151
F04–F09 Other organic mental disorders	62	66	33	7	6	1	0	0	175
F10 Mental and behavioural disorders due to use of alcohol	330	135	153	99	62	10	1	8	798
F11–F19 Mental and behav disorders due to other psychoactive substances use	220	77	60	38	50	6	1	7	459
F20 Schizophrenia	354	709	93	45	143	2	0	0	1,346
F22 Persistent delusional disorders	47	45	11	5	10	1	0	2	121
F23 Acute and transient psychotic disorders	160	163	55	26	71	0	0	6	481
F25 Schizoaffective disorders	27	532	2	4	33	1	0	0	599
F21, F24, F28–F29 Schizotypal and other delusional disorders	104	126	35	15	30	0	0	1	311
F30 Manic episode	22	85	8	3	6	0	0	0	124
F31 Bipolar affective disorders	179	465	26	70	64	3	1	1	809
F32 Depressive episode	481	1,962	115	96	96	20	1	1	2,772
F33 Recurrent depressive disorders	247	1,545	6	77	115	1	0	0	1,991
F34 Persistent mood (affective) disorders	7	6	2	1	1	1	0	0	18
F38, F39 Other and unspecified mood (affective) disorders	5	3	0	0	1	0	0	0	9
F40 Phobic anxiety disorders	1	1	0	0	2	1	0	0	5
F41 Other anxiety disorders	74	63	16	14	17	4	1	3	192
F42 Obsessive–compulsive disorders	6	1	1	0	3	0	0	0	11
F43 Reaction to severe stress and adjustment disorders	80	371	35	30	62	3	0	0	581
F44 Dissociative (conversion) disorders	19	11	15	6	7	3	0	0	61
F45, F48 Somatoform and other neurotic disorders	21	13	12	14	19	0	0	1	80
F50 Eating disorders	5	18	3	0	1	0	0	0	27
F51–F59 Other behav syndromes associated w physiol dist and phys factors	10	10	4	1	3	0	0	0	28
F60 Specific personality disorders	64	43	12	6	27	3	0	0	155
F61–F69 Disorders of adult personality and behaviour	9	2	3	1	1	1	0	0	17
F70–F79 Mental retardation	23	3	10	0	1	2	0	0	39
F80–F89 Disorders of psychological development	151	22	43	17	49	4	4	2	292
F90 Hyperkinetic disorders	5	1	4	0	1	2	0	0	13
F91 Conduct disorders	18	11	9	2	8	0	0	0	48
F92–F98 Other and unspec disorders w onset childhood adolescence	10	4	6	0	1	0	1	0	22
F99 Mental disorder not otherwise specified	28	17	5	3	0	0	0	1	54
G30 Alzheimer's disease	14	14	5	2	3	1	0	0	39
G47 Sleep disorders	7	3	3	1	1	0	5	1	21
O99.3 Mental disorders and dis of the nerv sys complic preg, child and puerp	21	46	12	14	9	1	0	2	105
R44 Other symptoms and signs involving general sensations and perceptions	10	21	4	1	0	1	0	1	38
R45 Symptoms and signs involving emotional state	14	13	5	3	2	0	0	1	38
R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified	1	0	0	0	0	0	0	0	1
Other factors related to mental and behavioural disorders ^(b)	12	18	7	2	1	1	0	2	43
Other factors related to substance use ^(c)	14	0	0	0	0	0	0	0	14
Total	2,919	6,679	830	616	911	77	15	41	12,088
Age-standardised same day separation rate^(d)	0.45	1.39	0.24	0.33	0.60	0.16	0.05	0.23	0.63
95% confidence interval	0.43–0.47	1.35–1.42	0.22–0.25	0.31–0.36	0.56–0.63	0.13–0.20	0.02–0.07	0.16–0.30	0.62–0.64

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiological.

Table A3.20: Same day mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories,^(a) 2002–03

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	1	2	2	2	1	n.p.	n.p.	n.p.	8
F04–F09 Other organic mental disorders	0	2	2	3	0	n.p.	n.p.	n.p.	7
F10 Mental and behavioural disorders due to use of alcohol	0	3	7	6	1	n.p.	n.p.	n.p.	22
F11–F19 Mental and behav disorders due to other psychoactive substances use	6	1	2	2	0	n.p.	n.p.	n.p.	11
F23 Acute and transient psychotic disorders	0	0	2	0	0	n.p.	n.p.	n.p.	2
F25 Schizoaffective disorders	0	8	2	0	0	n.p.	n.p.	n.p.	10
F21, F24, F28–F29 Schizotypal and other delusional disorders	0	0	1	2	0	n.p.	n.p.	n.p.	3
F30 Manic episode	0	0	1	0	0	n.p.	n.p.	n.p.	1
F31 Bipolar affective disorders	1	27	16	0	0	n.p.	n.p.	n.p.	47
F32 Depressive episode	11	151	1	4	0	n.p.	n.p.	n.p.	216
F33 Recurrent depressive disorders	0	1	3	1	0	n.p.	n.p.	n.p.	11
F40 Phobic anxiety disorders	1	0	1	0	0	n.p.	n.p.	n.p.	2
F41 Other anxiety disorders	2	4	4	0	2	n.p.	n.p.	n.p.	13
F42 Obsessive–compulsive disorders	0	0	0	1	0	n.p.	n.p.	n.p.	1
F43 Reaction to severe stress and adjustment disorders	6	225	0	1	0	n.p.	n.p.	n.p.	233
F44 Dissociative (conversion) disorders	0	1	0	0	0	n.p.	n.p.	n.p.	1
F45, F48 Somatoform and other neurotic disorders	32	41	13	7	11	n.p.	n.p.	n.p.	114
F50 Eating disorders	0	3	2	0	1	n.p.	n.p.	n.p.	6
F51–F59 Other behav syndromes associated w physiol dist and phys factors	0	4	5	1	0	n.p.	n.p.	n.p.	11
F60 Specific personality disorders	1	0	0	0	0	n.p.	n.p.	n.p.	2
F61–F69 Disorders of adult personality and behaviour	2	1	0	0	0	n.p.	n.p.	n.p.	3
F70–F79 Mental retardation	2	1	0	0	0	n.p.	n.p.	n.p.	5
F80–F89 Disorders of psychological development	48	0	19	3	1	n.p.	n.p.	n.p.	72
F91 Conduct disorders	0	0	0	1	0	n.p.	n.p.	n.p.	1
G30 Alzheimer's disease	2	0	0	0	0	n.p.	n.p.	n.p.	2
G47 Sleep disorders	5	9	1	0	1	n.p.	n.p.	n.p.	16
O99.3 Mental disorders and dis of the nerv sys complic preg, child and puerp	1	1	1	1	1	n.p.	n.p.	n.p.	6
R45 Symptoms and signs involving emotional state	0	0	0	0	1	n.p.	n.p.	n.p.	1
Other factors related to mental and behavioural disorders ^(b)	12	1	0	1	0	n.p.	n.p.	n.p.	14
Total	133	486	85	36	20	n.p.	n.p.	n.p.	841
Age-standardised same day separation rate^(c)	0.02	0.10	0.02	0.02	0.01	n.p.	n.p.	n.p.	0.04
95% confidence interval	0.02–0.02	0.09–0.11	0.02–0.03	0.01–0.03	0.01–0.02	n.p.	n.p.	n.p.	0.04–0.05

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: n.p. Not published, behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiol

Table A3.21: Overnight mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories,^(a) 2002–03

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03	Dementia	1,630	1,121	608	418	463	86	17	15	4,358
F04–F09	Other organic mental disorders	1,037	900	209	161	211	53	20	8	2,599
F10	Mental and behavioural disorders due to use of alcohol	4,884	1,792	1,993	1,300	794	370	50	122	11,305
F11–F19	Mental and behav disorders due to other psychoactive substances use	2,633	494	605	478	316	171	7	21	4,725
F20	Schizophrenia	608	390	201	297	601	83	10	4	2,194
F21, F24, F28–F29	Schizotypal and other delusional disorders	151	178	40	57	74	12	0	6	518
F22	Persistent delusional disorders	100	98	22	35	49	4	1	1	310
F23	Acute and transient psychotic disorders	167	153	61	90	139	7	3	3	623
F25	Schizoaffective disorders	54	73	20	25	162	10	0	0	344
F30	Manic episode	62	50	14	25	35	8	1	0	195
F31	Bipolar affective disorders	251	244	101	184	335	22	2	1	1,140
F32	Depressive episode	2,130	1,525	715	1,001	1,220	106	13	15	6,725
F33	Recurrent depressive disorders	275	185	52	161	378	11	7	1	1,070
F34	Persistent mood (affective) disorders	32	15	11	16	27	2	0	0	103
F38, F39	Other and unspecified mood (affective) disorders	15	8	8	6	5	0	0	0	42
F40	Phobic anxiety disorders	10	5	2	13	11	1	0	0	42
F41	Other anxiety disorders	1,274	936	512	536	511	51	13	10	3,843
F42	Obsessive–compulsive disorders	24	5	2	4	11	1	0	0	47
F43	Reaction to severe stress and adjustment disorders	688	1,107	268	385	594	76	1	11	3,130
F44	Dissociative (conversion) disorders	210	189	155	65	88	20	10	7	744
F45, F48	Somatoform and other neurotic disorders	99	45	39	34	37	10	1	2	267
F50	Eating disorders	247	222	56	26	41	12	12	1	617
F51–F59	Other behav syndromes associated w physiol dist and phys factors	581	171	105	57	38	2	4	2	960
F60	Specific personality disorders	218	134	71	116	165	35	1	2	742
F61–F69	Disorders of adult personality and behaviour	32	22	15	15	13	1	0	1	99
F70–F79	Mental retardation	30	10	12	3	10	4	0	0	69
F80–F89	Disorders of psychological development	55	23	27	2	6	2	1	2	118
F90	Hyperkinetic disorders	20	2	7	11	0	0	1	0	41
F91	Conduct disorders	99	112	26	19	15	10	0	4	285
F92–F98	Other and unspec disorders w onset childhood adolescence	86	167	66	10	7	8	0	0	344
F99	Mental disorder not otherwise specified	36	22	2	4	0	0	0	1	65
G30	Alzheimer's disease	587	452	258	186	246	22	5	1	1,757
G47	Sleep disorders	387	1,864	632	15	179	3	2	2	3,084
O99.3	Mental disorders and dis of the nerv sys complic preg, child and puerp	570	348	188	180	215	28	18	18	1,565
R44	Other symptoms and signs involving general sensations and perceptions	87	55	20	21	22	1	3	0	209
R45	Symptoms and signs involving emotional state	56	51	28	17	29	1	1	0	183
R48	Dyslexia and other symbolic dysfunctions, not elsewhere classified	1	4	0	1	0	1	0	0	7
	Other factors related to mental and behavioural disorders ^(b)	111	192	43	31	0	4	3	8	392
	Other factors related to substance use ^(c)	709	2	0	0	0	0	0	2	713
	Total	20,246	13,366	7,194	6,005	7,047	1,238	207	271	55,574
	Age-standardised overnight separation rate^(d)	3.11	2.78	2.05	3.26	4.57	2.63	0.70	1.55	2.90
	95% confidence interval	3.07–3.16	2.73–2.82	2.00–2.10	3.18–3.34	4.47–4.68	2.49–2.78	0.60–0.80	1.36–1.73	2.88–2.93

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiological.

Table A3.22: Overnight mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories,^(a) 2002–03

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	174	192	264	91	110	n.p.	n.p.	n.p.	867
F04–F09 Other organic mental disorders	104	186	101	30	63	n.p.	n.p.	n.p.	505
F10 Mental and behavioural disorders due to use of alcohol	217	492	569	78	79	n.p.	n.p.	n.p.	1,487
F11–F19 Mental and behav disorders due to other psychoactive substances use	42	177	165	40	28	n.p.	n.p.	n.p.	470
F20 Schizophrenia	62	6	15	6	5	n.p.	n.p.	n.p.	103
F21, F24, F28–F29 Schizotypal and other delusional disorders	4	4	2	5	1	n.p.	n.p.	n.p.	18
F22 Persistent delusional disorders	13	7	13	5	4	n.p.	n.p.	n.p.	46
F23 Acute and transient psychotic disorders	7	5	4	5	2	n.p.	n.p.	n.p.	27
F25 Schizoaffective disorders	48	3	12	2	0	n.p.	n.p.	n.p.	73
F30 Manic episode	3	2	4	1	1	n.p.	n.p.	n.p.	21
F31 Bipolar affective disorders	105	19	53	27	8	n.p.	n.p.	n.p.	234
F32 Depressive episode	212	253	398	186	132	n.p.	n.p.	n.p.	1,343
F33 Recurrent depressive disorders	339	37	113	24	23	n.p.	n.p.	n.p.	624
F34 Persistent mood (affective) disorders	16	4	11	2	2	n.p.	n.p.	n.p.	56
F38, F39 Other and unspecified mood (affective) disorders	0	1	1	0	0	n.p.	n.p.	n.p.	4
F40 Phobic anxiety disorders	5	0	2	0	0	n.p.	n.p.	n.p.	11
F41 Other anxiety disorders	118	224	291	134	119	n.p.	n.p.	n.p.	975
F42 Obsessive–compulsive disorders	4	1	3	2	2	n.p.	n.p.	n.p.	16
F43 Reaction to severe stress and adjustment disorders	445	65	154	51	23	n.p.	n.p.	n.p.	823
F44 Dissociative (conversion) disorders	15	11	42	15	10	n.p.	n.p.	n.p.	99
F45, F48 Somatoform and other neurotic disorders	13	22	28	9	7	n.p.	n.p.	n.p.	89
F50 Eating disorders	10	10	22	4	19	n.p.	n.p.	n.p.	74
F51–F59 Other behav syndromes associated w physiol dist and phys factors	30	178	35	33	11	n.p.	n.p.	n.p.	341
F60 Specific personality disorders	14	5	7	5	0	n.p.	n.p.	n.p.	54
F61–F69 Disorders of adult personality and behaviour	21	48	9	0	1	n.p.	n.p.	n.p.	81
F70–F79 Mental retardation	0	0	0	1	0	n.p.	n.p.	n.p.	1
F80–F89 Disorders of psychological development	186	1	4	0	2	n.p.	n.p.	n.p.	194
F90 Hyperkinetic disorders	2	0	0	0	0	n.p.	n.p.	n.p.	2
F91 Conduct disorders	2	0	1	0	0	n.p.	n.p.	n.p.	3
F92–F98 Other and unspec disorders w onset childhood adolescence	2	1	1	1	0	n.p.	n.p.	n.p.	6
F99 Mental disorder not otherwise specified	1	1	0	1	1	n.p.	n.p.	n.p.	4
G30 Alzheimer's disease	77	59	130	57	58	n.p.	n.p.	n.p.	395
G47 Sleep disorders	84	984	86	33	61	n.p.	n.p.	n.p.	1,268
O99.3 Mental disorders and dis of the nerv sys complic preg, child and puerp	66	35	38	50	15	n.p.	n.p.	n.p.	223
R44 Other symptoms and signs involving general sensations and perceptions	7	6	17	8	4	n.p.	n.p.	n.p.	45
R45 Symptoms and signs involving emotional state	9	1	6	6	1	n.p.	n.p.	n.p.	25
R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified	0	1	0	2	0	n.p.	n.p.	n.p.	3
Other factors related to mental and behavioural disorders ^(b)	0	0	3	5	1	n.p.	n.p.	n.p.	9
Other factors related to substance use ^(c)	0	0	0	2	0	n.p.	n.p.	n.p.	2
Total	2,457	3,041	2,604	921	793	n.p.	n.p.	n.p.	10,621
Age-standardised overnight separation rate^(d)	0.38	0.63	0.75	0.51	0.50	n.p.	n.p.	n.p.	0.55
95% confidence interval	0.36–0.39	0.61–0.65	0.72–0.77	0.48–0.54	0.46–0.53	n.p.	n.p.	n.p.	0.54–0.57

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: n.p. Not published, . . Not applicable, behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiological.

Table A3.23: Patient days for mental health-related overnight separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories,^(a) 2002–03

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03	Dementia	42,488	29,541	12,404	12,270	7,587	1,615	332	254	106,491
F04–F09	Other organic mental disorders	13,203	12,668	2,046	1,804	2,356	609	266	142	33,094
F10	Mental and behavioural disorders due to use of alcohol	22,300	6,652	7,819	5,472	3,771	2,357	109	346	48,826
F11–F19	Mental and behav disorders due to other psychoactive substances use	15,261	1,887	2,576	1,700	1,104	930	14	52	23,524
F20	Schizophrenia	4,986	1,570	969	1,148	4,550	4,603	102	19	17,947
F21, F24, F28–F29	Schizotypal and other delusional disorders	860	515	127	197	422	102	0	43	2,266
F22	Persistent delusional disorders	610	623	116	221	325	26	16	1	1,938
F23	Acute and transient psychotic disorders	501	486	230	252	636	45	26	8	2,184
F25	Schizoaffective disorders	1,715	244	55	226	1,383	72	0	0	3,695
F30	Manic episode	321	191	65	170	188	69	1	0	1,005
F31	Bipolar affective disorders	3,328	1,036	448	1,020	2,219	289	15	9	8,364
F32	Depressive episode	13,226	8,172	4,227	5,883	7,431	761	89	71	39,860
F33	Recurrent depressive disorders	1,922	880	447	996	1,917	121	50	3	6,336
F34	Persistent mood (affective) disorders	235	33	34	105	119	15	0	0	541
F38, F39	Other and unspecified mood (affective) disorders	119	21	28	25	35	0	0	0	228
F40	Phobic anxiety disorders	114	12	4	35	62	4	0	0	231
F41	Other anxiety disorders	5,126	3,601	1,692	2,688	2,195	367	22	18	15,709
F42	Obsessive–compulsive disorders	119	29	5	9	49	1	0	0	212
F43	Reaction to severe stress and adjustment disorders	2,756	3,141	827	1,063	2,044	247	1	26	10,105
F44	Dissociative (conversion) disorders	1,111	802	766	239	374	80	170	30	3,572
F45, F48	Somatoform and other neurotic disorders	460	165	158	224	139	42	2	6	1,196
F50	Eating disorders	5,601	4,016	663	454	741	389	614	1	12,479
F51–F59	Other behav syndromes associated w physiol dist and phys factors	2,775	608	388	285	152	6	23	11	4,248
F60	Specific personality disorders	776	300	215	354	460	126	1	3	2,235
F61–F69	Disorders of adult personality and behaviour	167	260	130	91	46	7	0	8	709
F70–F79	Mental retardation	150	95	750	16	36	8	0	0	1,055
F80–F89	Disorders of psychological development	316	114	254	3	16	26	1	2	732
F90	Hyperkinetic disorders	129	2	37	38	0	0	13	0	219
F91	Conduct disorders	349	510	74	67	49	68	0	20	1,137
F92–F98	Other and unspec disorders w onset childhood adolescence	429	599	278	57	13	31	0	0	1,407
F99	Mental disorder not otherwise specified	77	46	2	10	0	0	0	13	148
G30	Alzheimer's disease	18,796	13,965	7,253	4,126	3,736	420	84	2	48,382
G47	Sleep disorders	1,567	5,762	2,189	25	490	3	9	9	10,054
O99.3	Mental disorders and dis of the nerv sys complic preg, child and puerp	2,448	1,377	525	701	747	129	87	65	6,079
R44	Other symptoms and signs involving general sensations and perceptions	437	211	87	149	102	5	30	0	1,021
R45	Symptoms and signs involving emotional state	170	261	74	30	94	2	1	0	632
R48	Dyslexia and other symbolic dysfunctions, not elsewhere classified	5	71	0	1	0	6	0	0	83
	Other factors related to mental and behavioural disorders ^(b)	363	1,672	161	79	0	14	4	22	2,315
	Other factors related to substance use ^(c)	4,701	12	0	0	0	0	0	13	4,726
	Total	170,017	102,150	48,123	42,233	45,588	13,595	2,082	1,197	424,985
	Age-standardised overnight patient day rate^(d)	25.79	20.97	14.06	24.20	27.54	27.57	8.22	10.07	22.19
	95% confidence interval	25.7–25.9	20.8–21.1	13.9–14.2	24.0–24.4	27.3–27.8	27.1–28.0	7.9–8.6	9.5–10.6	22.1–22.3

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiological.

Table A3.24: Patient days for mental health-related overnight separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories,^(a) 2002–03

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	3,350	4,268	4,457	1,648	1,479	n.p.	n.p.	n.p.	15,893
F04–F09 Other organic mental disorders	1,382	2,378	1,282	478	856	n.p.	n.p.	n.p.	6,657
F10 Mental and behavioural disorders due to use of alcohol	2,816	8,222	7,246	426	679	n.p.	n.p.	n.p.	19,878
F11–F19 Mental and behav disorders due to other psychoactive substances use	441	2,742	2,219	207	272	n.p.	n.p.	n.p.	6,045
F20 Schizophrenia	1,267	57	201	44	46	n.p.	n.p.	n.p.	1,723
F22 Persistent delusional disorders	191	86	304	82	28	n.p.	n.p.	n.p.	740
F23 Acute and transient psychotic disorders	114	54	40	21	10	n.p.	n.p.	n.p.	364
F25 Schizoaffective disorders	920	20	327	9	0	n.p.	n.p.	n.p.	1,357
F21, F24, F28–F29 Schizotypal and other delusional disorders	21	21	12	13	13	n.p.	n.p.	n.p.	106
F30 Manic episode	41	29	68	17	1	n.p.	n.p.	n.p.	239
F31 Bipolar affective disorders	1,379	238	865	226	49	n.p.	n.p.	n.p.	2,937
F32 Depressive episode	2,688	2,685	5,338	1,882	1,191	n.p.	n.p.	n.p.	16,102
F33 Recurrent depressive disorders	6,390	492	1,597	259	180	n.p.	n.p.	n.p.	10,111
F34 Persistent mood (affective) disorders	213	79	224	7	9	n.p.	n.p.	n.p.	749
F38, F39 Other and unspecified mood (affective) disorders	0	2	14	0	0	n.p.	n.p.	n.p.	38
F40 Phobic anxiety disorders	129	0	30	0	0	n.p.	n.p.	n.p.	207
F41 Other anxiety disorders	1,314	1,451	2,242	992	887	n.p.	n.p.	n.p.	7,923
F42 Obsessive–compulsive disorders	52	3	219	11	15	n.p.	n.p.	n.p.	394
F43 Reaction to severe stress and adjustment disorders	8,311	402	2,282	321	124	n.p.	n.p.	n.p.	12,229
F44 Dissociative (conversion) disorders	142	228	429	61	66	n.p.	n.p.	n.p.	964
F45, F48 Somatoform and other neurotic disorders	133	163	176	35	13	n.p.	n.p.	n.p.	584
F50 Eating disorders	140	206	343	25	464	n.p.	n.p.	n.p.	1,371
F51–F59 Other behav syndromes associated w physiol dist and phys factors	139	947	145	152	44	n.p.	n.p.	n.p.	1,914
F60 Specific personality disorders	239	63	185	15	0	n.p.	n.p.	n.p.	633
F61–F69 Disorders of adult personality and behaviour	100	722	65	0	19	n.p.	n.p.	n.p.	917
F70–F79 Mental retardation	0	0	0	8	0	n.p.	n.p.	n.p.	8
F80–F89 Disorders of psychological development	1,120	4	15	0	18	n.p.	n.p.	n.p.	1,158
F90 Hyperkinetic disorders	2	0	0	0	0	n.p.	n.p.	n.p.	2
F91 Conduct disorders	2	0	2	0	0	n.p.	n.p.	n.p.	4
F92–F98 Other and unspec disorders w onset childhood adolescence	2	2	8	2	0	n.p.	n.p.	n.p.	25
F99 Mental disorder not otherwise specified	6	1	0	1	3	n.p.	n.p.	n.p.	11
G30 Alzheimer's disease	1,321	1,109	2,582	1,308	638	n.p.	n.p.	n.p.	7,139
G47 Sleep disorders	84	4,070	108	66	69	n.p.	n.p.	n.p.	4,455
O99.3 Mental disorders and dis of the nerv sys complic preg, child and puerp	263	141	184	218	66	n.p.	n.p.	n.p.	937
R44 Other symptoms and signs involving general sensations and perceptions	70	56	112	42	30	n.p.	n.p.	n.p.	415
R45 Symptoms and signs involving emotional state	108	13	14	15	14	n.p.	n.p.	n.p.	196
R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified	0	14	0	15	0	n.p.	n.p.	n.p.	29
Other factors related to mental and behavioural disorders ^(b)	0	0	19	28	8	n.p.	n.p.	n.p.	55
Other factors related to substance use ^(c)	0	0	0	88	0	n.p.	n.p.	n.p.	88
Total	34,890	30,968	33,354	8,722	7,291	n.p.	n.p.	n.p.	124,597
Age-standardised overnight patient day rate^(d)	5.32	6.40	9.64	4.91	4.49	n.p.	n.p.	n.p.	6.51
95% confidence interval	5.3–5.4	6.3–6.5	9.5–9.7	4.8–5.0	4.4–4.6	n.p.	n.p.	n.p.	6.5–6.5

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) Separation rates are directly age-standardised using the estimated resident population as at 30 June 2001.

Note: n.p. Not published, behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium, physiol—physiol

Table A3.25: Overnight mental health-related separations^(a) without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,^(b) 2002-03

AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public acute									
U65Z Anxiety Disorders	2,013	2,771	1,216	453	629	73	27	17	7,199
U64Z Other Affective and Somatoform Disorders	1,840	1,222	597	879	958	83	11	14	5,604
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	2,086	1,427	709	619	819	126	25	14	5,525
V60B Alcohol Intoxication and Withdrawal W/O CC	1,916	972	750	713	395	216	37	59	5,058
U67Z Personality Disorders and Acute Reactions	1,135	1,428	426	559	818	123	4	19	4,512
V62A Alcohol Use Disorder and Dependence	1,748	520	952	391	188	63	5	1	3,868
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	912	767	339	644	1,050	59	12	5	3,788
U61B Schizophrenia Disorders W/O Mental Health Legal Status	627	460	232	329	549	97	10	5	2,309
V60A Alcohol Intoxication and Withdrawal W CC	535	258	253	178	182	87	8	60	1,561
V64Z Other Drug Use Disorder and Dependence	610	186	244	193	102	43	2	2	1,382
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	356	379	101	159	165	17	4	7	1,188
B64B Delirium W/O Catastrophic CC	501	403	91	63	72	15	11	5	1,161
V61Z Drug Intoxication and Withdrawal	347	184	99	190	182	68	3	17	1,090
V63A Opioid Use Disorder and Dependence	584	110	169	85	31	56	2	2	1,039
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	258	272	66	73	188	17	3	2	879
Private									
U65Z Anxiety Disorders	178	1,318	350	114	152	n.p.	n.p.	n.p.	2,248
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	272	286	408	148	198	n.p.	n.p.	n.p.	1,363
V62A Alcohol Use Disorder and Dependence	115	439	508	23	53	n.p.	n.p.	n.p.	1,164
U64Z Other Affective and Somatoform Disorders	137	201	266	213	131	n.p.	n.p.	n.p.	1,074
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	384	111	243	75	58	n.p.	n.p.	n.p.	1,032
U67Z Personality Disorders and Acute Reactions	469	124	194	63	31	n.p.	n.p.	n.p.	989
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	104	49	145	28	24	n.p.	n.p.	n.p.	378
B64B Delirium W/O Catastrophic CC	52	114	46	13	23	n.p.	n.p.	n.p.	257
V64Z Other Drug Use Disorder and Dependence	13	97	93	15	13	n.p.	n.p.	n.p.	233
V60B Alcohol Intoxication and Withdrawal W/O CC	52	37	40	42	14	n.p.	n.p.	n.p.	206
U68Z Childhood Mental Disorders	188	1	4	2	2	n.p.	n.p.	n.p.	198
U61B Schizophrenia Disorders W/O Mental Health Legal Status	108	9	25	8	5	n.p.	n.p.	n.p.	171
V63A Opioid Use Disorder and Dependence	10	59	49	11	6	n.p.	n.p.	n.p.	140
O61Z Postpartum and Post Abortion W/O O.R. Procedure	14	42	13	34	6	n.p.	n.p.	n.p.	116
O66A Antenatal and Other Obstetric Admission	40	13	16	19	6	n.p.	n.p.	n.p.	105

(continued)

Table A3.25 (continued): Overnight mental health-related separations^(a) without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,^(b) 2002–03

AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	Total								
U65Z Anxiety Disorders	2,191	4,089	1,566	567	781	200	29	24	9,447
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	2,358	1,413	1,117	767	1,017	168	31	17	6,888
U64Z Other Affective and Somatoform Disorders	1,979	1,423	863	1,092	1,089	204	12	18	6,680
U67Z Personality Disorders and Acute Reactions	1,606	1,552	620	622	849	228	4	22	5,503
V62A Alcohol Use Disorder and Dependence	2,159	959	1,460	414	241	86	7	2	5,328
V60B Alcohol Intoxication and Withdrawal W/O CC	1,973	1,009	790	755	409	233	38	62	5,269
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	1,304	878	582	719	1,108	212	12	13	4,828
U61B Schizophrenia Disorders W/O Mental Health Legal Status	737	469	257	337	554	113	10	5	2,482
V64Z Other Drug Use Disorder and Dependence	668	283	337	208	115	45	2	2	1,660
V60A Alcohol Intoxication and Withdrawal W CC	557	274	271	189	193	87	8	62	1,641
V63A Opioid Use Disorder and Dependence	914	169	218	96	37	61	2	2	1,499
B64B Delirium W/O Catastrophic CC	553	517	137	76	95	22	13	5	1,418
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	378	391	114	172	170	23	5	8	1,261
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	362	321	211	101	212	45	3	2	1,257
V61Z Drug Intoxication and Withdrawal	370	203	120	205	191	75	4	17	1,185

(a) Separations for which the care type was acute, or was not reported.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 4.2 for information.

Note: W—with, W/O—without, CC—complications and comorbidities, ECT—electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room Psych—psychotic.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Northern Territory, Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

Table A3.26: Average length of stay (days) of overnight mental health-related separations^(a) without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,^(b) 2002-03

AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public acute									
U65Z Anxiety Disorders	4.0	3.1	3.4	4.1	3.4	4.8	8.0	3.4	3.5
U64Z Other Affective and Somatoform Disorders	4.6	4.4	4.3	5.6	5.4	7.3	3.6	5.1	4.9
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	14.3	14.8	12.6	14.9	15.7	16.9	17.8	10.4	14.5
V60B Alcohol Intoxication and Withdrawal W/O CC	2.2	1.8	2.3	2.4	2.5	6.0	1.8	2.0	2.3
U67Z Personality Disorders and Acute Reactions	3.7	2.9	3.3	2.9	3.3	3.7	n.p.	3.1	3.2
V62A Alcohol Use Disorder and Dependence	5.4	5.1	4.8	5.7	7.2	6.4	n.p.	n.p.	5.3
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	4.8	3.2	5.8	5.3	5.3	10.4	3.5	n.p.	4.9
U61B Schizophrenia Disorders W/O Mental Health Legal Status	4.3	2.6	4.5	4.3	4.2	11.8	10.2	n.p.	4.3
V60A Alcohol Intoxication and Withdrawal W CC	4.7	4.7	4.1	4.2	4.7	6.5	n.p.	3.0	4.6
V64Z Other Drug Use Disorder and Dependence	6.9	3.8	4.3	3.8	3.2	3.8	n.p.	n.p.	5.2
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	4.0	2.6	3.3	3.4	5.3	8.2	n.p.	n.p.	3.7
B64B Delirium W/O Catastrophic CC	9.8	7.9	7.9	7.3	8.5	8.9	9.9	n.p.	8.7
V61Z Drug Intoxication and Withdrawal	3.1	3.2	2.4	2.5	3.2	4.8	n.p.	2.5	3.1
V63A Opioid Use Disorder and Dependence	6.6	4.0	5.6	6.0	5.9	7.6	n.p.	n.p.	6.1
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	13.0	7.4	12.7	12.9	12.3	10.6	n.p.	n.p.	11.1
All AR-DRGs	6.2	5.1	5.0	5.6	6.5	8.0	10.0	3.9	5.8
Private									
U65Z Anxiety Disorders	5.3	4.7	5.5	3.9	4.4	n.p.	n.p.	n.p.	5.1
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	18.2	16.3	16.2	19.4	12.7	n.p.	n.p.	n.p.	16.5
V62A Alcohol Use Disorder and Dependence	15.8	16.7	13.3	6.3	10.2	n.p.	n.p.	n.p.	14.5
U64Z Other Affective and Somatoform Disorders	11.5	9.3	10.1	8.8	8.2	n.p.	n.p.	n.p.	9.9
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	16.2	11.0	12.6	7.7	6.8	n.p.	n.p.	n.p.	13.1
U67Z Personality Disorders and Acute Reactions	17.8	9.8	13.5	5.6	5.7	n.p.	n.p.	n.p.	13.8
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	18.8	15.5	19.9	22.5	13.4	n.p.	n.p.	n.p.	18.7
B64B Delirium W/O Catastrophic CC	10.9	10.2	11.7	12.4	13.9	n.p.	n.p.	n.p.	11.1
V64Z Other Drug Use Disorder and Dependence	10.8	18.3	15.3	3.9	11.6	n.p.	n.p.	n.p.	15.3
V60B Alcohol Intoxication and Withdrawal W/O CC	7.0	15.9	6.8	2.2	2.7	n.p.	n.p.	n.p.	7.4
U68Z Childhood Mental Disorders	6.0	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	5.9
U61B Schizophrenia Disorders W/O Mental Health Legal Status	19.2	n.p.	16.2	n.p.	n.p.	n.p.	n.p.	n.p.	16.5
V63A Opioid Use Disorder and Dependence	12.0	10.2	12.7	8.1	n.p.	n.p.	n.p.	n.p.	11.0
O61Z Postpartum and Post Abortion W/O O.R. Procedure	8.0	6.1	4.7	4.6	n.p.	n.p.	n.p.	n.p.	6.6
O66A Antenatal and Other Obstetric Admission	2.7	2.3	2.1	2.4	n.p.	n.p.	n.p.	n.p.	2.5
All AR-DRGs	14.1	9.8	12.4	9.3	9.2	n.p.	n.p.	n.p.	11.4

(continued)

Table A3.26 (continued): Average length of stay (days) of overnight mental health-related separations^(a) without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,^(b) 2002-03

AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	All hospitals								
U65Z Anxiety Disorders	4.1	3.6	3.9	4.1	3.6	6.8	10.7	5.5	3.9
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	14.8	15.1	13.9	15.8	15.1	17.5	16.3	10.1	14.9
U64Z Other Affective and Somatoform Disorders	5.1	5.1	6.1	6.2	5.7	10.5	4.0	5.7	5.7
U67Z Personality Disorders and Acute Reactions	7.8	3.4	6.5	3.2	3.3	5.9	n.p.	4.1	5.1
V62A Alcohol Use Disorder and Dependence	6.2	10.4	7.7	5.8	7.9	7.6	n.p.	n.p.	7.4
V60B Alcohol Intoxication and Withdrawal W/O CC	2.4	2.3	2.5	2.4	2.5	6.0	1.9	2.8	2.6
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	8.2	4.2	8.6	5.6	5.4	12.0	3.5	7.8	6.6
U61B Schizophrenia Disorders W/O Mental Health Legal Status	6.5	2.7	5.7	4.3	4.3	11.5	10.2	n.p.	5.1
V64Z Other Drug Use Disorder and Dependence	6.9	8.8	7.3	3.8	4.2	3.8	n.p.	n.p.	6.6
V60A Alcohol Intoxication and Withdrawal W CC	5.0	5.6	4.4	4.9	4.9	6.5	n.p.	3.1	5.0
V63A Opioid Use Disorder and Dependence	6.6	6.2	7.2	6.2	6.3	8.0	n.p.	n.p.	6.7
B64B Delirium W/O Catastrophic CC	9.9	8.4	9.2	8.1	9.8	9.8	9.4	n.p.	9.1
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	4.6	2.8	5.1	3.6	5.4	12.8	n.p.	n.p.	4.2
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	14.7	8.7	17.7	15.5	12.4	15.8	n.p.	n.p.	13.4
V61Z Drug Intoxication and Withdrawal	3.4	4.6	3.4	2.6	3.5	5.2	n.p.	2.5	3.6
All AR-DRGs	7.1	6.0	7.0	6.1	6.7	9.4	10.0	4.6	6.7

(a) Separations for which the care type was acute, or was not reported and the length of stay was less than 365 days.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Refer to Box 4.2 for information.

Note: W—with, W/O—without, CC—complications and comorbidities, ECT—electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room Psych—psychotic.

.. Not applicable.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Northern Territory, Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

Table A3.27: Median length of stay (days) of overnight mental health-related separations^(a) without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,^(b) 2002-03

AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public acute									
U65Z Anxiety Disorders	4.0	3.0	3.0	2.0	3.0	3.0	1.0	3.0	3.0
U64Z Other Affective and Somatoform Disorders	3.0	3.0	3.0	4.0	4.0	4.0	1.0	2.5	3.0
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	10.0	10.0	9.0	10.0	10.0	13.0	17.0	5.5	10.0
V60B Alcohol Intoxication and Withdrawal W/O CC	1.0	1.0	1.0	1.0	1.0	5.0	1.0	1.0	1.0
U67Z Personality Disorders and Acute Reactions	2.0	2.0	2.0	2.0	1.5	2.0	n.p.	2.0	2.0
V62A Alcohol Use Disorder and Dependence	5.0	4.0	4.0	5.0	4.0	5.0	n.p.	n.p.	5.0
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	3.0	1.0	3.0	3.5	3.0	8.0	1.0	n.p.	3.0
U61B Schizophrenia Disorders W/O Mental Health Legal Status	2.0	1.0	2.0	3.0	2.0	7.0	1.0	n.p.	2.0
V60A Alcohol Intoxication and Withdrawal W CC	2.0	2.0	3.0	2.0	2.0	5.0	n.p.	2.0	2.0
V64Z Other Drug Use Disorder and Dependence	5.0	3.0	4.0	3.0	1.5	2.0	n.p.	n.p.	4.0
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	1.0	1.0	1.0	2.0	2.0	7.0	n.p.	n.p.	1.0
B64B Delirium W/O Catastrophic CC	7.0	6.0	5.0	6.0	7.0	7.0	6.0	n.p.	6.0
V61Z Drug Intoxication and Withdrawal	1.0	1.0	1.0	1.0	2.0	4.0	n.p.	2.0	2.0
V63A Opioid Use Disorder and Dependence	5.0	3.0	6.0	6.0	5.0	6.5	n.p.	n.p.	5.0
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	9.0	1.0	7.0	9.0	7.5	7.0	n.p.	n.p.	7.0
All AR-DRGs	4.0	3.0	3.0	3.0	3.0	5.0	3.0	2.0	3.0
Private									
U65Z Anxiety Disorders	1.0	5.0	3.0	3.0	2.0	n.p.	n.p.	n.p.	5.0
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	13.0	12.0	11.0	14.5	10.0	n.p.	n.p.	n.p.	12.0
V62A Alcohol Use Disorder and Dependence	19.0	14.0	11.0	5.0	9.0	n.p.	n.p.	n.p.	12.0
U64Z Other Affective and Somatoform Disorders	8.0	7.0	7.0	6.0	6.0	n.p.	n.p.	n.p.	7.0
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	15.0	8.0	8.0	6.0	5.0	n.p.	n.p.	n.p.	9.0
U67Z Personality Disorders and Acute Reactions	18.0	6.0	7.0	3.0	4.0	n.p.	n.p.	n.p.	11.0
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	17.0	13.0	15.0	17.5	9.0	n.p.	n.p.	n.p.	15.0
B64B Delirium W/O Catastrophic CC	9.0	7.0	6.5	11.0	10.0	n.p.	n.p.	n.p.	8.0
V64Z Other Drug Use Disorder and Dependence	9.0	22.0	14.0	2.0	12.0	n.p.	n.p.	n.p.	13.0
V60B Alcohol Intoxication and Withdrawal W/O CC	3.0	16.0	3.0	1.0	2.5	n.p.	n.p.	n.p.	3.0
U68Z Childhood Mental Disorders	1.0	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	1.0
U61B Schizophrenia Disorders W/O Mental Health Legal Status	18.5	n.p.	13.0	n.p.	n.p.	n.p.	n.p.	n.p.	14.0
V63A Opioid Use Disorder and Dependence	9.5	7.0	10.0	5.0	n.p.	n.p.	n.p.	n.p.	8.0
O61Z Postpartum and Post Abortion W/O O.R. Procedure	5.5	5.0	4.0	4.0	n.p.	n.p.	n.p.	n.p.	4.0
O66A Antenatal and Other Obstetric Admission	2.0	2.0	1.5	2.0	n.p.	n.p.	n.p.	n.p.	2.0
All AR-DRGs	11.0	5.0	8.0	5.0	7.0	n.p.	n.p.	n.p.	7.0

(continued)

Table A3.27 (continued): Median length of stay (days) of overnight mental health-related separations^(a) without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,^(b) 2002-03

AR-DRG description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	All hospitals								
U65Z Anxiety Disorders	4.0	4.0	3.0	2.0	3.0	5.0	1.0	4.0	3.0
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	10.0	10.0	10.0	11.0	10.0	14.0	13.0	6.0	10.0
U64Z Other Affective and Somatoform Disorders	3.0	3.0	4.0	4.0	4.0	6.0	1.5	3.0	4.0
U67Z Personality Disorders and Acute Reactions	4.0	2.0	2.0	2.0	2.0	3.0	n.p.	2.0	2.0
V62A Alcohol Use Disorder and Dependence	5.0	7.0	5.0	5.0	5.0	5.0	n.p.	n.p.	5.0
V60B Alcohol Intoxication and Withdrawal W/O CC	1.0	1.0	1.0	1.0	1.0	5.0	1.0	1.0	1.0
U63B Major Affective Disorders Age <70 W/O Catastrophic or Severe CC	4.0	1.0	4.0	4.0	3.0	8.0	1.0	7.0	3.0
U61B Schizophrenia Disorders W/O Mental Health Legal Status	2.0	1.0	2.0	3.0	2.0	7.0	1.0	n.p.	2.0
V64Z Other Drug Use Disorder and Dependence	5.0	4.0	5.0	3.0	2.0	2.0	n.p.	n.p.	4.0
V60A Alcohol Intoxication and Withdrawal W CC	3.0	3.0	3.0	2.0	2.0	5.0	n.p.	2.0	3.0
V63A Opioid Use Disorder and Dependence	6.0	4.0	6.0	6.0	5.0	7.0	n.p.	n.p.	6.0
B64B Delirium W/O Catastrophic CC	7.0	6.0	5.0	6.0	7.0	7.0	6.0	n.p.	7.0
U62B Paranoia and Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	2.0	1.0	1.5	2.0	2.0	8.0	n.p.	n.p.	1.0
U63A Major Affective Disorders Age >69 or W Catastrophic or Severe CC	11.0	4.0	13.0	12.0	8.0	10.0	n.p.	n.p.	9.0
V61Z Drug Intoxication and Withdrawal	1.0	2.0	2.0	1.0	2.0	4.0	n.p.	2.0	2.0
All AR-DRGs	4.0	4.0	4.0	3.0	3.0	5.0	3.0	2.0	4.0

(a) Separations for which the care type was acute, or was not reported.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

Note: W—with, W/O—without, CC—complications and comorbidities, ECT—electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room Psych—psychotic.

.. Not applicable.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Northern Territory, Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

Table A3.28: The 15 most frequently reported procedures for same day mental health-related separations without specialised psychiatric care, states and territories,^(a) 2002-03

Procedure	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
93340-00 Electroconvulsive therapy [ECT] <=8 treatments	420	5,011	25	156	77	74	0	0	5,763
92514-99 General anaesthesia, ASA 99	471	4,329	17	14	91	55	2	1	4,980
96169-00 Assistance with activities related to parenting	1	549	0	0	0	0	0	0	550
96080-00 Counselling or education on preparing for parenthood, parenting skills	0	540	0	0	0	0	0	0	540
96145-00 Skills training in parenting techniques	0	537	0	0	0	0	0	0	537
56001-00 Computerised tomography of brain	167	186	90	26	19	12	0	3	503
92515-99 Sedation, ASA 99	83	251	23	23	11	15	0	0	406
92514-29 General anaesthesia, ASA 29	47	138	24	79	22	8	0	1	319
96175-00 Mental/behavioural assessment	7	31	1	37	231	0	0	0	307
92514-19 General anaesthesia, ASA 19	31	134	32	7	14	14	1	0	233
90901-00 Magnetic resonance imaging of brain	96	24	28	4	33	12	4	0	201
92514-39 General anaesthesia, ASA 39	14	61	7	71	1	3	0	0	157
95550-01 Allied health intervention, social work	51	20	16	19	7	6	1	2	122
56007-00 Computerised tomography of brain with intravenous contrast medium	28	23	24	11	6	0	0	0	92
95550-03 Allied health intervention, physiotherapy	56	25	4	4	1	0	0	0	90

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

Table A3.29: The 15 most frequently reported procedures for overnight mental health-related separations without specialised psychiatric care, states and territories,^(a) 2002-03

Procedure	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
95550-01 Allied health intervention, social work	3,414	2,562	1,242	1,096	1,269	103	73	29	9,788
95550-03 Allied health intervention, physiotherapy	2,541	2,474	849	767	843	134	45	20	7,673
95550-02 Allied health intervention, occupational therapy	1,626	1,657	462	503	426	73	18	13	4,778
56001-00 Computerised tomography of brain	1,481	1,319	576	366	537	126	31	37	4,473
92003-00 Alcohol detoxification	1,461	451	863	386	139	225	1	1	3,527
95550-00 Allied health intervention, dietetics	1,139	1,311	370	203	254	46	24	12	3,359
92006-00 Drug detoxification	1,354	200	427	147	54	117	0	0	2,299
95550-05 Allied health intervention, speech pathology	535	651	259	109	130	20	15	3	1,722
96175-00 Mental/behavioural assessment	210	157	106	336	815	0	0	0	1,624
95550-10 Allied health intervention, psychology	488	342	244	50	163	161	22	1	1,471
95550-11 Allied health intervention, other	830	135	88	68	73	4	5	8	1,211
92004-00 Alcohol rehabilitation and detoxification	488	312	355	8	19	0	0	0	1,182
92515-99 Sedation, ASA 99	461	128	125	58	72	270	4	0	1,118
95550-09 Allied health intervention, pharmacy	251	268	26	139	189	51	1	3	928
92514-99 General anaesthesia, ASA 99	199	290	210	22	44	97	12	0	874

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

Appendix 4: National Survey of Mental Health Services

The National Survey of Mental Health Services (NSMHS) is an annual collection of establishment-level data from publicly funded hospital and community mental health care services in all states and territories.

The survey, first collected in 1993, was designed to fulfil reporting requirements under the previous Medicare Agreements and to enable progress to be monitored against the 38 objectives of the National Mental Health Policy. It required the states and territories to collect information about expenditure, staffing, service types and activity levels relating to public mental health services within their jurisdiction. The survey will continue until the 2004–05 period. From 2005–06 onwards the NSMHS will be replaced by the Mental Health Establishments National Minimum Data Set, details of which are available in the Knowledgebase on the AIHW website.

Summary data from the NSMHS for the years 1993–94 to 2001–02 are reported in the *National Mental Health Report* (DHA 2004). Data from the NSMHS for 2002–03 have yet to be published. Future *National Mental Health Report* series will include data from the NSMHS for 2002–03 to 2004–05.

Some basic differences exist between data from the NSMHS and data from the NPHED, NMHD and NCMHED. These differences are presented below.

Comparison with NCMHED data

There is alignment in the scope of the NCMHED and the NSMHS data collection, with the exception of New South Wales. In New South Wales, the NSMHS data collection includes all services described by Area Health Services as providing specialist mental health services. For NCMHED, only those specialist mental health services which are part of the mental health financial program are included. For one Area this has had the effect of excluding most non-admitted child and adolescent services. NCMHED data provided by New South Wales also exclude all Confused and Disturbed Elderly (CADE) services, with the exception of the New England CADE (New South Wales' only mental health program-financed CADE). For the NSMHS, however, New South Wales reports data for all CADEs. This difference in scope affects the comparability of New South Wales full-time equivalent (FTE) staffing and recurrent expenditure data between the NCMHED and the NSMHS. A list of public community mental health establishments that report to NCMHED is available on the AIHW's web site.

Comparison with NCMHCD data

The National Survey of Mental Health Services (NSMHS) collects service contact data for community mental health services. The estimate of 4.87 million service contacts from NCMHCD in 2001–02 is lower than the 5.28 million service contacts reported to the National

Survey of Mental Health Services in 2001–02 (DHA 2004). The NSMHS counts of service contacts were greater than those for NCMHCD for all jurisdictions except Queensland where the figures were the same in both collections. For 2002–03, the estimated number of service contacts rose to 5.29 million (see Section 3.4), probably reflecting ongoing improvements in coverage of this data collection.

Variation between the two collections can be expected because of differences in their scope and coverage, and definitional differences. Information in the *National Mental Health Report 2004* indicated that there were data quality concerns with ambulatory care services data for 2001–2002 (see Appendix 6 in DHA 2004). The concept of a service contact in the NCMHCD collection differs from the service contact definition in the NSMHS in that only same-day services that are non-admitted are considered part of the scope of NCMHCD. The NSMHS includes same-day admitted services as service contacts. It is possible that there were 14,620 ambulatory-equivalent and 5,585 non-ambulatory-equivalent same-day admissions with specialised psychiatric care included in the NSMHS collection for 2001–02 that were not in the NCMHCD for 2001–02 (from Tables 3.21 and 4.1 in AIHW 2004a). Similarly, for 2002–03, there may be 13,966 ambulatory-equivalent and 5,610 non-ambulatory-equivalent same-day admissions with specialised psychiatric care that would be included in the NSMHS collection for 2002–03, that were not in the NCMHCD for 2002–03 (Tables 3.33 and 4.1 in this report).

NCMHCD coverage for Queensland, South Australia, Tasmania and the Australian Capital Territory is incomplete as evidenced by the 15 establishments (14 in 2002–03) contributing to NCMHED in 2001–02, but not reporting service contacts to the NCMHCD. Under-reporting is also indicated since monthly service contact numbers for establishments fluctuated.

These factors may indicate that the coverage in the NCMHCD was not as complete as that in the Survey which, together with the undercounting due to the same day admission issue noted above, may account for the lower number of service contacts in the NCMHCD compared to the Survey.

Comparison with NPHEd data

The fundamental difference between the hospital data reported to the NSMHS and that reported to NPHEd is the different manner in which hospital establishments are classified in the two collections. This makes comparison problematic.

In 2001–02, for the NSMHS collection, four Victorian hospital establishments were classified as public psychiatric hospitals (reflecting actual locations). For NPHEd, one of these establishments was classified as a public psychiatric hospital and the rest were classified as campuses of acute care hospitals (reflecting hospital management arrangements). A list of public hospital establishments that report to NPHEd is available on the AIHW's web site at <www.aihw.gov.au>.

Hospitals reported to NPHEd can also include community-based, non-admitted-patient services that are managed by the hospital, but are located elsewhere. Within the NSMHS these services are classified as distinct service units and data on them are reported as community-based services.