

Appendix 2: Short-stay separations with a mental health principal diagnosis—source tables

Table A2.1a: General care same-day separations of patients with a mental health principal diagnosis,^(a) by principal diagnosis, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(b)	SA	Tas	ACT	NT	Australia
Senile and presenile organic conditions	77	33	25	n.p.	n.p.	n.p.	—	—	152
Other organic psychotic conditions	528	409	172	240	44	18	n.p.	n.p.	1,422
Schizophrenic disorders	375	596	268	280	548	52	n.p.	n.p.	2,130
Affective disorders ^(c)	783	1,848	270	4,933	832	915	52	n.p.	9,636
Other affective psychoses	309	897	123	1,674	339	288	n.p.	n.p.	3,639
Anxiety disorders ^(c)	273	227	50	2,252	72	447	n.p.	—	3,322
Paranoid states	46	100	14	267	n.p.	45	n.p.	n.p.	484
Other psychoses	214	180	110	199	65	52	n.p.	n.p.	824
Other neurotic disorders	513	370	201	758	92	43	23	n.p.	2,003
Personality disorders ^(d)	121	331	72	687	160	27	n.p.	n.p.	1,407
Eating disorders	51	46	10	296	51	46	—	—	500
Substance abuse	615	527	334	245	157	50	n.p.	n.p.	1,937
Substance dependence	365	867	774	149	22	86	n.p.	n.p.	2,266
Acute alcoholic intoxication	169	397	172	43	32	16	—	n.p.	830
Other drug dependence and abuse	52	15	59	24	13	n.p.	—	—	168
Physiological malfunction arising from mental factors	83	40	27	13	70	n.p.	n.p.	—	244
Special syndromes or syndromes not elsewhere classified	95	100	39	17	18	n.p.	—	—	274
Acute reaction to stress	70	66	84	270	108	n.p.	n.p.	n.p.	608
Adjustment reaction excluding PTSD	199	203	104	513	55	141	n.p.	—	1,218
Specific non-psychotic mental disorders ^(e)	14	48	35	n.p.	15	n.p.	n.p.	n.p.	123
Other non-psychotic mental conditions	340	138	161	70	63	13	11	17	813
Observation for suspected mental condition	11	n.p.	n.p.	n.p.	—	n.p.	—	n.p.	25
V codes associated with mental illness ^(f)	11	n.p.	15	—	—	n.p.	—	n.p.	34
Total	5,314	7,446	3,124	12,948	2,772	2,271	130	54	34,059

(a) See classification inclusions list in Appendix 1.

(b) Acute general hospitals in WA did not report total psychiatric care days, therefore figures reported may be misleading and should not be directly compared to figures from other States. WA figures include same-day group therapy sessions at some units.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.1b: Specialised care same-day separations of patients with a mental health principal diagnosis, ^(a) by principal diagnosis, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(b)	SA	Tas	ACT	NT	Australia
Senile and presenile organic conditions	265	n.p.	n.p.	—	n.p.	—	—	—	286
Other organic psychotic conditions	158	76	84	n.p.	17	n.p.	—	n.p.	342
Schizophrenic disorders	3284	1520	1341	n.p.	111	78	n.p.	n.p.	6345
Affective disorders ^(c)	8045	6415	3764	n.p.	38	197	n.p.	n.p.	18466
Other affective psychoses	1169	1257	330	n.p.	14	196	n.p.	—	2968
Anxiety disorders ^(c)	3171	616	503	—	531	n.p.	—	—	4823
Paranoid states	119	33	48	—	n.p.	—	—	—	203
Other psychoses	185	50	169	—	10	15	—	—	429
Other neurotic disorders	635	63	507	—	—	n.p.	n.p.	n.p.	1212
Personality disorders ^(d)	833	293	231	8	33	17	n.p.	—	1416
Eating disorders	1579	2493	433	—	n.p.	—	—	—	4512
Substance abuse	209	162	78	n.p.	n.p.	n.p.	n.p.	—	470
Substance dependence	1480	115	86	n.p.	n.p.	—	—	n.p.	1686
Acute alcoholic intoxication	106	11	45	n.p.	n.p.	n.p.	—	n.p.	171
Other drug dependence and abuse	236	75	16	n.p.	n.p.	n.p.	—	—	332
Physiological malfunction arising from mental factors	—	—	n.p.	—	—	—	—	—	n.p.
Special syndromes or syndromes not elsewhere classified	255	n.p.	n.p.	—	—	—	—	—	260
Acute reaction to stress	96	51	228	—	17	n.p.	—	n.p.	397
Adjustment reaction excluding PTSD	1173	512	519	n.p.	61	25	n.p.	14	2314
Specific non-psychotic mental disorders ^(e)	96	16	55	—	—	—	—	—	167
Other non-psychotic mental conditions	4046	354	49	—	n.p.	n.p.	n.p.	n.p.	4460
Observation for suspected mental condition	51	n.p.	n.p.	n.p.	—	n.p.	—	—	61
V codes associated with mental illness ^(f)	—	—	n.p.	—	—	n.p.	—	—	n.p.
Total	27191	14126	8505	36	868	552	18	28	51324

(a) See classification inclusions list in Appendix 1.

(b) Acute general hospitals in WA did not report total psychiatric care days, therefore figures reported may be misleading and should not be directly compared to figures from other States. WA figures include same-day group therapy sessions at some units.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.2: Overnight separations of short-stay patients^(a) with a mental health principal diagnosis^(b) receiving general care only, by principal diagnosis, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT	Australia
Senile and presenile organic conditions	1,645	1,131	915	434	579	87	36	n.p.	4,833
Other organic psychotic conditions	3,590	2,607	1,807	1,289	921	232	94	59	10,599
Schizophrenic disorders	639	295	378	926	606	191	168	13	3,216
Affective disorders ^(d)	1,686	1,291	1,494	2,667	2,316	414	301	22	10,191
Other affective psychoses	1,300	992	708	1,128	800	278	78	18	5,302
Anxiety disorders ^(d)	338	157	388	341	232	110	26	n.p.	1,595
Paranoid states	76	54	45	99	42	19	n.p.	—	343
Other psychoses	243	162	125	294	128	32	31	n.p.	1,024
Other neurotic disorders	1,193	880	688	497	491	116	31	11	3,907
Personality disorders ^(e)	285	134	178	307	183	68	54	n.p.	1,216
Eating disorders	168	175	112	150	111	22	14	n.p.	755
Substance abuse	824	409	395	571	179	60	n.p.	n.p.	2,456
Substance dependence	4,318	1,843	2,379	842	451	108	13	n.p.	9,958
Acute alcoholic intoxication	522	262	705	132	127	25	n.p.	n.p.	1,783
Other drug dependence and abuse	372	120	97	68	40	18	n.p.	n.p.	718
Physiological malfunction arising from mental factors	69	68	57	35	39	10	n.p.	n.p.	282
Special syndromes or syndromes not elsewhere classified	180	447	177	108	102	21	n.p.	n.p.	1,040
Acute reaction to stress	187	616	230	685	151	35	n.p.	n.p.	1,909
Adjustment reaction excluding PTSD	2,411	331	328	772	378	168	83	n.p.	4,480
Specific non-psychotic mental disorders ^(f)	131	873	66	44	130	n.p.	n.p.	n.p.	1,259
Other non-psychotic mental conditions	213	177	226	164	58	31	16	n.p.	894
Observation for suspected mental condition	27	n.p.	12	n.p.	n.p.	n.p.	—	n.p.	54
V codes associated with mental illness ^(g)	11	n.p.	11	n.p.	11	n.p.	—	—	42
Total	20,428	13,033	11,521	11,561	8,076	2,054	984	199	67,856

(a) Separations with less than 36 patient days.

(b) See classification inclusions list in Appendix 1.

(c) Acute general hospitals in WA did not report total psychiatric care days, therefore figures reported may be misleading and should not be directly compared to figures from other States. WA figures includes activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

(g) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.3: Overnight separations of short-stay patients^(a) with a mental health principal diagnosis^(b) who received some specialised care, by principal diagnosis, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT	Australia
Senile and presenile organic conditions	185	358	117	194	164	n.p.	n.p.	n.p.	1,025
Other organic psychotic conditions	1,100	753	738	148	309	70	16	88	3,222
Schizophrenic disorders	6,109	5,283	4,711	589	1,489	390	163	182	18,916
Affective disorders ^(d)	5,467	4,888	4,779	307	1,535	348	91	82	17,497
Other affective psychoses	1,358	1,827	1,007	139	590	285	29	34	5,269
Anxiety disorders ^(d)	795	431	601	n.p.	126	17	n.p.	n.p.	1,975
Paranoid states	326	261	233	43	72	27	n.p.	n.p.	978
Other psychoses	751	544	432	106	179	31	17	45	2,105
Other neurotic disorders	387	212	408	12	49	47	n.p.	12	1,128
Personality disorders ^(e)	1,221	1,244	1,041	250	337	129	28	30	4,280
Eating disorders	192	180	366	n.p.	12	n.p.	—	—	758
Substance abuse	408	156	154	43	29	14	n.p.	n.p.	810
Substance dependence	1,391	453	296	48	34	12	n.p.	n.p.	2,245
Acute alcoholic intoxication	421	32	114	14	29	n.p.	n.p.	n.p.	616
Other drug dependence and abuse	282	81	59	76	n.p.	26	n.p.	n.p.	538
Physiological malfunction arising from mental factors	n.p.	n.p.	10	—	n.p.	n.p.	—	—	20
Special syndromes or syndromes not elsewhere classified	16	n.p.	23	n.p.	n.p.	—	—	n.p.	53
Acute reaction to stress	268	228	442	n.p.	116	39	n.p.	n.p.	1,109
Adjustment reaction excluding PTSD	1,804	972	1,504	219	662	160	32	109	5,462
Specific non-psychotic mental disorders ^(f)	47	62	49	13	14	n.p.	—	n.p.	194
Other non-psychotic mental conditions	321	143	201	n.p.	86	15	n.p.	n.p.	786
Observation for suspected mental condition	28	12	31	35	n.p.	n.p.	—	n.p.	110
V codes associated with mental illness ^(g)	n.p.	n.p.	n.p.	—	—	n.p.	—	—	21
Total	22,892	18,133	17,321	2,257	5,847	1,633	399	635	69,117

(a) Separations with less than 36 patient days.

(b) See classification inclusions list in Appendix 1. compared

to figures from other States. WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

(g) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.4: Patient days for overnight separations of short-stay patients^(a) with a mental health principal diagnosis,^(b) by principal diagnosis, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT	Australia
Senile and presenile organic conditions	24,337	21,444	13,974	9,960	10,482	1,270	552	126	82,145
Other organic psychotic conditions	40,182	33,248	20,341	12,430	10,609	2,653	868	729	121,060
Schizophrenic disorders	77,203	62,943	50,078	18,963	24,150	5,764	3,694	2,107	244,902
Affective disorders ^(d)	83,391	70,586	61,524	33,200	43,835	8,026	4,545	956	306,063
Other affective psychoses	24,195	24,957	14,435	11,272	13,486	4,593	1,293	483	94,714
Anxiety disorders ^(d)	13,078	6,696	9,320	3,033	2,895	1,275	237	22	36,556
Paranoid states	4,417	3,341	2,646	1,779	1,270	452	161	77	14,143
Other psychoses	8,470	6,129	4,138	3,800	2,473	467	490	412	26,379
Other neurotic disorders	7,441	5,745	5,419	2,802	2,853	905	212	140	25,517
Personality disorders ^(e)	8,810	9,248	6,364	4,457	3,225	1,148	529	189	33,970
Eating disorders	4,248	4,124	3,788	2,463	1,337	334	124	45	16,463
Substance abuse	4,008	2,115	2,257	2,448	532	339	45	35	11,779
Substance dependence	37,949	17,421	17,529	5,177	4,364	773	125	47	83,385
Acute alcoholic intoxication	4,906	1,354	3,252	538	562	218	n.p.	n.p.	10,857
Other drug dependence and abuse	4,732	1,517	796	869	225	344	17	31	8,531
Physiological malfunction arising from mental factors	314	305	305	n.p.	101	45	10	n.p.	1,328
Special syndromes or syndromes not elsewhere classified	878	2,202	746	492	475	117	16	21	4,947
Acute reaction to stress	1,879	2,857	2,744	3,724	1,431	239	11	25	12,910
Adjustment reaction excluding PTSD	22,617	8,113	10,492	7,384	5,952	1,888	656	498	57,600
Specific non-psychotic mental disorders ^(f)	1,431	9,352	867	473	1,382	104	56	36	13,701
Other non-psychotic mental conditions	3,721	2,467	2,292	1,143	922	184	58	74	10,861
Observation for suspected mental condition	231	72	203	269	n.p.	13	—	n.p.	795
V codes associated with mental illness ^(g)	146	30	71	n.p.	n.p.	10	—	—	333
Total	378,584	296,266	233,581	126,921	132,638	31,161	13,718	6,070	1,218,939

(a) Separations with less than 36 patient days.

(b) See classification inclusions list in Appendix 1.

(c) WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

(g) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.5: Total psychiatric care days for overnight separations of short-stay patients^(a) with a mental health principal diagnosis,^(b) by principal diagnosis, States and Territories, 1997–98

Principal diagnosis	NSW	Vic	Qld	WA^(c)	SA	Tas	ACT	NT	Australia
Senile and presenile organic conditions	3,046	6,254	1,847	3,598	2,954	23	19	28	17,769
Other organic psychotic conditions	9,487	8,245	5,949	1,906	2,591	615	106	483	29,382
Schizophrenic disorders	76,735	62,782	49,166	9,316	18,851	3,861	1,554	2,061	224,326
Affective disorders ^(d)	77,562	67,689	52,370	5,020	18,507	3,406	912	868	226,334
Other affective psychoses	16,662	20,013	9,864	2,151	6,709	2,376	332	395	58,502
Anxiety disorders ^(d)	14,381	6,490	6,738	29	1,902	171	13	19	29,743
Paranoid states	3,833	2,916	2,276	686	835	286	67	77	10,976
Other psychoses	7,170	5,281	3,677	1,421	1,529	253	134	382	19,847
Other neurotic disorders	3,391	2,156	3,278	122	402	307	n.p.	80	9,741
Personality disorders ^(e)	8,222	8,797	5,918	2,313	1,892	802	142	169	28,255
Eating disorders	4,392	5,035	3,204	n.p.	166	64	n.p.	n.p.	12,866
Substance abuse	2,663	1,448	1,094	408	134	54	n.p.	n.p.	5,810
Substance dependence	17,429	4,104	2,088	404	335	49	n.p.	n.p.	24,442
Acute alcoholic intoxication	3,217	110	504	93	149	n.p.	n.p.	n.p.	4,086
Other drug dependence and abuse	3,054	523	310	620	35	208	n.p.	28	4,779
Physiological malfunction arising from mental factors	48	31	70	n.p.	n.p.	n.p.	n.p.	n.p.	156
Special syndromes or syndromes not elsewhere classified	434	76	131	28	45	n.p.	n.p.	11	725
Acute reaction to stress	1,297	981	2,222	52	441	121	n.p.	22	5,138
Adjustment reaction excluding PTSD	12,322	7,246	9,072	1,707	3,675	823	144	474	35,463
Specific non-psychotic mental disorders ^(f)	496	732	514	194	84	62	n.p.	21	2,103
Other non-psychotic mental conditions	6,588	2,179	1,516	70	396	66	12	34	10,861
Observation for suspected mental condition	184	59	180	229	n.p.	n.p.	—	n.p.	662
V codes associated with mental illness ^(g)	80	27	14	n.p.	n.p.	n.p.	—	n.p.	123
Total	272,693	213,174	162,002	30,372	61,636	13,566	3,454	5,192	762,089

(a) Separations with less than 36 patient days.

(b) See classification inclusions list in Appendix 1.

(c) Acute general hospitals in WA did not report total psychiatric care days, therefore figures reported may be misleading and should not be directly compared to figures from other States. WA figures include activity from psycho-geriatric facilities.

(d) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(e) Includes sexual deviations and disorders.

(f) Due to organic brain damage.

(g) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.6a: Same-day separations of patients with a mental health principal diagnosis,^(a) by principal diagnosis and age group, males in general care, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	—	—	n.p.	n.p.	n.p.	n.p.	56	70
Other organic psychotic conditions	22	144	144	107	86	54	368	925
Schizophrenic disorders	14	201	498	204	186	23	13	1,139
Affective disorders ^(b)	20	155	650	767	1,016	414	681	3,703
Other affective psychoses	19	86	216	505	362	80	515	1,783
Anxiety disorders ^(b)	17	76	197	228	929	65	531	2,043
Paranoid states	n.p.	15	33	78	11	26	127	292
Other psychoses	94	93	83	54	17	11	150	502
Other neurotic disorders	32	89	134	150	128	43	263	839
Personality disorders ^(c)	n.p.	48	104	47	192	186	n.p.	595
Eating disorders	14	n.p.	n.p.	n.p.	—	n.p.	—	22
Substance abuse	205	298	246	184	121	64	72	1,190
Substance dependence	20	109	140	208	413	188	63	1,141
Acute alcoholic intoxication	n.p.	19	82	140	192	66	54	556
Other drug dependence and abuse	13	23	29	10	n.p.	n.p.	—	80
Physiological malfunction arising from mental factors	30	n.p.	11	12	15	12	15	98
Special syndromes or syndromes not elsewhere classified	30	16	22	21	14	n.p.	n.p.	112
Acute reaction to stress	n.p.	22	48	33	24	n.p.	n.p.	145
Adjustment reaction excluding PTSD	n.p.	81	136	132	114	11	50	530
Specific non-psychotic mental disorders ^(d)	n.p.	11	13	14	n.p.	n.p.	10	63
Other non-psychotic mental conditions	510	27	19	n.p.	n.p.	18	n.p.	590
Observation for suspected mental condition	n.p.	n.p.	n.p.	—	—	n.p.	—	14
V codes associated with mental illness ^(e)	n.p.	n.p.	n.p.	—	n.p.	—	n.p.	17
Total	1,083	1,524	2,822	2,905	3,833	1,283	2,999	16,449

(a) See classification inclusions list in Appendix 1.

(b) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(c) Includes sexual deviations and disorders.

(d) Due to organic brain damage.

(e) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.6b: Same-day separations of patients with a mental health principal diagnosis,^(a) by principal diagnosis and age group, females in general care, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	n.p.	—	—	—	n.p.	n.p.	78	82
Other organic psychotic conditions	29	71	82	61	22	26	206	497
Schizophrenic disorders	28	67	215	254	308	51	68	991
Affective disorders ^(b)	49	490	730	1,939	1,537	538	650	5933
Other affective psychoses	29	117	321	474	490	230	195	1856
Anxiety disorders ^(b)	60	67	266	407	186	97	196	1279
Paranoid states	n.p.	n.p.	n.p.	113	n.p.	n.p.	50	192
Other psychoses	32	40	73	60	65	29	23	322
Other neurotic disorders	101	109	272	284	111	110	177	1164
Personality disorders ^(c)	25	117	261	132	198	41	38	812
Eating disorders	114	164	133	40	26	n.p.	n.p.	478
Substance abuse	169	175	123	107	126	17	30	747
Substance dependence	16	104	152	288	323	165	77	1125
Acute alcoholic intoxication	11	14	62	60	108	n.p.	n.p.	274
Other drug dependence and abuse	14	17	10	19	27	n.p.	n.p.	88
Physiological malfunction arising from mental factors	22	n.p.	23	25	26	21	20	146
Special syndromes or syndromes not elsewhere classified	27	n.p.	37	35	30	n.p.	19	162
Acute reaction to stress	18	105	109	121	87	n.p.	n.p.	463
Adjustment reaction excluding PTSD	41	90	201	159	136	35	26	688
Specific non-psychotic mental disorders ^(d)	n.p.	n.p.	n.p.	n.p.	n.p.	12	18	60
Other non-psychotic mental conditions	200	n.p.	n.p.	n.p.	n.p.	—	n.p.	223
Observation for suspected mental condition	n.p.	n.p.	—	n.p.	n.p.	n.p.	—	11
V codes associated with mental illness ^(e)	—	—	n.p.	n.p.	n.p.	—	n.p.	17
Total	995	1,783	3,097	4,594	3,830	1,408	1,903	17610

(a) See classification inclusions list in Appendix 1.

(b) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(c) Includes sexual deviations and disorders.

(d) Due to organic brain damage.

(e) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.6c: Same-day separations of patients with a mental health principal diagnosis,^(a) by principal diagnosis and age group, males in specialised care, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	—	—	n.p.	—	—	n.p.	257	260
Other organic psychotic conditions	n.p.	34	39	13	n.p.	n.p.	83	185
Schizophrenic disorders	346	514	506	681	337	97	217	2,698
Affective disorders ^(b)	979	414	546	733	1,368	809	2,104	6,953
Other affective psychoses	194	112	177	109	253	153	187	1,185
Anxiety disorders ^(b)	134	152	183	408	1,659	261	218	3,015
Paranoid states	—	n.p.	n.p.	36	78	—	n.p.	130
Other psychoses	66	60	29	13	n.p.	n.p.	n.p.	178
Other neurotic disorders	188	14	21	34	26	n.p.	236	526
Personality disorders ^(c)	55	38	92	35	130	16	238	604
Eating disorders	14	83	83	41	n.p.	—	—	223
Substance abuse	n.p.	78	57	34	20	16	36	250
Substance dependence	11	52	71	87	270	110	376	977
Acute alcoholic intoxication	—	11	32	28	47	n.p.	—	124
Other drug dependence and abuse	n.p.	59	22	23	21	15	n.p.	145
Physiological malfunction arising from mental factors	—	—	—	n.p.	—	—	—	n.p.
Special syndromes or syndromes not elsewhere classified	93	—	n.p.	n.p.	—	—	72	167
Acute reaction to stress	n.p.	44	65	50	59	n.p.	n.p.	233
Adjustment reaction excluding PTSD	496	76	189	195	166	27	185	1,334
Specific non-psychotic mental disorders ^(d)	—	—	n.p.	—	n.p.	105	n.p.	108
Other non-psychotic mental conditions	3,859	16	17	n.p.	n.p.	—	—	3,897
Observation for suspected mental condition	45	—	n.p.	n.p.	n.p.	—	—	54
V codes associated with mental illness ^(e)	—	—	—	—	—	—	—	n.p.
Total	6,503	1,763	2,145	2,528	4,454	1,636	4,220	23,249

(a) See classification inclusions list in Appendix 1.

(b) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(c) Includes sexual deviations and disorders.

(d) Due to organic brain damage.

(e) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.6d: Same-day separations of patients with a mental health principal diagnosis,^(a) by principal diagnosis and age group, females in specialised care, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	—	—	—	n.p.	n.p.	10	11	26
Other organic psychotic conditions	81	13	15	10	n.p.	12	19	157
Schizophrenic disorders	303	235	560	725	806	502	516	3,647
Affective disorders ^(b)	814	677	1,735	2,311	3,107	1,191	1,678	11,513
Other affective psychoses	38	86	360	421	341	308	229	1,783
Anxiety disorders ^(b)	131	157	275	542	347	291	65	1,808
Paranoid states	30	n.p.	11	n.p.	12	n.p.	n.p.	73
Other psychoses	129	16	16	34	27	n.p.	22	251
Other neurotic disorders	88	32	184	163	98	n.p.	116	686
Personality disorders ^(c)	32	85	197	210	127	25	136	812
Eating disorders	401	1,651	1,578	379	261	18	n.p.	4,289
Substance abuse	n.p.	18	55	59	71	11	n.p.	220
Substance dependence	n.p.	57	55	189	269	116	14	709
Acute alcoholic intoxication	n.p.	n.p.	12	11	15	n.p.	—	47
Other drug dependence and abuse	n.p.	46	43	19	52	22	—	187
Physiological malfunction arising from mental factors	—	—	—	—	—	n.p.	n.p.	n.p.
Special syndromes or syndromes not elsewhere classified	82	—	—	—	n.p.	n.p.	10	93
Acute reaction to stress	15	32	59	37	18	n.p.	n.p.	164
Adjustment reaction excluding PTSD	116	164	173	168	191	80	88	980
Specific non-psychotic mental disorders ^(d)	—	—	n.p.	n.p.	—	—	54	59
Other non-psychotic mental conditions	508	n.p.	26	16	n.p.	n.p.	—	563
Observation for suspected mental condition	n.p.	n.p.	n.p.	n.p.	—	—	—	n.p.
V codes associated with mental illness ^(e)	—	—	—	—	—	—	—	—
Total	2,789	3,284	5,359	5,308	5,759	2,612	2,964	28,075

(a) See classification inclusions list in Appendix 1.

(b) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(c) Includes sexual deviations and disorders.

(d) Due to organic brain damage.

(e) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.7a: Overnight separations of short-stay patients^(a) with a mental health principal diagnosis^(b), by principal diagnosis and age group, males, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	n.p.	—	n.p.	11	17	109	2,430	2,578
Other organic psychotic conditions	175	873	1,258	996	771	618	3,066	7,757
Schizophrenic disorders	339	3,436	5,064	3,041	1,455	456	293	14,084
Affective disorders ^(c)	276	982	2,124	2,203	1,936	1,035	1,543	10,099
Other affective psychoses	102	435	935	778	616	397	650	3,913
Anxiety disorders ^(c)	60	99	204	248	894	209	132	1,846
Paranoid states	13	102	197	143	89	57	94	695
Other psychoses	189	473	469	199	136	64	87	1,617
Other neurotic disorders	125	173	337	326	254	131	302	1,648
Personality disorders ^(d)	72	445	729	432	216	73	84	2,051
Eating disorders	86	23	10	n.p.	n.p.	n.p.	n.p.	139
Substance abuse	241	306	497	429	340	149	154	2,116
Substance dependence	150	1,171	2,043	2,141	1,685	723	372	8,285
Acute alcoholic intoxication	n.p.	72	258	509	512	209	172	1,740
Other drug dependence and abuse	34	252	292	135	24	n.p.	n.p.	753
Physiological malfunction arising from mental factors	34	n.p.	12	18	13	n.p.	21	115
Special syndromes or syndromes not elsewhere classified	141	29	41	46	23	23	37	340
Acute reaction to stress	69	165	363	255	165	46	59	1,122
Adjustment reaction excluding PTSD	322	572	1,103	830	475	173	167	3,642
Specific non-psychotic mental disorders ^(e)	35	40	59	43	61	56	414	708
Other non-psychotic mental conditions	768	99	98	36	35	12	29	1,077
Observation for suspected mental condition	39	29	21	14	n.p.	n.p.	n.p.	113
V codes associated with mental illness ^(f)	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	34
Total	3,281	9,786	16,132	12,846	9,733	4,569	10,125	66,472

(a) Separations with less than 36 patient days.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.7b: Overnight separations of short-stay patients^(a) with a mental health principal diagnosis^(b), by principal diagnosis and age group, females, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	—	—	n.p.	n.p.	14	87	3,165	3,280
Other organic psychotic conditions	126	365	546	413	327	275	4,012	6,064
Schizophrenic disorders	224	971	2,181	2,010	1,317	715	630	8,048
Affective disorders ^(c)	460	1,320	3,499	3,963	3,227	1,664	3,456	17,589
Other affective psychoses	242	573	1,332	1,468	1,102	661	1,280	6,658
Anxiety disorders ^(c)	128	138	386	395	276	153	248	1,724
Paranoid states	16	29	93	117	98	85	188	626
Other psychoses	132	249	408	274	204	83	162	1,512
Other neurotic disorders	269	284	667	664	473	266	764	3,387
Personality disorders ^(d)	206	813	1,172	860	260	64	70	3,445
Eating disorders	572	402	247	81	48	12	12	1,374
Substance abuse	230	146	237	223	163	58	93	1,150
Substance dependence	141	677	1,032	999	676	254	139	3,918
Acute alcoholic intoxication	11	30	129	199	169	59	62	659
Other drug dependence and abuse	32	133	165	107	41	n.p.	n.p.	503
Physiological malfunction arising from mental factors	35	13	29	19	33	13	45	187
Special syndromes or syndromes not elsewhere classified	120	43	209	173	87	49	72	753
Acute reaction to stress	138	301	687	458	162	70	80	1,896
Adjustment reaction excluding PTSD	427	932	2,624	1,403	526	160	228	6,300
Specific non-psychotic mental disorders ^(e)	13	20	28	33	30	51	570	745
Other non-psychotic mental conditions	435	25	46	47	22	n.p.	n.p.	603
Observation for suspected mental condition	13	n.p.	11	10	n.p.	n.p.	n.p.	51
V codes associated with mental illness ^(f)	n.p.	n.p.	11	n.p.	n.p.	n.p.	n.p.	29
Total	3,971	7,476	15,742	13,930	9,260	4,806	15,316	70,501

(a) Separations with less than 36 patient days.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.7c: Overnight separations of short-stay patients^(a) with a mental health principal diagnosis^(b) with specialised care, by principal diagnosis and age group, males, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	n.p.	—	n.p.	n.p.	n.p.	41	447	503
Other organic psychotic conditions	83	629	702	321	153	91	215	2,194
Schizophrenic disorders	299	3,012	4,394	2,671	1,247	370	221	12,214
Affective disorders ^(c)	196	729	1,566	1,513	1,270	687	935	6,896
Other affective psychoses	54	288	603	432	329	207	194	2,107
Anxiety disorders ^(c)	36	51	127	133	643	111	39	1,140
Paranoid states	12	82	163	117	75	50	55	554
Other psychoses	120	371	328	149	92	26	21	1,107
Other neurotic disorders	37	69	116	91	78	20	31	442
Personality disorders ^(d)	56	360	604	330	143	33	22	1,548
Eating disorders	36	19	n.p.	n.p.	n.p.	—	n.p.	63
Substance abuse	20	102	182	121	90	26	n.p.	550
Substance dependence	21	212	349	361	342	118	61	1,464
Acute alcoholic intoxication	n.p.	n.p.	71	104	123	51	45	427
Other drug dependence and abuse	19	123	139	59	11	n.p.	n.p.	356
Physiological malfunction arising from mental factors	n.p.	—	n.p.	—	n.p.	—	n.p.	n.p.
Special syndromes or syndromes not elsewhere classified	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	25
Acute reaction to stress	38	102	160	116	65	12	18	511
Adjustment reaction excluding PTSD	248	460	880	641	358	128	88	2,803
Specific non-psychotic mental disorders ^(e)	n.p.	12	26	20	21	16	21	123
Other non-psychotic mental conditions	339	72	75	29	21	n.p.	n.p.	543
Observation for suspected mental condition	12	25	20	12	n.p.	n.p.	—	77
V codes associated with mental illness ^(f)	—	n.p.	n.p.	n.p.	n.p.	—	n.p.	n.p.
Total	1,647	6,755	10,523	7,232	5,078	1,996	2,435	35,666

(a) Separations with less than 36 patient days.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.7d: Overnight separations of short-stay patients^(a) with a mental health principal diagnosis^(b) with specialised care, by principal diagnosis and age group, females, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	—	—	n.p.	n.p.	n.p.	29	482	522
Other organic psychotic conditions	63	206	237	140	76	52	254	1,028
Schizophrenic disorders	169	841	1,851	1,694	1,106	581	460	6,702
Affective disorders ^(c)	295	869	2,253	2,336	1,974	973	1,901	10,601
Other affective psychoses	129	293	681	745	554	356	404	3,162
Anxiety disorders ^(c)	91	89	220	204	129	59	43	835
Paranoid states	13	19	72	88	71	67	94	424
Other psychoses	89	188	296	183	136	50	56	998
Other neurotic disorders	64	78	150	173	125	35	61	686
Personality disorders ^(d)	172	667	961	666	179	47	40	2,732
Eating disorders	258	223	144	41	26	n.p.	n.p.	695
Substance abuse	n.p.	42	72	74	49	11	n.p.	260
Substance dependence	18	122	160	228	159	57	37	781
Acute alcoholic intoxication	n.p.	n.p.	34	50	57	22	13	189
Other drug dependence and abuse	n.p.	65	54	30	16	n.p.	n.p.	182
Physiological malfunction arising from mental factors	n.p.	—	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.
Special syndromes or syndromes not elsewhere classified	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	28
Acute reaction to stress	77	119	172	145	56	20	n.p.	598
Adjustment reaction excluding PTSD	286	446	796	630	320	87	94	2,659
Specific non-psychotic mental disorders ^(e)	n.p.	n.p.	10	13	n.p.	13	19	71
Other non-psychotic mental conditions	148	12	24	31	19	n.p.	n.p.	243
Observation for suspected mental condition	n.p.	n.p.	n.p.	n.p.	n.p.	—	n.p.	33
V codes associated with mental illness ^(f)	n.p.	—	n.p.	n.p.	n.p.	—	n.p.	n.p.
Total	1,908	4,303	8,210	7,495	5,073	2,474	3,988	33,451

(a) Separations with less than 36 patient days.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.8a: Patient days for overnight separations of short-stay patients^(a) with a mental health principal diagnosis^(b), by principal diagnosis and age group, males, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	n.p.	n.p.	103	110	181	1,636	33,489	35,534
Other organic psychotic conditions	1,083	6,044	6,857	5,202	4,573	5,101	32,893	61,753
Schizophrenic disorders	3,778	36,204	53,024	32,945	16,866	5,677	4,004	152,498
Affective disorders ^(c)	2,879	9,767	19,985	22,227	21,329	12,381	20,969	109,537
Other affective psychoses	844	3,304	7,029	5,915	5,599	3,692	7,416	33,799
Anxiety disorders ^(c)	736	708	1,616	2,081	13,536	2,528	1,399	22,604
Paranoid states	120	855	1,747	1,324	883	526	1,388	6,843
Other psychoses	1,593	3,722	3,776	1,666	1,073	504	869	13,203
Other neurotic disorders	564	670	1,201	1,570	1,281	534	1,692	7,512
Personality disorders ^(d)	461	2,433	3,979	2,280	1,361	491	691	11,696
Eating disorders	511	171	49	54	41	16	55	897
Substance abuse	414	953	1,798	1,536	1,520	695	640	7,556
Substance dependence	898	5,651	10,940	13,565	13,744	6,209	3,521	54,528
Acute alcoholic intoxication	14	257	856	1,966	2,365	1,078	1,141	7,677
Other drug dependence and abuse	151	1,649	1,845	777	202	92	58	4,774
Physiological malfunction arising from mental factors	107	29	46	51	38	22	166	459
Special syndromes or syndromes not elsewhere classified	695	68	118	142	61	142	225	1,451
Acute reaction to stress	372	677	1,318	1,027	1,081	250	443	5,168
Adjustment reaction excluding PTSD	1,678	2,789	5,707	4,751	3,258	1,245	1,518	20,946
Specific non-psychotic mental disorders ^(e)	98	151	352	308	524	615	4,466	6,514
Other non-psychotic mental conditions	5,058	592	567	232	399	66	283	7,197
Observation for suspected mental condition	180	122	100	83	45	14	28	572
V codes associated with mental illness ^(f)	n.p.	n.p.	63	13	16	20	34	155
Total	22,251	76,823	123,076	99,825	89,976	43,534	117,388	572,873

(a) Separations with less than 36 patient days.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.8b: Patient days for overnight separations of short-stay patients^(a) with a mental health principal diagnosis,^(b) by principal diagnosis and age group, females, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	n.p.	n.p.	71	116	202	1,186	45,036	46,611
Other organic psychotic conditions	784	2,388	3,024	2,558	2,142	2,388	46,023	59,307
Schizophrenic disorders	2,151	10,349	22,915	22,762	15,581	9,454	9,192	92,404
Affective disorders ^(c)	4,292	12,030	33,686	40,936	36,306	20,719	48,557	196,526
Other affective psychoses	1,709	4,320	10,479	11,527	10,095	7,071	15,714	60,915
Anxiety disorders ^(c)	1,014	1,172	2,671	3,424	2,192	1,428	2,051	13,952
Paranoid states	170	248	894	1,302	995	1,084	2,607	7,300
Other psychoses	1,182	2,221	3,203	2,192	1,818	699	1,861	13,176
Other neurotic disorders	1,398	1,183	2,868	3,659	2,526	1,465	4,906	18,005
Personality disorders ^(d)	1,245	4,894	6,645	5,811	2,151	655	873	22,274
Eating disorders	6,607	4,364	2,641	1,009	630	170	145	15,566
Substance abuse	320	681	1,016	896	683	268	359	4,223
Substance dependence	775	3,777	6,222	7,945	5,937	2,719	1,482	28,857
Acute alcoholic intoxication	14	84	450	726	1,015	487	404	3,180
Other drug dependence and abuse	177	910	1,151	871	429	168	51	3,757
Physiological malfunction arising from mental factors	116	46	99	43	203	52	310	869
Special syndromes or syndromes not elsewhere classified	540	164	1,062	755	320	165	490	3,496
Acute reaction to stress	606	1,151	2,415	1,902	747	355	566	7,742
Adjustment reaction excluding PTSD	2,549	4,777	13,778	8,149	3,738	1,181	2,482	36,654
Specific non-psychotic mental disorders ^(e)	65	77	190	253	252	432	5,918	7,187
Other non-psychotic mental conditions	2,281	137	359	344	262	42	239	3,664
Observation for suspected mental condition	41	20	52	25	25	n.p.	57	223
V codes associated with mental illness ^(f)	n.p.	n.p.	26	16	54	n.p.	67	178
Total	28,039	54,999	115,917	117,221	88,303	52,197	189,390	646,066

(a) Separations with less than 36 patient days.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.9a: Total psychiatric care days for overnight separations of short-stay patients^(a) with a mental health principal diagnosis,^(b) by principal diagnosis and age group, males, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	15	—	68	24	80	765	7,333	8,285
Other organic psychotic conditions	712	5,171	4,826	2,332	1,449	1,273	3,090	18,853
Schizophrenic disorders	3,421	32,591	48,237	30,122	15,054	4,814	3,233	137,472
Affective disorders ^(c)	2,404	7,706	16,190	16,591	15,052	8,958	13,305	80,206
Other affective psychoses	495	2,590	5,369	3,974	3,910	2,289	2,665	21,292
Anxiety disorders ^(c)	511	511	1,179	1,394	10,766	1,612	687	16,660
Paranoid states	116	697	1,481	1,147	759	490	815	5,505
Other psychoses	1,171	3,154	2,988	1,383	857	260	309	10,122
Other neurotic disorders	295	382	552	702	598	153	405	3,087
Personality disorders ^(d)	343	1,975	3,445	1,744	994	307	175	8,983
Eating disorders	194	147	n.p.	37	n.p.	—	27	425
Substance abuse	123	518	1,006	685	791	322	128	3,573
Substance dependence	141	1,680	2,817	3,309	4,300	1,530	822	14,599
Acute alcoholic intoxication	n.p.	148	261	512	865	406	467	2,668
Other drug dependence and abuse	90	945	1,057	370	105	60	27	2,654
Physiological malfunction arising from mental factors	n.p.	n.p.	n.p.	n.p.	12	—	14	29
Special syndromes or syndromes not elsewhere classified	69	23	56	16	n.p.	26	14	205
Acute reaction to stress	221	402	640	476	366	31	154	2,290
Adjustment reaction excluding PTSD	1,258	2,262	4,521	3,731	2,423	943	885	16,023
Specific non-psychotic mental disorders ^(e)	56	61	263	179	239	188	238	1,224
Other non-psychotic mental conditions	3,038	454	505	216	225	12	71	4,521
Observation for suspected mental condition	105	105	99	79	44	14	—	446
V codes associated with mental illness ^(f)	—	n.p.	24	n.p.	n.p.	—	18	63
Total	14,788	61,529	95,599	69,029	58,905	24,453	34,882	359,185

(a) Separations with less than 36 patient days.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.9b: Total psychiatric care days for overnight separations of short-stay patients^(a) with a mental health principal diagnosis,^(b) by principal diagnosis and age group, females, Australia, 1997–98

Principal diagnosis	17 and under	18–24	25–34	35–44	45–54	55–64	65 and over	Total
Senile and presenile organic conditions	—	—	71	49	15	536	8,527	9,198
Other organic psychotic conditions	578	1,765	1,673	1,096	712	656	3,707	10,187
Schizophrenic disorders	1,662	9,271	20,460	20,043	13,767	7,987	7,319	80,509
Affective disorders ^(c)	3,114	8,690	23,972	26,789	23,520	13,097	28,480	127,662
Other affective psychoses	1,103	2,882	6,588	6,856	6,228	4,435	6,150	34,242
Anxiety disorders ^(c)	767	877	1,595	2,041	1,443	816	721	8,260
Paranoid states	145	206	731	1,067	749	901	1,469	5,268
Other psychoses	808	1,811	2,583	1,568	1,324	468	734	9,296
Other neurotic disorders	486	440	784	1,593	1,053	349	737	5,442
Personality disorders ^(d)	1,083	4,074	5,489	4,580	1,517	524	589	17,856
Eating disorders	2,394	2,739	1,729	579	432	22	34	7,929
Substance abuse	31	374	471	396	307	125	63	1,767
Substance dependence	188	1,048	1,455	2,429	1,834	743	460	8,157
Acute alcoholic intoxication	n.p.	22	123	254	427	280	137	1,247
Other drug dependence and abuse	64	585	544	279	232	84	n.p.	1,793
Physiological malfunction arising from mental factors	24	—	n.p.	n.p.	21	n.p.	62	125
Special syndromes or syndromes not elsewhere classified	28	41	75	51	59	n.p.	n.p.	260
Acute reaction to stress	340	411	629	675	255	74	67	2,451
Adjustment reaction excluding PTSD	1,752	2,384	4,984	3,936	2,358	684	1,028	17,126
Specific non-psychotic mental disorders ^(e)	38	39	81	104	91	132	227	712
Other non-psychotic mental conditions	1,020	85	204	214	250	29	78	1,880
Observation for suspected mental condition	13	19	38	24	25	—	36	155
V codes associated with mental illness ^(f)	n.p.	—	n.p.	n.p.	29	—	18	58
Total	15,645	37,763	74,286	74,636	56,648	31,952	60,650	351,580

(a) Separations with less than 36 patient days.

(b) See classification inclusions list in Appendix 1.

(c) Cluster of disorders replicates the ABS National Survey of Mental Health and Wellbeing; see classification appendix for a detailed list of inclusions.

(d) Includes sexual deviations and disorders.

(e) Due to organic brain damage.

(f) V11, V15.4, V17.0, V40, V65.2, V66.3, V79.0, V79.1, V79.3, V79.8 and V79.9.

n.p. Not published.

— Nil.

Table A2.10a: Same-day separations for patients with a mental health principal diagnosis^(a) by area of usual residence,^(b) States and Territories, 1997–98

	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT ^(d)	Australia
Public acute hospitals									
Capital cities	13,443	4,286	3,835	4,939	2,592	654	n.p.	n.p.	29,914
Other metropolitan centres	519	643	251	—	—	—	n.p.	n.p.	1,417
Large rural centres	354	146	446	—	36	125	n.p.	n.p.	1,109
Small rural centres	548	588	232	115	158	40	n.p.	n.p.	1,681
Other rural areas	667	694	516	120	321	284	n.p.	n.p.	2,622
Remote centres	n.p.	n.p.	137	244	—	n.p.	—	n.p.	402
Other remote areas	115	43	204	110	40	n.p.	—	n.p.	529
Other	n.p.	n.p.	226	19	53	—	n.p.	n.p.	481
Total public acute hospitals	15,738	6,486	5,847	5,547	3,200	1,103	139	n.p.	38,155
Private hospitals^(e)									
Capital cities	13,552	14,028	5,088	6,855	235	1,575	n.p.	n.a.	41,334
Other metropolitan centres	953	277	69	—	—	—	—	n.a.	1,299
Large rural centres	114	44	177	n.p.	n.p.	57	—	n.a.	393
Small rural centres	168	78	76	147	n.p.	13	n.p.	n.a.	484
Other rural areas	223	415	262	244	22	58	n.p.	n.a.	1,225
Remote centres	n.p.	n.p.	23	51	—	—	—	n.a.	74
Other remote areas	14	n.p.	25	102	n.p.	—	—	n.a.	155
Other	n.p.	193	33	n.p.	—	n.p.	—	n.a.	234
Total private hospitals	15,024	15,035	5,753	7,399	257	1,703	—	n.a.	45,198
Public psychiatric hospitals									
Capital cities	1,531	n.p.	15	32	130	n.p.	1,714
Other metropolitan centres	93	n.p.	n.p.	—	—	—	93
Large rural centres	27	—	n.p.	—	n.p.	—	32
Small rural centres	19	—	—	n.p.	10	n.p.	31
Other rural areas	27	—	10	n.p.	21	n.p.	61
Remote centres
Other remote areas	n.p.	—	—	n.p.	—	—	n.p.
Other	n.p.	44	n.p.	n.p.	n.p.	—	96
Total public psychiatric hospitals	1,737	44	25	32	161	31	2,030

(continued)

Table A2.10a (continued): Same-day separations for patients with a mental health principal diagnosis^(a) by area of usual residence,^(b) States and Territories, 1997–98

	NSW	Vic	Qld	WA ^(c)	SA	Tas	ACT	NT ^(d)	Australia
Area of usual residence	All hospitals								
Capital cities	28,526	18,314	8,938	11,826	2,957	2,235	123	n.p.	72,962
Other metropolitan centres	1,565	920	320	—	—	—	n.p.	n.p.	2,809
Large rural centres	495	190	625	n.p.	39	182	n.p.	n.p.	1,534
Small rural centres	735	666	308	264	170	53	—	n.p.	2,196
Other rural areas	917	1,109	788	364	364	345	18	n.p.	3,908
Remote centres	n.p.	—	160	295	—	—	—	n.p.	476
Other remote areas	131	49	229	213	48	n.p.	—	n.p.	687
Other	n.p.	279	—	n.p.	—	n.p.	n.p.	n.p.	811
Total	32,369	21,527	11,368	12,962	3,578	2,815	141	n.p.	85,383

(a) See classification inclusions list in Appendix 1.

(b) Defined according to the *Rural, Remote and Metropolitan Areas Classification, 1991 Census edition*. See glossary for more information.

(c) WA figures include same-day group therapy at some units.

(d) Data for Northern Territory, reported against this classification, misrepresents service provision when compared with other jurisdictions.

(e) Private includes 64 separations from private free-standing day hospitals.

n.a. Not available.

. . . Not applicable.

n.p. Not published.

— Nil.

Table A2.10b: Overnight separations of short-stay patients^(a) with a mental health principal diagnosis^(b) by area of usual residence,^(c) States and Territories, 1997–98

	NSW	Vic	Qld	WA ^(d)	SA	Tas	ACT	NT ^(e)	Australia
Public acute hospitals									
Area of usual residence									
Capital cities	16,037	14,324	10,896	5,450	4,238	1,107	1,082	n.p.	53,493
Other metropolitan centres	2,456	776	1,745	n.p.	—	—	29	n.p.	5,016
Large rural centres	1,413	1,122	2,645	n.p.	197	396	n.p.	n.p.	5,783
Small rural centres	2,770	1,994	1,206	1,018	848	429	14	n.p.	8,280
Other rural areas	5,235	4,347	2,992	1,140	1,866	743	66	n.p.	16,438
Remote centres	n.p.	n.p.	611	949	—	—	n.p.	n.p.	1,760
Other remote areas	611	199	739	632	168	31	—	n.p.	2,570
Other	619	311	819	78	105	24	37	n.p.	2,030
Total public acute hospitals	29,141	23,073	21,653	9,267	7,422	2,730	1,228	n.p.	95,370
Private hospitals^(f)									
Capital cities	4,353	6,024	3,259	1,901	2,618	457	124	n.a.	18,736
Other metropolitan centre	587	307	687	—	—	—	n.p.	n.a.	1,585
Large rural centre	591	180	1,022	n.p.	13	126	n.p.	n.a.	1,933
Small rural centre	337	176	432	189	41	27	n.p.	n.a.	1,203
Other rural area	359	530	598	140	366	91	n.p.	n.a.	2,087
Remote centres	—	—	60	20	n.p.	n.p.	—	n.a.	84
Other remote areas	16	10	35	31	n.p.	n.p.	—	n.a.	99
Other	n.p.	62	291	n.p.	52	24	16	n.a.	453
Total private hospitals	6,243	7,289	6,384	2,281	3,090	725	140	n.a.	26,180
Public psychiatric hospitals									
Capital cities	3,983	—	428	1,825	2,547	171	8,954
Other metropolitan centres	1,879	—	34	—	—	—	1,913
Large rural centres	291	—	156	—	56	n.p.	508
Small rural centres	368	—	n.p.	107	183	n.p.	668
Other rural areas	554	—	99	112	457	52	1,274
Remote centres	n.p.	—	n.p.	77	—	—	80
Other remote areas	47	—	n.p.	119	24	n.p.	199
Other	799	803	69	17	139	—	1,827
Total public psychiatric hospitals	7,921	803	786	2,257	3,406	223	15,423

(continued)

Table A2.10b (continued): Overnight separations of short-stay patients^(a) with a mental health principal diagnosis^(b) by area of usual residence,^(c) States and Territories, 1997–98

	NSW	Vic	Qld	WA ^(d)	SA	Tas	ACT	NT ^(e)	Australia
Area of usual residence	All hospitals								
Capital cities	24,373	20,348	14,583	9,176	9,403	1,735	1,206	n.p.	81,183
Other metropolitan centres	4,922	1,083	2,466	n.p.	—	—	33	n.p.	8,514
Large rural centres	2,295	1,302	3,823	n.p.	266	527	n.p.	n.p.	8,224
Small rural centres	3,475	2,170	1,646	1,314	1,072	458	15	n.p.	10,151
Other rural areas	6,148	4,877	3,689	1,392	2,689	886	69	n.p.	19,799
Remote centres	—	—	673	1,046	—	—	n.p.	n.p.	1,924
Other remote areas	674	209	783	782	197	33	—	n.p.	2,868
Other	1,424	1,176	1,179	97	296	48	53	n.p.	4,310
Total hospitals	43,311	31,165	28,842	13,807	13,923	3,687	1,376	n.p.	136,973

(a) Separations with less than 36 patient days.

(a) See classification inclusions list in Appendix 1.

(c) Defined according to the *Rural, Remote and Metropolitan Areas Classification, 1991 Census edition*. See glossary for more information.

(d) WA figures include activity from psycho-geriatric facilities.

(e) Data for Northern Territory, reported against this classification, misrepresents service provision when compared with other jurisdictions.

(f) Private includes 64 separations from private free-standing day hospitals.

n.a. Not available.

.. Not applicable.

n.p. Not published.

— Nil.