Mental health services in Australia 2003–04

The Australian Institute of Health and Welfare is Australia's national health and welfare statistics and information agency. The Institute's mission is *better health and wellbeing for Australians through better health and welfare statistics and information*.

Please note that, as with all statistical reports, there is the potential for minor revisions of data in *Mental Health Services in Australia* 2003–04 over its one-year life. Please refer to the online version at <www.aihw.gov.au>.

MENTAL HEALTH SERIES Number 8

Mental health services in Australia 2003–04

Australian Institute of Health and Welfare Canberra AIHW cat. no. HSE 40 © Australian Institute of Health and Welfare 2005

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced without prior written permission from the Australian Institute of Health and Welfare. Requests and enquiries concerning reproduction and rights should be directed to the Head, Business Promotion and Media, Australian Institute of Health and Welfare,

GPO Box 570, Canberra ACT 2601.

This publication is part of the Australian Institute of Health and Welfare's Mental Health Series. A complete list of the Institute's publications is available from the Publications Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601, or via the Institute's web site <www.aihw.gov.au>.

ISSN 1443-6795 ISBN 1 74024 5237

Suggested citation

Australian Institute of Health and Welfare (AIHW) 2005. Mental health services in Australia 2003–04. AIHW cat no. HSE 40. Canberra: AIHW (Mental Health Series no. 8).

Australian Institute of Health and Welfare

Board Chair Hon. Peter Collins, AM, QC

Director Dr Richard Madden

Any enquiries about or comments on this publication should be directed to:

Jenny Hargreaves Australian Institute of Health and Welfare GPO Box 570 Canberra ACT 2601 Phone: (02) 6244 1121

Published by Australian Institute of Health and Welfare Printed by Pirion Pty Ltd

Foreword

Mental Health Services in Australia 2003–04 is a detailed annual report on Australia's mental health services and is the seventh of its kind in the Australian Institute of Health and Welfare's Mental Health Series.

As previously, the report includes data from the Institute's National Hospital Morbidity Database, National Community Mental Health Care Database, National Community Mental Health Establishments Database and National Public Hospital Establishments Database. These databases are compiled each year with the assistance of the state and territory health authorities.

A wide range of other data is also included, to provide a picture of the range of mental health-related services provided in the health and community services sectors. Information is presented on private psychiatrist services, on mental health-related care provided by general practitioners and on mental health-related disability support services funded by the Commonwealth, State/Territory Disability Agreement. Included for the first time is information on mental health-related supported accommodation services from the AIHW's Supported Accommodation Assistance Program National Data Collection.

Timeliness is an important quality for statistical reports so the Institute is continuing to work to make gains in the timeliness of *Mental Health Services in Australia*. This year publishing has taken place in December rather than in the first quarter of the following year. This represents a welcome improvement in timeliness, for which the contributions of data providers and reviewers are much appreciated.

An electronic version of this report can be found on the Institute's website. It is accompanied by a suite of statistical information that is not included in the hard-copy form of this publication, including an interactive cube of data from the National Hospital Morbidity Database on patients who received specialised psychiatric care in Australia's hospitals. The Institute will continue to work with the data providers and other stakeholders to maintain timeliness and to improve the quality and usefulness of this report. Comments from readers are always welcome.

I congratulate all those who have collaborated and worked so hard to present such a comprehensive picture of Australia's mental health services.

Richard Madden Director December 2005

Contents

For	ewo	rd	v
List	t of t	ables	ix
List	t of f	igures	xx
List	t of t	ooxes	cxii
Ack	cnow	vledgmentsx	xiii
Ab	brev	iationsx	xiv
1	Ove	erview	1
	1.1	Changes in mental health care over time	1
	1.2	Patient demographics	3
	1.3	Mental health problems and disorders	7
	1.4	Medication	9
	1.5	Labour force	9
	1.6	Psychiatric hospitals and community and residential mental health services	10
2	Intr	oduction	12
	2.1	Report structure	12
	2.2	Background	13
	2.3	Health service expenditure for mental health disorders	19
	2.4	Further information	20
3	Am	bulatory mental health care	21
	3.1	Overview	21
	3.2	Mental health care in general practice	26
	3.3	Private psychiatrist services	50
	3.4	Hospital outpatient services and community mental health services	61
	3.5	Commonwealth State/Territory Disability Agreement-funded mental health-related non-residential care	76
	3.6	Ambulatory-equivalent mental health-related separations	77
4	Res	idential and admitted patient mental health care	91
	4.1	Definition of mental health-related separations	
	4.2	National overview	92
	4.3	Admitted patient mental health care	95
	4.4	Residential care provided by government-operated residential mental health services	
	4.5	Commonwealth State/Territory Disability Agreement-funded residential mental health care	98

5	Specialised admitted patient mental health care	113	
	5.1 Overview	113	
	5.2 Patient demographics	114	
	5.3 Principal diagnoses	124	
	5.4 Australian Refined Diagnosis Related Groups	140	
	5.5 Procedures	141	
	5.6 Mode of admission	150	
	5.7 Mode of separation	150	
	5.8 Care type	150	
6	Non-specialised mental health care for admitted patients	155	
	6.1 Overview	155	
	6.2 Patient demographics	157	
	6.3 Principal diagnoses	162	
	6.4 Australian Refined Diagnosis Related Groups	173	
	6.5 Procedures	173	
	6.6 Mode of admission	174	
	6.7 Mode of separation	174	
	6.8 Care type	174	
7	Specialised mental health care resources	184	
	7.1 Specialised mental health care labour force		
	7.2 Government-operated community and residential mental health services	196	
	7.3 Psychiatric and acute care hospitals	203	
Ap	pendix 1: Data sources and technical notes	216	
_	Data sources	216	
	Data collections	217	
	Technical notes	223	
Ap	pendix 2: Definitions of mental health-related care and medications and of		
-	ambulatory-equivalent separations	225	
	National Hospital Morbidity Database	225	
	Bettering the Evaluation and Care of Health	227	
	Commonwealth State/Territory Disability Agreement National Minimum Data Set.	227	
	Repatriation Pharmaceutical Benefits Scheme and Pharmaceutical Benefits Scheme	227	
Ap	pendix 3: State and territory ambulatory and admitted patient mental health care data	229	
	Ambulatory and ambulatory-equivalent mental health care		
	Admitted patient mental health care		
An	Appendix 4: Mental health-related data from the Supported Accommodation		
-r	Assistance Program National Data Collection	264	

Introduction	264
Mental health-related support periods, 2003-04	266
Appendix 5: National Survey of Mental Health Services	281
Comparison with NCMHED data	281
Comparison with NCMHCD data	281
Comparison with NPHED data	282
Glossary	283
References	
Index	296

List of tables

2 Introduction

Table 2.1:	Estimated proportion of adults with very high (30–50) psychological distress scores on the Kessler 10 Scale of Psychological Distress, Australia, 1997, 2001 and 2004 (per cent)	15
Table 2.2:	Population level of psychological distress and selected drug use patterns, persons aged 18 years and over, 2004 (per cent)	16
Table 2.3:	Persons with a psychiatric disability ('000), by age group, sex and core activity limitation, Australia, 2003	17
Table 2.4:	Persons with a psychiatric disability ('000), by age group and other reported disabilities, Australia, 2003	18
Table 2.5:	Health system costs of mental disorders and Alzheimer's disease and other dementias in Australia, 1993–94 and 2000–01 (\$ million)	19

3 Ambulatory mental health care

Overview of ambulatory mental health care

Table 3.1:	Summary of ambulatory mental health care provided by general practitioners, private psychiatrists and ambulatory-equivalent mental health-related hospital separations, Australia, 1999	23
Table 3.2:	Summary of ambulatory mental health care provided by general practitioners, private psychiatrists, hospitals and community-based services, states and territories, 2003–04	24
Table 3.3:	Summary of available data for ambulatory mental health care provided by private psychiatrists, states and territories, 2004–05	25
Table 3.4:	Most frequent reported mental health-related reasons for encounter, by patient sex, BEACH, 2003–04	30
Table 3.5:	Most frequently reported mental health-related problems managed, by patient sex, BEACH, 1999–00 to 2003–04	31
Table 3.6:	Most frequently reported mental health-related problems managed, by patient sex, BEACH, 2003–04	33
Table 3.7:	The 15 most frequent referrals for mental health-related problems, BEACH, 2003–04	37
Table 3.8:	The most frequently referred mental health-related problems, by patient sex, BEACH, 2003–04	38
Table 3.9:	Mental health-related problems most frequently referred by GPs to psychiatrists, by patient sex, BEACH, 2003–04	39
Table 3.10:	Clinical treatments provided by GPs for mental health-related problems, BEACH, 2003–04	40

Table 3.11:	Mental health-related problems for which GPs most frequently used clinical treatments, by patient sex, BEACH, 2003–04	41
Table 3.12:	Medications most commonly prescribed, supplied or recommended by GPs for mental health-related problems, by drug group and generic drug name, by patient sex, BEACH, 2003–04	42
Table 3.13:	Mental health-related problems most frequently managed by medication, by patient sex, BEACH, 2003–04	44
Table 3.14:	PBS and RPBS-subsidised mental health-related prescriptions by non- psychiatrists, by Anatomical Therapeutic Chemical group, Australia, 1999-00 to 2004-05	46
Table 3.15:	PBS and RPBS-subsidised mental health-related prescriptions by non- psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2004–05	47
Table 3.16:	PBS and RPBS-funded expenditure (\$'000) on mental health-related medications prescribed by non-psychiatrists, by Anatomical Therapeutic Chemical group, Australia, 1999–00 to 2004–05	48
Table 3.17:	PBS and RPBS-funded expenditure (\$'000) on mental health-related medications prescribed by non-psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2004–05	49

Private psychiatrist services

Table 3.18:	Private psychiatrist services subsidised through Medicare by schedule item, states and territories, 2004–05	52
Table 3.19:	Private psychiatrist services subsidised through Medicare by schedule item, patient sex and age group, Australia, 2004–05	53
Table 3.20:	Medicare expenditure (\$'000) on services provided by private psychiatrists (current prices), by schedule item, Australia, 1999–00 to 2004–05	55
Table 3.21:	Medicare expenditure (\$'000) on services provided by private psychiatrists, by schedule item, states and territories, 2004–05	56
Table 3.22:	PBS and RPBS-subsidised prescriptions by private psychiatrists, by Anatomical Therapeutic Chemical group, Australia, 1999–00 to 2004–05	57
Table 3.23:	PBS and RPBS-subsidised prescriptions by private psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2004–05	58
Table 3.24:	PBS and RPBS-funded expenditure (\$'000) on selected medications prescribed by private psychiatrists, by Anatomical Therapeutic Chemical group, 1999–00 to 2004–05	59
Table 3.25:	PBS and RPBS-funded expenditure (\$'000) on medications prescribed by private psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2004–05	60

Community mental health care

Table 3.26:	Community mental health service contacts and per 1,000 population, by sex
	and age group, Australia, 2003–0467

70
71
72
73
74
75
•••

Ambulatory-equivalent mental health-related separations

Table 3.34:	Summary of ambulatory-equivalent mental health-related separations, states and territories, 2003–04	82
Table 3.35:	Ambulatory-equivalent mental health-related separations with specialised psychiatric care, by mental health legal status and hospital type, states and territories, 2003–04	83
Table 3.36:	Ambulatory-equivalent mental health-related hospital separations with specialised psychiatric care, by sex and age group, states and territories, 2003–04.	.84
Table 3.37	Ambulatory-equivalent mental health-related hospital separations without specialised psychiatric care, by sex and age group, states and territories, 2003–04.	.85
Table 3.38:	Ambulatory-equivalent mental health-related separations, by Indigenous status, states and territories, 2003–04	86
Table 3.39:	Ambulatory-equivalent hospital separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2003–04	87
Table 3.40:	Ambulatory-equivalent mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2003-04	88
Table 3.41:	The 20 most frequently reported procedures for ambulatory-equivalent mental health-related separations, with and without specialised psychiatric care, all hospitals, Australia, 2003–04	89
Table 3.42:	The 20 most frequently reported AR-DRGs for ambulatory-equivalent mental health-related separations, with and without specialised psychiatric care, all hospitals, Australia, 2003–04	90

4 Residential and admitted patient mental health care

Overview of residential and admitted patient mental health care

Table 4.1:	Separation statistics for residential and admitted patient mental health care, Australia, 1999–00 to 2003–04	.101
Table 4.2:	Summary of separations for residential and admitted patient mental health care, states and territories, 2003–04	.103
Table 4.3:	Summary of patient days for admitted patient mental health care, states and territories, 2003–04	.107
Table 4.4:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care or any mental health-related diagnosis, Australia, 2003–04	.111

5 Specialised admitted patient mental health care

Patient demographics

Table 5.1:	Separations with specialised psychiatric care, by age group and sex, Australia 2003–04	117
Table 5.2:	Separations with specialised psychiatric care, by mental health legal status and hospital type, Australia, 1999-00 to 2003-04	
Table 5.3:	Separations with specialised psychiatric care, by mental health legal status, sex and age group, Australia, 2003–04	.119
Table 5.4:	Separations with specialised psychiatric care, by mental health legal status and hospital type, states and territories, 2003–04	120
Table 5.5:	Separations with specialised psychiatric care, by Remoteness Area of usual residence of the patient, hospital type and state or territory of usual residence, 2003–04	122
Table 5.6:	Separations with specialised psychiatric care, by Indigenous status, states and territories, 2003–04	123

Principal diagnosis

National overview

Table 5.7:	Separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 1999–00 to 2003–04	.126
Table 5.8:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2003–04	.128
Table 5.9:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 2003–04	.129

Sex and age group

Table 5.10:	Separations with specialised psychiatric care for male patients, by principal	
	diagnosis in ICD-10-AM groupings and age group, Australia, 2003-04	.134
Table 5.11:	Separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia,	
	2003-04	.135

Aboriginal and Torres Strait Islander peoples

Table 5.12:	Separations, patient days and psychiatric care days for separations with	
	specialised psychiatric care reported for Aboriginal and Torres Strait	
	Islander peoples, by principal diagnosis in ICD-10-AM groupings,	
	2003-04	136

Mental health legal status

Table 5.13:	Separations with specialised psychiatric care by mental health legal status	
	and principal diagnosis in ICD-10-AM groupings, and hospital type,	
	Australia, 2003–04	137

Additional diagnoses

Table 5.14:	Separations, patient days and psychiatric care days for the top five mental	
	health-related additional diagnoses for separations with specialised	
	psychiatric care, by selected mental health-related principal diagnosis,	
	Australia, 2003–04	138
Table 5.15:	Separation statistics for separations with specialised psychiatric care, with an external cause of injury or poisoning reported as intentional self-harm, by principal diagnosis in ICD-10-AM groupings, Australia, 2003–04	139

Australian Refined Diagnosis Related Groups

Table 5.16:	The 30 most frequently reported AR-DRGs for separations with specialised	
	psychiatric care, by hospital type, Australia, 2003-04	142

Procedures

Table 5.17:	The 30 most frequently reported procedures for separations with	
	specialised psychiatric care, by hospital type, Australia, 2003-04	146

Mode of admission and separation

Table 5.18:	Separations with specialised psychiatric care by mode of admission and	
	hospital type, states and territories, 2003-04	151
Table 5.19:	Separations with specialised psychiatric care, by mode of separation and	
	hospital type, states and territories, 2003–04	152

Care type

Table 5.20:	Separations with specialised psychiatric care, by care type and hospital	
	type, states and territories, 2003–04	154

6 Non-specialised admitted patient mental health care

Patient demographics

Table 6.1:	Mental health-related separations without specialised psychiatric care, by	
	age group and sex, Australia 2003–04	159
Table 6.2:	Mental health-related separations without specialised psychiatric care, by	
	Remoteness Area of usual residence of the patient, hospital type and state	
	or territory of usual residence, 2003-04	160
Table 6.3:	Mental health-related separations without specialised psychiatric care, by	
	Indigenous status, states and territories, 2003-04	161

Principal diagnosis

National overview

Table 6.4:	Mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 1999–00 to 2003–04	165
Table 6.5:	Mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2003–04	167
Table 6.6:	Separations and patient days for mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 2003–04	168

Sex and age group

Table 6.7:	Mental health-related separations without specialised psychiatric care for	
	male patients, by principal diagnosis in ICD-10-AM groupings and age	
	group, Australia, 2003–04	169
Table 6.8:	Mental health-related separations without specialised psychiatric care for	
	female patients, by principal diagnosis in ICD-10-AM groupings and age	
	group, Australia, 2003–04	170

Aboriginal and Torres Strait Islander peoples

Additional diagnoses

Table 6.10:Separations and patient days for the top five mental health-related
additional diagnoses for separations without specialised psychiatric care by
selected mental health-related principal diagnosis, Australia, 2003–04.......172

Australian Refined Diagnosis Related Groups

Table 6.11:	The 30 most frequently reported AR-DRGs for mental health-related
	separations without specialised psychiatric care, by hospital type, Australia,
	2003-04

Procedures

Table 6.12:	The 30 most frequently reported procedures for mental health-related	
	separations without specialised psychiatric care, by hospital type, Australia,	
	2003–04	.178

Mode of admission and separation

Table 6.13:	Mental health-related separations without specialised psychiatric care, by
	mode of admission and hospital type, states and territories, 2003-04181

Table 6.14:Mental health-related separations without specialised psychiatric care, by
mode of separation and hospital type, states and territories,2003–04......182

Care type

7 Specialised mental health care resources

Labour force

Table 7.1:	Psychiatrists and psychiatrists-in-training, by Remoteness Area of main place of work, Australia, 1999 to 2003	.186
Table 7.2:	Psychiatrists and psychiatrists-in-training, by sex, Australia, 1999 to 2003	.187
Table 7.3:	Psychiatrists and psychiatrists-in-training, by age, Australia, 1999 to 2003	.188
Table 7.4:	Psychiatrists and psychiatrists-in-training, states and territories, 1999 to 2003	.189
Table 7.5:	Medicare-funded full-time-equivalent private psychiatrists, by Remoteness Area, states and territories, 2004–05	.191
Table 7.6:	Mental health nurses, by Remoteness Area of main place of work, Australia, 1999 to 2003	.192
Table 7.7:	Mental health nurses by age and sex, Australia, 1999 to 2003	.194
Table 7.8:	Mental health nurses, by sex, state and territory, 1999 to 2003	.195

Public community mental health establishments

Table 7.9:	Summary of public and private psychiatric hospitals and government- operated community and residential mental health services, Australia, 1999–00 to 2003–041	.98
Table 7.10:	Government-operated community and residential mental health services, services providing residential care, available beds and available beds per 100,000 population, states and territories, 2003–041	99
Table 7.11:	Full-time-equivalent staff, government-operated community and residential mental health services, states and territories, 2003–042	200
Table 7.12:	Salaries and wages expenditure (\$'000), government-operated community and residential mental health services, states and territories, 2003–042	201
Table 7.13:	Non-salary and total recurrent expenditure (\$'000), government-operated community and residential mental health services, states and territories, 2003–04	202
Table 7.14:	Public psychiatric hospitals and available beds, by Remoteness Area, states, 2003–04	205
Table 7.15:	Full-time-equivalent staff, public psychiatric hospitals, states, 2003–042	206
Table 7.16:	Salaries and wages expenditure (\$'000), public psychiatric hospitals, states, 2003–04	207
Table 7.17:	Non-salary expenditure and total recurrent expenditure (\$'000), public psychiatric hospitals, states, 2003–042	208
Table 7.18:	Revenue (\$'000), public psychiatric hospitals, states, 2003–042	209
Table 7.19:	Public acute hospitals with psychiatric units or wards, by Remoteness Area, states and territories, 2003–042	211
Table 7.20:	Private psychiatric hospitals, available beds and available beds per 100,000 population, states, 2003–042	212
Table 7.21:	Full-time-equivalent staff, private psychiatric hospitals, states, 2003–042	212
Table 7.22:	Salaries and wages expenditure (\$'000), private psychiatric hospitals, states, 2003–042	213
Table 7.23:	Non-salary expenditure (\$'000), and total recurrent expenditure (\$'000), private psychiatric hospitals, states, 2003–04	214
Table 7.24:	Revenue (\$'000), private psychiatric hospitals, states, 2003–042	

Appendix 1: Data sources and technical notes

Table A1.1:	Service contacts and estimated numbers of clients, states and territories,	
	2000–01 to 2003–04	.224

Appendix 2: Definitions of mental health-related care and medications and of ambulatory-equivalent separations

Table A2.1:	Anatomical Therapeutic Chemical codes used to define mental health-	
	related medication prescribed by general practitioners and non-psychiatrist	
	medical specialists in RPBS and PBS data	.228

Appendix 3: State and territory ambulatory and admitted patient mental health care data

Table A3.1:	Ambulatory-equivalent mental health-related separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2003–04	230
Table A3.2:	Ambulatory-equivalent mental health-related separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2003–04	231
Table A3.3:	Ambulatory-equivalent mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2003–04	232
Table A3.4:	Ambulatory-equivalent mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2003–04	233
Table A3.5:	Ambulatory-equivalent mental health-related separations, with and without specialised psychiatric care, all hospitals, by state and territory, 2003–04.	234
Table A3.6:	Community mental health service contacts, by principal diagnosis, states and territories, 2003–04	236
Table A3.7:	Same day separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, states and territories, 2003–04	237
Table A3.8:	Overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2003–04	238
Table A3.9:	Overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2003–04.	239
Table A3.10:	Patient days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2003–04	240
Table A3.11:	Patient days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2003–04	241
Table A3.12:	Psychiatric care days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2003–04	242

Table A3.13:	Psychiatric care days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2003–04	243
Table A3.14	Overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2003–04	244
Table A3.15:	Average length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2003–04	246
Table A3.16	Median length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2003–04	248
Table A3.17:	The 15 most frequently reported procedures for same day non-ambulatory- equivalent separations with specialised psychiatric care, states and territories, 2003–04	250
Table A3.18	The 15 most frequently reported procedures for overnight separations with specialised psychiatric care, states and territories, 2003–04	250
Table A3.19	Same day mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2003–04	251
Table A3.20	Same day mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2003–04	252
Table A3.21:	Overnight mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2003–04	253
Table A3.22:	Overnight mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2003–04	254
Table A3.23	Patient days for mental health-related overnight separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2003–04	255
Table A3.24	Patient days for mental health-related overnight separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2003–04	256
Table A3.25	Overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2003–04.	
Table A3.26	Average length of stay (days) for overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2003–04	259
Table A3.27	Median length of stay (days) of overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2003–04	

Table A3.28:	The 15 most frequently reported procedures for same day mental health-	
	related separations without specialised psychiatric care, states and	
	territories, 2003-04	.263
Table A3.29:	The 15 most frequently reported procedures for overnight mental health-	
	related separations without specialised psychiatric care, states and	
	territories, 2003-04	.263

Appendix 4: Mental health-related data from the Supported Accommodation Assistance Program National Data Collection

Table A4.1:	SAAP mental health-related closed support periods, state and territories, 2003–04	266
Table A4.2:	Estimated number of clients and closed support periods by age and sex, Australia, 2003–04 (per cent)2	267
Table A4.3:	Estimated number of client by Indigenous status, age and sex, Australia, 2003–04 (per cent)2	268
Table A4.4:	Estimated number of clients by client group, Australia, 2003–042	269
Table A4.5:	Estimated number of children accompanying clients, by age and sex of child, Australia, 2003–04 (per cent)2	<u>2</u> 69
Table A4.6:	SAAP mental health-related closed support periods, by client group and state and territory, Australia, 2003–04 (per cent)2	272
Table A4.7:	SAAP mental health-related closed support periods, by living situation immediately before and immediately after the support period, Australia, 2003–04	273
Table A4.8:	SAAP mental health-related closed support periods, by type of accommodation immediately before and immediately after the support period, Australia, 2003–04	273
Table A4.9:	SAAP mental health-related closed support periods, by length of support and client group, Australia, 2003–04 (per cent)	274
Table A4.10:	SAAP mental health-related closed support periods, by main reason for seeking assistance and client group, Australia, 2003–04 (per cent)2	275
Table A4.11:	SAAP mental health-related closed support periods, by source of referral and client group, Australia, 2003–04 (per cent)2	276
Table A4.12:	SAAP mental health-related closed support periods, by services provided to clients and client group, Australia, 2003–04 (per cent)2	277
Table A4.13:	SAAP services requested by clients in mental health-related closed support periods, by provision, Australia, 2003–04 (per cent)2	279

List of figures

1 Overview

Figure 1.1:	Mental health-related general practice encounters per 1,000 population, 1999–00 to 2004–05	1
Figure 1.2:	Medicare-funded psychiatrist attendances per 1,000 population, 1999–00 to 2004–05	1
Figure 1.3:	Ambulatory-equivalent mental health-related separations per 1,000 population, by hospital sector, Australia, 1999–00 to 2003–04	2
Figure 1.4:	Non-ambulatory-equivalent mental health-related separations by hospital type, 1999-00 to 2003-04	2
Figure 1.5:	Patient days for mental health-related separations, by hospital type, 1999–00 to 2003–04	3
Figure 1.6:	Average and median length of stay for selected mental health-related overnight separations, by hospital type, 1999–00 to 2003–04	3
Figure 1.7:	Mental health-related general practice encounters, by age group and sex of patient, 2003–04	4
Figure 1.8:	Medicare-funded psychiatrist attendances per 1,000 population, by age group and sex of patient, 2004–05	4
Figure 1.9:	Community mental health service contacts per 1,000 population, by age group and sex of patient, 2003–04	4
Figure 1.10:	Ambulatory-equivalent mental health-related separations per 1,000 population, by age group and sex of patient, 2003–04	4
Figure 1.11:	Non-ambulatory-equivalent mental health-related separations per 1,000 population, by age group and sex of patient, 2003–04	5
Figure 1.12:	Non-ambulatory-equivalent mental health-related separations per 1,000 population, by Remoteness Area of usual residence, 2003–04	
Figure 1.13:	Ambulatory-equivalent mental health-related separations per 1,000 population, by Indigenous status, 2003–04	
Figure 1.14:	Non-ambulatory-equivalent mental health-related separations per 1,000 population, by Indigenous status, 2003–04	
Figure 1.15:	Mental health-related problems managed by general practitioners, 2003-04	7
Figure 1.16:	Principal diagnoses for community mental health service contacts, 2003-04	7
Figure 1.17:	Principal diagnoses for ambulatory-equivalent mental health-related separations with specialised psychiatric care, 2003–04	8
Figure 1.18:	Principal diagnoses for ambulatory-equivalent mental health-related separations without specialised psychiatric care, 2003–04	8
Figure 1.19:	Principal diagnoses for non-ambulatory-equivalent mental health-related separations, public hospitals, 2003-04	8
Figure 1.20:	Non-ambulatory-equivalent mental health-related separations with specialised psychiatric care, 2003-04	8

Figure 1.21:	Principal diagnoses for non-ambulatory-equivalent mental health-related separations, private hospitals, 2003–04	9
Figure 1.22:	Selected PBS and RPBS-funded mental health-related prescriptions per 1,000 population, 1999–00 to 2004–05	9
Figure 1.23:	Full-time equivalent psychiatrists per 100,000 population, by Remoteness Area, 1999 to 2003	10
Figure 1.24:	Full-time equivalent mental health nurses per 100,000 population, by Remoteness Area, 1999 to 2003	10
Figure 1.25:	Full-time equivalent mental health nurses, by age and sex, Australia, 2003	10
Figure 1.26:	Average available beds for psychiatric hospitals and government-operated residential mental health facilities, 1999-00 to 2003-04	11
Figure 1.27:	Total recurrent expenditure (\$ million) for psychiatric hospitals and government-operated community and residential mental health facilities, 1999–00 to 2003–04	11

3 Ambulatory mental health care

Figure 3.1:	Data reported for general practice encounters at which a mental health- related problem was managed, BEACH, 2003–04	28
Figure 3.2:	Mental health-related general practice encounters, by patient age group and sex, BEACH, 2003-04	29
Figure 3.3:	Mental health-related general practice encounters as a proportion of all general practice encounters, by patient age group and sex, BEACH, 2003–04	29
Figure 3.4:	Medications per 100 mental health-related problems managed, by patient sex and age group, BEACH, 2003–04	45
Figure 3.5:	Summary of data reported for service users with a psychiatric disability, all CSTDA-funded ambulatory disability support services (non-residential), 2003–04	81

4 Residential and admitted patient mental health care

Figure 4.1:	Summary of data reported for mental health-related separations, all	
	hospitals, Australia, 2003-04	.100
Figure 4.2:	Summary of data reported for CSTDA-funded residential disability support services for persons with a psychiatric disability, Australia, 2003–04	.112

5 Specialised admitted patient mental health care

Figure 5.1:	Data reported for mental health-related separations with specialised	
	psychiatric care, all hospitals, Australia, 2003-04	116

6 Non-specialised admitted patient mental health care

Figure 6.1:	Data reported for mental health-related separations without specialised	
	psychiatric care, all hospitals, Australia, 2003-04	156

List of boxes

2 Introduction

Box 2.1	l:	National Mental Health Strategy	14
4 Re	esideı	ntial and admitted patient mental health care	
Box 4.1	l:	Measuring hospital activity	94
Box 4.2		State and territory differences in the scope of services provided for admitted patients	96

5 Specialised admitted patient mental health care

Box 5.1: Specialised psychiatric care and principal diagnosis

7 Specialised mental health care resources

Box 7.1:	Expenditure and staffing data for public psychiatric hospital-based	
	services provided to non-admitted patients2	.04

Acknowledgments

This report would not have been possible without the valued cooperation and effort of the data providers in the health authorities of the states and territories. The Australian Institute of Health and Welfare (AIHW) would like to express its appreciation for their timely supply of the data and their assistance with data validation. The AIHW also wishes to thank the members of the Australian Health Ministers' Advisory Council National Mental Health Working Group Information Strategy Committee, who helped plan this report and provided advice on its content. The AIHW would also like to acknowledge the funding, assistance and data provided for this project by the Australian Government Department of Health and Ageing.

Within the AIHW, the report was prepared by Katrina Burgess, Jacqueline Cousins, Jenny Hargreaves, Amanda Raward, Gail Weaving and Michelle Wilson, with assistance from Christina Barry, Cherie Du, Alannah Smith and Ian Titulaer. Ainsley Morrissey coordinated the publication process.

Abbreviations

ABS	Australian Bureau of Statistics
ADHD	attention deficit hyperactivity disorder
AHMAC	Australian Health Ministers' Advisory Council
AIHW	Australian Institute of Health and Welfare
ALOS	average length of stay
AR-DRG	Australian Refined Diagnosis Related Group
ASA	American Society of Anesthesiologists
ATC	Anatomical Therapeutic Chemical classification
BEACH	Bettering the Evaluation and Care of Health
CBT	cognitive behaviour therapy
CSTDA	Commonwealth State/Territory Disability Agreement
CSTDA NMDS	Commonwealth State/Territory Disability Agreement National Minimum Data Set
DHA	Department of Health and Ageing
ECT	electroconvulsive therapy
FTE	full-time equivalent
HIC	Health Insurance Commission
ICD-10-AM	International Statistical Classification of Diseases and Related Health Problems, 10th Revision, Australian Modification
ICPC-2	International Classification of Primary Care, 2nd edition
K10	Kessler 10 Scale of Psychological Distress
LCL	lower confidence limit
NCMHED	National Community Mental Health Establishments Database
NCMHCD	National Community Mental Health Care Database
NHDD	National Health Data Dictionary
NHMD	National Hospital Morbidity Database
NMDS	National Minimum Data Set
NMHWG	National Mental Health Working Group
NPHED	National Public Hospital Establishments Database
NSMHS	National Survey of Mental Health Services
NSMHW	National Survey of Mental Health and Wellbeing
PBS	Pharmaceutical Benefits Scheme
PHEC	Private Health Establishments Collection
RANZCP	Royal Australian and New Zealand College of Psychiatrists
RFE	reason for encounter

RPBS	Repatriation Pharmaceutical Benefits Scheme
SAAP	Supported Accommodation Assistance Program
SDAG	Survey of disability, Ageing and Carers
UCL	upper confidence limit