Appendix 6: List of tables

Mental heal	th in context
Table 1.2.1:	Mental disorder deaths per 100,000 population, mental disorder average length of stay and psychiatric care beds per 1,000 population, OECD member countries, 1995 and 1996
Table 1.2.2:	Prevalence of common mental disorders in Australia,1997
Table 1.2.3:	Prevalence of mental disorders by country of birth, Australia, 199710
Table 1.2.4:	Prevalence of selected mental disorders by geographic area, Australia,1997
Table 1.2.5:	Low-prevalence disorder study: age group by sex11
Table 1.2.6:	Low-prevalence disorder study: country of birth by sex11
Table 1.2.7:	Low-prevalence disorder study: type of accommodation in past month by sex
Table 1.2.8:	Low-prevalence disorder study: disorder by diagnostic category12
Table 1.2.9:	Service use of persons with a selected mental disorder
Table 1.2.10:	Self-reported hospital service used in year before interview14
Table 1.2.11:	Self-reported hospital services: type of stay in year before interview14
Overview o	f this report
Table 1.3.1:	Data elements that constitute the National Minimum Data Set—institutional mental health care
Table 1.3.2:	Specialised and general care for all mental health separations, Australia, 1997–98
Table 1.3.3:	Mental health principal diagnosis by length of stay, Australia, 1997–9823
Table 1.3.4:	Mental health principal diagnosis by type of care, Australia, 1997–9824
Short-stay characteris	patients with a mental health principal diagnosis—patient tics
Table 2.1.1:	Mental health principal diagnosis of short-stay patients by type of separation. Australia, 1997–98

Table 2.1.2:	Australia, 1997–9831
Table 2.1.3:	Specialised and general care of short-stay patients with a mental health principal diagnosis, States and Territories, 1997–98
Table 2.1.4:	Specialised and general care of short-stay patients with a mental health principal diagnosis by hospital sector, Australia, 1997–98
Table 2.1.5:	Specialised and general care of short-stay patients with a mental health principal diagnosis by disorder group, States and Territories, 1997–9834
Table 2.1.6:	Specialised and general care of short-stay patients with a mental health principal diagnosis by gender and age group, Australia, 1997–9836
Table 2.1.7:	Reported Indigenous status of short-stay patients with a mental health principal diagnosis, Australia, 1997–98
Table 2.1.8:	Area of usual residence of short-stay patients with a mental health principal diagnosis, States and Territories, 1997–98
Table 2.1.9:	Mental health principal diagnosis separations of short-stay patients by country of birth, Australia, 1997–98
Table 2.1.10:	Mental health principal diagnosis patient days and psychiatric care days of short-stay patients by country of birth, Australia, 1997–9841
Table 2.1.11:	Thirty procedures with the highest number of separations, short-stay patients with a mental health diagnosis, Australia, 1997–9842
Short-stay characteris	patients with a mental health principal diagnosis—service related tics
Table 2.2.1:	Average and median length of stay, short-stay overnight separations with a mental health principal diagnosis by hospital sector, States and Territories, 1997–98
Table 2.2.2:	Average and median length of stay in psychiatric care, short-stay overnight separations with a mental health principal diagnosis, by hospital sector, States and Territories, 1997–98
Table 2.2.3:	Average and median length of stay of short-stay overnight separations with a mental health principal diagnosis in general care only, States and Territories, 1997–98
Table 2.2.4:	Average and median length of stay, short-stay overnight separations with a mental health principal diagnosis by sex, States and Territories, 1997–98

Table 2.2.5:	health principal diagnosis, public acute hospitals, States and Territories, 1997–98
Table 2.2.6:	Average length of stay, short-stay overnight separations with a mental health principal diagnosis, private hospitals, States and Territories, 1997–98
Table 2.2.7:	Average length of stay, short-stay overnight separations with a mental health principal diagnosis, public psychiatric hospitals, States and Territories, 1997–98
Table 2.2.8:	Median length of stay, short-stay overnight separations with a mental health principal diagnosis, public acute hospitals, States and Territories, 1997–98.
Table 2.2.9:	Median length of stay, short-stay overnight separations with a mental health principal diagnosis, private hospitals, States and Territories, 1997–98
Table 2.2.10:	Median length of stay, short-stay overnight separations with a mental health principal diagnosis, public psychiatric hospitals, States and Territories, 1997–98
Table 2.2.11:	Mental health legal status, short-stay separations with a mental health principal diagnosis by hospital sector, States and Territories, 1997–9856
Table 2.2.12:	Mental health legal status, short-stay patients with a mental health principal diagnosis, Private hospitals, Australia, 1997–98
Table 2.2.13:	Mental health legal status, short-stay patients with a mental health principal diagnosis, Public hospitals, Australia, 1997–98
Table 2.2.14:	Mental health legal status, short-stay patients with a mental health principal diagnosis by gender and age group, Australia, 1997–9859
Long-stay p	patients with a mental health principal diagnosis
Table 2.3.1:	Mental health principal diagnosis for long-stay patients by type of care, Australia, 1997–98
Table 2.3.2:	Specialised and general care of long-stay patients with a mental health principal diagnosis, States and Territories, 1997–98
Table 2.3.3:	Specialised and general care of long-stay patients with a mental health principal diagnosis by gender and age group, Australia, 1997–9864
Table 2.3.4:	Average and median length of stay of long-stay separations with a mental health principal diagnosis by hospital sector, States and Territories, 1997–98

Table 2.3.5:	Average and median length of stay of long-stay separations with a mental health principal diagnosis by sex, States and Territories, 1997–9865
Table 2.3.6:	Average and median length of stay in psychiatric care of long-stay separations with a mental health principal diagnosis, States and Territories, 1997–98
Table 2.3.7:	Average and median length of stay of long-stay separations with a mental health principal diagnosis in general care only, States and Territories, 1997–98.
Table 2.3.8:	Mental health legal status of long-stay patients with a mental health diagnosis by sex and age group, Australia, 1997–98
Table 2.3.9:	Thirty procedures with the highest number of separations, long-stay patients with a mental health principal diagnosis by principal procedure, Australia, 1997–98
Other patier	nts with specialised care
Table 2.4.1:	Separations with specialised care but no mental health principal diagnosis by principal and additional diagnosis, Australia, 1997–9870
Table 2.4.2:	Separations with specialised care but no mental health principal diagnosis, States and Territories, 1997–9871
Table 2.4.3:	Separations with specialised care but no mental health principal diagnosis by mental health legal status and hospital sector, Australia, 1997–9872

Table 2.4.4:	Separations with specialised care but no mental health principal diagnosis by mental health legal status, age group and sex, Australia, 1997–9873
Psychiatric	hospitals
Table 3.1.1:	Number of public psychiatric hospitals and available beds, States and Territories, 1997–98
Table 3.1.2:	Number of public psychiatric hospitals and available beds, Australia, 1989–90 to 1997–98
Table 3.1.3:	Number of private psychiatric hospitals and available beds, States and Territories, 1997–98
Table 3.1.4:	Number of full-time equivalent staff, staff per 1,000 separations and staff per 1,000 patient days, public psychiatric hospitals, States and Territories, 1997–98.
Table 3.1.5:	Number of full-time equivalent staff, staff per 1,000 separations and staff per 1,000 patient days, private psychiatric hospitals, States, 1997–98.
Table 3.1.6:	Recurrent expenditure (\$'000) public psychiatric hospitals, States and Territories, 1997–98
Table 3.1.7:	Recurrent expenditure (\$'000) private psychiatric hospitals, States, 1997–98
Table 3.1.8:	Revenue (\$'000) public psychiatric hospitals, States and Territories, 1997–98
Acute hosp	itals
Table 3.2.1:	Number of public acute hospitals with specialised psychiatric units or wards, States and Territories, 1997–98
Mental heal	th care in general practice
Table 4.1.1:	Number of patient reasons for encounter (RFE) by most frequently provided mental health reasons
Table 4.1.2:	Number of problems managed for mental health problems by sex85

Table 4.1.3:	Number and type of referrals for specialist mental health services made by GPs
Table 4.1.4:	Number of referrals made for most frequently managed mental health problems by sex
Table 4.1.5:	Number and type of psychological treatments administered by GPs88
Table 4.1.6:	Number of psychological treatments administered by GPs for the mental health problems most frequently managed by these treatments
Table 4.1.7:	Number of prescriptions administered for mental health problems most frequently managed by medication
Table 4.1.8:	Distribution of drugs most commonly prescribed for mental health problems by drug group and generic drug name90
Clinical ser	vice delivery for low prevalence disorders
Table 4.2.1:	Persons with outpatient or community health service contact: services used in year before interview
Table 4.2.2:	Persons with outpatient or community health service contact: health professionals most frequently seen at service in year before interview
Community	services data development
Table 5.2.1:	Endorsed National Minimum Data Set—community mental health care, establishment-level data elements agreed for collection from 1 July 1998
Table 5.2.2:	Proposed National Minimum Data Set—community mental health care, showing data elements that are agreed for collection at the patient level by States and Territories
Appendix 2	
Table A2.1a:	General care same day separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis, States and Territories, 1997–98
Table A2.1b:	Specialised care same day separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis, States and Territories, 1997–98.

Table A2.2:	Overnight separations of short-stay patients with a mental health principal diagnosis receiving general care only, by principal diagnosis, States and Territories, 1997–98
Table A2.3:	Overnight separations of short-stay patients with a mental health principal diagnosis who received some specialised care, by principal diagnosis, States and Territories, 1997–98
Table A2.4:	Patient days for overnight separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis, States and Territories, 1997–98.
Table A2.5:	Total psychiatric care days for overnight separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis, States and Territories, 1997–98
Table A2.6a:	Same-day separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis and age group, males in general care, Australia, 1997–98.
Table A2.6b:	Same-day separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis and age group, females in general care, Australia, 1997–98.
Table A2.6c:	Same-day separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis and age group, males in specialised care, Australia, 1997–98.
Table A2.6d:	Same-day separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis and age group, females in specialised care, Australia, 1997–98
Table A2.7a:	Overnight separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis and age group, males, Australia, 1997–98
Table A2.7b:	Overnight separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis and age group, females, Australia, 1997–98
Table A2.7c:	Overnight separations of short-stay patients with a mental health principal diagnosis with specialised care, by principal diagnosis and age group, males, Australia, 1997–98
Table A2.7d:	Overnight separations of short-stay patients with a mental health principal diagnosis with specialised care, by principal diagnosis and age group, females, Australia, 1997–98
Table A2.8a:	Patient days for overnight separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis and age group, males. Australia, 1997–98.

Table A2.8b:	Patient days for overnight separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis and age group, females, Australia, 1997–98
Table A2.9a:	Total psychiatric care days for overnight separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis and age group, males, Australia, 1997–98
Table A2.9b:	Total psychiatric care days for overnight separations of short-stay patients with a mental health principal diagnosis, by principal diagnosis and age group, females, Australia, 1997–98
Table A2.10a:	Same day separations for patients with a mental health principal diagnosis by area of usual residence, States and Territories, 1997–98124
Table A2.10b:	Overnight separations of short-stay patients with a mental health principal diagnosis by area of usual residence, States and Territories, 1997–98
Appendix 3	
Table A.3.1:	Separations of long-stay patients with a mental health principal diagnosis receiving general care only, by principal diagnosis, States and Territories, 1997–98.
Table A3.2:	Separations of long-stay patients with a mental health principal diagnosis receiving some specialised care, by principal diagnosis, States and Territories, 1997–98.
Table A3.3:	Patient days of long-stay patients with a mental health principal diagnosis, by principal diagnosis, States and Territories, 1997–98
Table A3.4:	Total psychiatric care days of long-stay patients with a mental health principal diagnosis, by principal diagnosis, States and Territories, 1997–98.
Table A3.5a:	General care separations of long-stay patients with a mental health principal diagnosis by gender, age group and principal diagnosis, males, Australia, 1997–98.
Table A3.5b:	Specialised care separations of long-stay patients with a mental health principal diagnosis by age group and principal diagnosis, males, Australia, 1997–98
Table A3.5c:	General care separations of long-stay patients with a mental health principal diagnosis by gender, age group and principal diagnosis, females, Australia, 1997–98.
Table A3.5d:	Specialised care separations of long-stay patients with a mental health principal diagnosis by age group and principal diagnosis, females, Australia, 1997–98

Table A3.6a:	Patient days of long-stay patients with a mental health principal diagnosis, by age group and principal diagnosis, males, States and Territories, 1997–98
Table A3.6b:	Patient days of long-stay patients with a mental health principal diagnosis, by age group and principal diagnosis, females, States and Territories, 1997–98.
Table A3.7:	Total psychiatric care days of long-stay patients with a mental health diagnosis by sex, age group and principal diagnosis, Australia, 1997–98.
Table A3.8a:	Average length of stay for long-stay overnight separations with a mental health principal diagnosis by principal diagnosis, public acute hospitals, States and Territories, 1997–98
Table A3.8b:	Median length of stay for long-stay overnight separations with a mental health principal diagnosis by principal diagnosis, private hospitals, States and Territories, 1997–98
Table A3.8c:	Average length of stay for long-stay overnight separations with a mental health principal diagnosis by principal diagnosis, public psychiatric hospitals, States and Territories, 1997–98
Table A3.8d:	Median length of stay for long-stay overnight separations with a mental health principal diagnosis by principal diagnosis, public acute hospitals, States and Territories, 1997–98
Table A3.8e:	Median length of stay for long-stay overnight separations with a mental health principal diagnosis by principal diagnosis, private hospitals, States and Territories, 1997–98
TableA3.8f:	Median length of stay for long-stay overnight separations with a mental health principal diagnosis by principal diagnosis, public psychiatric hospitals, States and Territories, 1997–98
Appendix 4	
Tables A4.1:	Separations, patient days and psychiatric care days of patients with a mental health principal diagnosis, public acute and private hospitals, Australia, 1997–98
Tables A4.2:	Separations, patient days and psychiatric care days of patients with a mental health diagnosis, public psychiatric hospitals, Australia, 1997–98

Appendix 5

Table A5.1:	Estimated resident population by age group and sex, States and Territories, 31 December 1997	151
Table A5.2:	Estimated resident population by age group and sex, States and Territories, 30 June 1991	152
Table A5.3:	Projected Aboriginal and Torres Strait Islander population by age group and sex, States and Territories, 30 June 1997	153