

## New South Wales

### Profiles with graph

Diseases of the circulatory system.....	48
Ischaemic heart disease.....	50
Cerebrovascular disease .....	52
All causes .....	54

### Profiles without graph

Rheumatic fever and rheumatic heart disease.....	56
Hypertensive disease.....	57
Acute myocardial infarction.....	58
Other ischaemic heart disease.....	59
Heart failure.....	60
Congestive heart failure.....	61
Atherosclerosis .....	62
Peripheral vascular disease .....	63
Other diseases of the circulatory system.....	64

**ICD-9: 390–459  
Diseases of the circulatory system**


**New South Wales  
Males**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	27	23	22	36	12	24	28	21	19	19	20	19			
25–34	53	50	49	49	45	47	52	46	36	37	32	45			
35–44	194	209	204	196	149	218	179	163	166	151	166	137			
45–54	690	615	653	585	552	583	476	520	459	466	437	404			
55–59	803	754	734	702	678	625	521	533	439	460	400	415			
60–64	1,107	1,089	1,104	1,040	1,009	1,015	971	861	841	810	692	618			
65–69	1,493	1,281	1,431	1,391	1,375	1,480	1,369	1,294	1,241	1,249	1,163	1,171			
70–74	1,832	1,810	1,940	1,774	1,788	1,805	1,724	1,640	1,442	1,565	1,546	1,506			
75–84	3,136	3,089	3,447	3,316	3,286	3,419	3,573	3,564	3,499	3,641	3,402	3,663			
85+	1,292	1,192	1,416	1,289	1,350	1,400	1,560	1,437	1,415	1,605	1,597	1,769			
Not stated	4	2	10	1	5	1	0	0	4	3	2	2			
25–74	6,172	5,808	6,115	5,737	5,596	5,773	5,292	5,057	4,624	4,738	4,436	4,296			
<b>All ages</b>	<b>10,631</b>	<b>10,114</b>	<b>11,010</b>	<b>10,379</b>	<b>10,249</b>	<b>10,617</b>	<b>10,453</b>	<b>10,079</b>	<b>9,561</b>	<b>10,006</b>	<b>9,457</b>	<b>9,749</b>			
<b>Age-specific rates (per million population)</b>															
< 25	24	21	20	33	11	22	25	19	17	17	18	17	-3.1	0.0	
25–34	121	114	111	109	98	100	109	95	74	77	67	94	-4.0 **	33.0	
35–44	534	556	524	487	361	513	413	371	373	337	369	303	-5.0 **	-6.9	
45–54	2,476	2,201	2,315	2,047	1,892	1,948	1,538	1,623	1,384	1,347	1,217	1,086	-6.9 **	-7.0	
55–59	5,864	5,469	5,312	5,092	4,979	4,667	3,961	4,117	3,405	3,518	2,993	3,025	-6.1 **	0.2	
60–64	9,508	8,956	8,856	8,190	7,883	7,822	7,422	6,565	6,447	6,314	5,520	5,023	-5.2 **	-9.6	
65–69	16,237	14,017	15,433	14,358	13,583	13,997	12,419	11,502	10,832	10,790	9,918	9,920	-4.5 **	1.7	
70–74	26,823	25,446	26,437	23,611	23,301	23,426	22,335	20,829	17,490	18,224	17,290	16,131	-4.6 **	-3.9	
75–84	52,137	49,049	52,421	47,819	45,222	45,058	44,984	43,237	40,923	41,318	37,573	39,440	-2.8 **	4.3	
85+	130,426	116,828	130,507	111,370	110,956	110,306	116,115	103,173	95,203	101,358	95,566	99,955	-2.6 **	7.5 *	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	3,985	3,757	4,043	3,765	3,663	3,735	3,634	3,468	3,256	3,375	3,171	3,242			
Age std	5,505	5,081	5,415	4,877	4,671	4,694	4,551	4,260	3,911	3,987	3,669	3,692	-3.7 **	1.8 **	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	4,136	3,831	3,962	3,642	3,480	3,515	3,167	2,984	2,692	2,725	2,529	2,421			
Age std	4,229	3,900	4,041	3,698	3,531	3,589	3,246	3,055	2,729	2,748	2,527	2,399	-5.0 **	-3.2 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p < 0.05, \*\*p < 0.01.



Source: Australian Institute of Health and Welfare

**Diseases of the circulatory system, New South Wales, males, age-standardised mortality rates (all ages) and fitted trend**


**ICD-9: 390–459**  
**Diseases of the circulatory system**
**New South Wales**  
**Females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	19	19	19	12	8	13	9	19	9	13	13	8			
25–34	19	17	29	25	16	21	11	25	18	15	26	13			
35–44	73	80	80	66	72	61	57	46	51	65	51	60			
45–54	255	178	213	209	195	180	192	160	131	162	160	131			
55–59	281	239	279	251	239	220	197	172	152	187	140	131			
60–64	509	468	526	487	393	432	398	359	336	356	302	289			
65–69	816	779	759	786	702	753	681	702	633	590	550	543			
70–74	1,303	1,240	1,346	1,258	1,213	1,276	1,147	1,143	1,073	1,064	1,017	976			
75–84	3,714	3,648	3,932	3,728	3,899	4,082	4,050	3,947	3,776	3,899	3,756	3,907			
85+	3,346	3,209	3,779	3,525	3,686	3,801	4,057	3,833	3,735	4,061	3,881	4,258			
Not stated	0	2	0	0	1	0	0	0	0	1	0	1			
25–74	3,256	3,001	3,232	3,082	2,830	2,943	2,683	2,607	2,394	2,439	2,246	2,143			
<b>All ages</b>	<b>10,335</b>	<b>9,879</b>	<b>10,962</b>	<b>10,347</b>	<b>10,424</b>	<b>10,839</b>	<b>10,799</b>	<b>10,406</b>	<b>9,914</b>	<b>10,413</b>	<b>9,896</b>	<b>10,317</b>			
<b>Age-specific rates (per million population)</b>															
< 25	18	18	18	11	8	12	8	18	8	12	12	7	-5.4 *	-23.7	
25–34	44	39	66	56	35	45	23	53	38	31	55	27	-2.9	-31.1	
35–44	210	223	215	171	181	148	135	107	116	147	114	133	-6.0 **	30.2	
45–54	961	668	794	769	702	632	651	524	414	489	465	367	-7.1 **	-11.1	
55–59	2,058	1,757	2,062	1,873	1,801	1,681	1,528	1,349	1,198	1,452	1,064	971	-6.0 **	-14.3	
60–64	4,040	3,590	3,956	3,629	2,931	3,216	2,974	2,690	2,526	2,722	2,371	2,320	-5.0 **	2.1	
65–69	7,618	7,301	7,052	7,016	6,057	6,265	5,457	5,546	4,977	4,642	4,304	4,264	-5.5 **	0.9	
70–74	14,649	13,466	14,280	13,136	12,457	13,068	11,778	11,555	10,431	10,026	9,303	8,624	-4.4 **	-8.0	
75–84	37,084	34,950	36,456	33,263	33,412	33,737	32,247	30,551	28,316	28,488	26,890	27,425	-2.9 **	2.6	
85+	115,030	107,235	118,646	103,988	106,384	107,267	111,020	103,318	96,154	100,264	91,212	95,716	-1.8 **	1.7	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	3,849	3,645	3,999	3,729	3,698	3,784	3,724	3,554	3,347	3,478	3,282	3,391			
Age std	3,468	3,215	3,434	3,123	3,048	3,089	2,979	2,817	2,585	2,631	2,419	2,428	-3.3 **	-0.2	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	2,173	1,971	2,087	1,954	1,757	1,789	1,603	1,536	1,390	1,397	1,275	1,201			
Age std	1,958	1,770	1,873	1,755	1,583	1,621	1,466	1,404	1,263	1,274	1,154	1,083	-5.1 **	-4.3 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.



**ICD-9: 410–414  
Ischaemic heart disease**


**New South Wales  
Males**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	3	2	2	2	1	4	0	2	2	1	3	3			
25–34	25	30	17	23	23	22	16	17	12	20	10	20			
35–44	132	161	146	141	96	156	110	108	109	103	108	83			
45–54	525	462	493	436	411	443	366	360	347	352	309	292			
55–59	594	550	553	516	495	492	383	413	312	331	295	272			
60–64	815	784	814	753	731	734	707	616	594	578	497	425			
65–69	1,086	883	998	954	973	1,050	926	918	855	847	805	773			
70–74	1,213	1,177	1,306	1,162	1,205	1,185	1,143	1,076	971	1,040	985	952			
75–84	1,770	1,791	2,013	1,971	1,980	1,948	2,126	2,099	2,079	2,182	1,970	2,117			
85+	565	526	672	643	658	694	776	745	694	839	778	869			
Not stated	3	2	4	0	2	0	0	0	4	3	2	0			
25–74	4,390	4,047	4,327	3,985	3,934	4,082	3,651	3,508	3,200	3,271	3,009	2,817			
<b>All ages</b>	<b>6,731</b>	<b>6,368</b>	<b>7,018</b>	<b>6,601</b>	<b>6,575</b>	<b>6,728</b>	<b>6,553</b>	<b>6,354</b>	<b>5,979</b>	<b>6,296</b>	<b>5,762</b>	<b>5,806</b>			
<b>Age-specific rates (per million population)</b>															
< 25	3	2	2	2	1	4	0	2	2	1	3	3	-0.0	72.7	
25–34	57	68	38	51	50	47	33	35	25	41	21	42	-6.1 **	66.8	
35–44	363	428	375	351	232	367	254	246	245	230	240	183	-6.2 **	-11.5	
45–54	1,884	1,654	1,748	1,526	1,408	1,481	1,183	1,124	1,047	1,017	860	785	-7.3 **	-7.6	
55–59	4,338	3,990	4,002	3,743	3,635	3,674	2,912	3,190	2,420	2,532	2,208	1,983	-6.5 **	-11.2	
60–64	7,000	6,448	6,530	5,930	5,711	5,656	5,404	4,697	4,553	4,505	3,964	3,454	-5.5 **	-12.5 *	
65–69	11,811	9,662	10,763	9,847	9,612	9,930	8,400	8,160	7,463	7,317	6,865	6,548	-4.9 **	-1.8	
70–74	17,760	16,547	17,798	15,465	15,704	15,379	14,808	13,666	11,778	12,110	11,016	10,197	-4.8 **	-7.4	
75–84	29,427	28,439	30,613	28,423	27,249	25,672	26,766	25,464	24,315	24,761	21,758	22,794	-2.7 **	1.2	
85+	57,036	51,553	61,935	55,556	54,081	54,680	57,760	53,489	46,693	52,984	46,556	49,102	-1.6 **	1.1	
<b>All ages: crude and age-standardised rates (per million population)</b>															
Crude	2,523	2,365	2,577	2,394	2,350	2,367	2,278	2,187	2,036	2,124	1,932	1,931			
Age std	3,301	3,049	3,307	3,003	2,897	2,872	2,772	2,618	2,382	2,458	2,187	2,161	-3.8 **	-2.7 **	
<b>Ages 25–74: crude and age-standardised rates (per million population)</b>															
Crude	2,942	2,669	2,803	2,530	2,446	2,486	2,185	2,070	1,863	1,881	1,716	1,588			
Age std	2,996	2,708	2,849	2,561	2,478	2,529	2,234	2,114	1,887	1,895	1,713	1,573	-5.4 **	-7.1 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p < 0.05, \*\*p < 0.01.



Source: Australian Institute of Health and Welfare

**Ischaemic heart disease, New South Wales, males, age-standardised mortality rates (all ages) and fitted trend**


**ICD-9: 410–414**  
**Ischaemic heart disease**
**New South Wales**  
**Females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	3	2	0	0	0	1	0	0	0	1	1	0			
25–34	7	3	5	6	5	3	3	4	6	2	7	3			
35–44	31	31	33	25	30	23	19	20	20	29	23	19			
45–54	141	91	122	123	106	89	94	78	57	66	75	57			
55–59	187	147	165	160	145	130	102	99	99	110	85	74			
60–64	319	302	328	320	232	254	258	228	204	205	179	171			
65–69	498	496	459	486	427	481	410	453	373	340	329	320			
70–74	781	724	789	750	732	778	696	722	658	638	603	550			
75–84	1,856	1,815	1,953	2,017	2,034	2,107	2,101	2,023	2,062	2,089	1,906	2,030			
85+	1,274	1,200	1,466	1,465	1,533	1,557	1,678	1,616	1,603	1,817	1,742	1,869			
Not stated	0	1	0	0	1	0	0	0	0	1	0	1			
25–74	1,964	1,794	1,901	1,870	1,677	1,758	1,582	1,604	1,417	1,390	1,301	1,194			
<b>All ages</b>	<b>5,097</b>	<b>4,812</b>	<b>5,320</b>	<b>5,352</b>	<b>5,245</b>	<b>5,423</b>	<b>5,361</b>	<b>5,243</b>	<b>5,082</b>	<b>5,298</b>	<b>4,950</b>	<b>5,094</b>			
<b>Age-specific rates (per million population)</b>															
< 25	3	2	0	0	0	1	0	0	0	1	1	0			
25–34	16	7	11	14	11	6	6	8	13	4	15	6	-3.6	-26.9	
35–44	89	86	89	65	75	56	45	46	46	65	51	42	-6.3 **	-2.3	
45–54	532	342	455	453	382	312	319	255	180	199	218	160	-9.5 **	-10.2	
55–59	1,369	1,081	1,219	1,194	1,093	993	791	777	780	854	646	549	-6.8 **	-15.6	
60–64	2,532	2,316	2,467	2,385	1,731	1,891	1,928	1,708	1,534	1,568	1,405	1,373	-5.7 **	2.0	
65–69	4,649	4,649	4,265	4,338	3,684	4,002	3,285	3,579	2,932	2,675	2,575	2,513	-5.9 **	-0.5	
70–74	8,780	7,862	8,371	7,831	7,518	7,968	7,147	7,299	6,397	6,012	5,516	4,860	-4.4 **	-15.5 **	
75–84	18,532	17,389	18,107	17,996	17,430	17,414	16,729	15,659	15,463	15,263	13,646	14,250	-2.6 **	0.1	
85+	43,798	40,100	46,027	43,218	44,245	43,940	45,919	43,559	41,268	44,861	40,941	42,013	-0.3	-2.0	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	1,898	1,775	1,941	1,929	1,861	1,893	1,849	1,791	1,715	1,769	1,642	1,674			
Age std	1,724	1,580	1,685	1,636	1,552	1,565	1,498	1,438	1,343	1,353	1,226	1,215	-3.0 **	-3.5 **	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	1,311	1,178	1,228	1,185	1,041	1,069	945	945	823	796	738	669			
Age std	1,176	1,055	1,098	1,063	935	964	861	860	745	723	667	603	-5.5 **	-8.5 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.



Source: Australian Institute of Health and Welfare

**Ischaemic heart disease, New South Wales, females, age-standardised mortality rates (all ages) and fitted trend**

**ICD-9: 430–438  
Cerebrovascular disease**


**New South Wales  
Males**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	7	7	9	10	2	7	5	6	4	5	3	4			
25–34	15	11	7	11	4	10	14	8	14	7	9	5			
35–44	23	21	30	27	20	26	27	22	23	20	19	17			
45–54	81	63	75	70	64	46	54	69	41	47	47	37			
55–59	110	110	90	91	88	56	58	55	53	62	37	62			
60–64	156	154	154	141	135	134	121	118	111	90	76	90			
65–69	221	209	228	233	187	214	223	173	175	198	152	167			
70–74	330	363	353	341	307	299	319	297	242	275	281	255			
75–84	777	728	819	763	743	840	775	786	780	791	725	818			
85+	357	340	377	328	341	358	389	348	363	402	399	455			
Not stated	1	0	3	0	1	0	0	0	0	0	0	0			
25–74	936	931	937	914	805	785	816	742	659	699	621	633			
<b>All ages</b>	<b>2,078</b>	<b>2,006</b>	<b>2,145</b>	<b>2,015</b>	<b>1,892</b>	<b>1,990</b>	<b>1,985</b>	<b>1,882</b>	<b>1,806</b>	<b>1,897</b>	<b>1,748</b>	<b>1,910</b>			
<b>Age-specific rates (per million population)</b>															
< 25	6	6	8	9	2	6	4	5	4	4	3	4	-7.1	9.1	
25–34	34	25	16	24	9	21	29	17	29	14	19	10	-4.5	-41.4	
35–44	63	56	77	67	48	61	62	50	52	45	42	38	-4.5 *	-14.8	
45–54	291	226	266	245	219	154	174	215	124	136	131	99	-8.1 **	-17.0	
55–59	803	798	651	660	646	418	441	425	411	474	277	452	-7.4 **	48.2 *	
60–64	1,340	1,267	1,235	1,110	1,055	1,033	925	900	851	702	606	731	-6.4 **	13.7	
65–69	2,404	2,287	2,459	2,405	1,847	2,024	2,023	1,538	1,527	1,710	1,296	1,415	-5.5 **	3.9	
70–74	4,832	5,103	4,811	4,538	4,001	3,881	4,133	3,772	2,935	3,202	3,143	2,731	-5.3 **	-5.8	
75–84	12,918	11,560	12,455	11,003	10,225	11,070	9,757	9,535	9,122	8,976	8,007	8,807	-3.8 **	10.0 *	
85+	36,039	33,324	34,747	28,339	28,027	28,207	28,954	24,986	24,423	25,387	23,876	25,709	-3.4 **	14.6 *	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	779	745	788	731	676	700	690	648	615	640	586	635			
Age std	1,169	1,086	1,133	1,001	917	943	908	834	777	789	707	750	-4.4 **	8.5 **	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	627	614	607	580	501	478	488	438	384	402	354	357			
Age std	647	631	626	596	511	493	506	452	391	407	355	354	-5.8 **	1.3	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p < 0.05, \*\*p < 0.01.



Source: Australian Institute of Health and Welfare

**Cerebrovascular disease, New South Wales, males, age-standardised mortality rates (all ages) and fitted trend**


**ICD-9: 430–438  
Cerebrovascular disease**
**New South Wales  
Females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	4	4	5	1	1	6	2	5	3	4	2	2			
25–34	7	9	11	6	5	7	4	9	6	7	7	3			
35–44	29	30	34	23	20	22	22	16	23	16	10	20			
45–54	70	57	52	46	61	52	51	47	46	53	45	43			
55–59	66	59	79	41	54	49	57	41	30	30	24	21			
60–64	117	98	112	98	94	101	83	73	77	80	62	56			
65–69	187	174	195	187	150	148	155	138	144	135	111	117			
70–74	324	319	340	321	298	301	277	224	251	227	237	230			
75–84	1,162	1,101	1,178	1,021	1,124	1,183	1,102	1,144	1,016	1,018	1,066	1,108			
85+	1,106	1,093	1,231	1,097	1,180	1,157	1,286	1,240	1,162	1,205	1,146	1,310			
Not stated	0	0	0	0	0	0	0	0	0	0	0	0			
25–74	800	746	823	722	682	680	649	548	577	548	496	490			
<b>All ages</b>	<b>3,072</b>	<b>2,944</b>	<b>3,237</b>	<b>2,841</b>	<b>2,987</b>	<b>3,026</b>	<b>3,039</b>	<b>2,937</b>	<b>2,758</b>	<b>2,775</b>	<b>2,710</b>	<b>2,910</b>			
<b>Age-specific rates (per million population)</b>															
< 25	4	4	5	1	1	6	2	5	3	4	2	2	-3.2	-33.2	
25–34	16	21	25	14	11	15	8	19	13	15	15	6	-5.2	-49.3	
35–44	84	84	91	60	50	53	52	37	52	36	22	44	-8.8 **	58.8	
45–54	264	214	194	169	220	182	173	154	145	160	131	120	-5.6 **	-6.7	
55–59	483	434	584	306	407	374	442	322	236	233	182	156	-8.7 **	-27.1	
60–64	929	752	842	730	701	752	620	547	579	612	487	449	-5.4 **	-8.6	
65–69	1,746	1,631	1,812	1,669	1,294	1,231	1,242	1,090	1,132	1,062	869	919	-6.4 **	5.1	
70–74	3,643	3,464	3,607	3,352	3,060	3,083	2,844	2,264	2,440	2,139	2,168	2,032	-5.7 **	0.8	
75–84	11,602	10,548	10,922	9,110	9,632	9,777	8,774	8,855	7,619	7,438	7,632	7,778	-3.9 **	9.6 *	
85+	38,023	36,525	38,649	32,362	34,057	32,651	35,191	33,424	29,915	29,751	26,934	29,447	-2.7 **	5.6	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	1,144	1,086	1,181	1,024	1,060	1,056	1,048	1,003	931	927	899	956			
Age std	1,028	953	1,009	849	865	856	830	784	712	692	651	673	-4.1 **	5.0 **	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	534	490	531	458	423	413	388	323	335	314	281	275			
Age std	484	443	479	411	383	376	356	297	306	287	254	247	-6.1 **	-0.9	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.



**ICD-9: 001–999  
All causes**


**New South Wales  
Males**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	1,250	1,190	1,353	1,279	1,189	1,237	1,152	1,128	984	1,026	878	894			
25–34	537	503	603	570	604	723	719	717	641	697	665	661			
35–44	626	680	713	768	759	841	873	830	879	842	843	889			
45–54	1,603	1,425	1,570	1,428	1,363	1,502	1,358	1,453	1,403	1,377	1,376	1,345			
55–59	1,685	1,559	1,695	1,536	1,534	1,460	1,312	1,326	1,129	1,205	1,115	1,118			
60–64	2,226	2,249	2,473	2,307	2,229	2,303	2,261	2,161	2,046	2,072	1,822	1,747			
65–69	2,900	2,620	2,924	2,891	2,887	3,050	3,072	2,945	2,981	2,976	2,830	2,812			
70–74	3,450	3,414	3,741	3,480	3,562	3,640	3,526	3,441	3,148	3,563	3,468	3,482			
75–84	5,488	5,584	6,318	6,062	6,177	6,645	7,117	6,913	6,800	7,209	6,959	7,446			
85+	2,127	1,992	2,434	2,238	2,299	2,469	2,780	2,587	2,646	2,996	2,966	3,290			
Not stated	7	4	16	12	8	6	0	5	4	6	3	6			
25–74	13,027	12,450	13,719	12,980	12,938	13,519	13,121	12,873	12,227	12,732	12,119	12,054			
<b>All ages</b>	<b>21,899</b>	<b>21,220</b>	<b>23,840</b>	<b>22,571</b>	<b>22,611</b>	<b>23,876</b>	<b>24,170</b>	<b>23,506</b>	<b>22,661</b>	<b>23,969</b>	<b>22,925</b>	<b>23,690</b>			
<b>Age-specific rates (per million population)</b>															
< 25	1,130	1,079	1,227	1,162	1,076	1,112	1,035	1,012	880	914	783	797	-3.5 **	-5.7	
25–34	1,230	1,146	1,360	1,266	1,311	1,534	1,503	1,486	1,324	1,442	1,388	1,383	1.3 **	-7.9	
35–44	1,722	1,809	1,832	1,909	1,836	1,977	2,016	1,887	1,973	1,878	1,873	1,963	0.7 *	-0.1	
45–54	5,753	5,101	5,566	4,997	4,671	5,020	4,388	4,535	4,231	3,979	3,831	3,615	-3.8 **	-3.8	
55–59	12,304	11,309	12,268	11,142	11,266	10,902	9,975	10,243	8,758	9,217	8,344	8,149	-3.7 **	-3.2	
60–64	19,118	18,496	19,839	18,167	17,414	17,748	17,281	16,477	15,684	16,150	14,533	14,199	-2.7 **	-4.4	
65–69	31,540	28,670	31,535	29,841	28,520	28,845	27,868	26,177	26,019	25,708	24,135	23,822	-2.4 **	-1.7	
70–74	50,513	47,996	50,980	46,316	46,420	47,241	45,680	43,702	38,183	41,490	38,784	37,296	-2.7 **	-3.0	
75–84	91,240	88,666	96,082	87,418	85,009	87,572	89,603	83,865	79,529	81,808	76,859	80,171	-1.5 **	2.9	
85+	214,718	195,237	224,332	193,364	188,954	194,532	206,922	185,741	178,026	189,201	177,488	185,897	-1.4 **	5.0 *	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	8,208	7,882	8,754	8,187	8,081	8,399	8,402	8,089	7,718	8,085	7,687	7,879			
Age std	10,786	10,180	11,162	10,151	9,871	10,149	10,100	9,539	8,942	9,239	8,625	8,720	-2.0 **	-0.1	
<b>Agnes 25-74: Crude and age-standardised rates (per million population)</b>															
Crude	8,730	8,212	8,888	8,240	8,046	8,232	7,853	7,597	7,119	7,323	6,910	6,793			
Age std	8,889	8,335	9,009	8,339	8,136	8,363	7,998	7,734	7,195	7,376	6,907	6,752	-2.4 **	-3.0 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p < 0.05, \*\*p < 0.01.



Source: Australian Institute of Health and Welfare

**All causes, New South Wales, males, age-standardised mortality rates (all ages) and fitted trend**




**ICD-9: 001–999**  
**All causes**
**New South Wales**  
**Females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Deaths (number)</b>															
< 25	684	628	730	673	618	667	622	625	560	537	486	490			
25–34	213	199	274	229	239	248	228	231	234	233	211	195			
35–44	392	425	409	395	396	423	424	396	426	403	424	439			
45–54	873	769	842	810	808	866	791	810	729	853	812	821			
55–59	859	751	866	812	727	743	690	652	621	643	606	613			
60–64	1,312	1,238	1,305	1,267	1,214	1,239	1,215	1,054	1,068	1,065	993	926			
65–69	1,703	1,635	1,659	1,790	1,594	1,756	1,706	1,736	1,686	1,645	1,586	1,555			
70–74	2,313	2,322	2,516	2,441	2,358	2,483	2,349	2,390	2,283	2,334	2,293	2,379			
75–84	5,705	5,608	6,299	6,078	6,278	6,805	6,821	6,625	6,590	6,904	6,730	6,983			
85+	4,593	4,505	5,524	5,099	5,343	5,568	6,043	5,788	5,608	6,214	6,003	6,671			
Not stated	1	2	0	2	3	1	1	0	1	1	0	1			
25–74	7,665	7,339	7,871	7,744	7,336	7,758	7,403	7,269	7,047	7,176	6,925	6,928			
<b>All ages</b>	<b>18,648</b>	<b>18,082</b>	<b>20,424</b>	<b>19,596</b>	<b>19,578</b>	<b>20,799</b>	<b>20,890</b>	<b>20,307</b>	<b>19,806</b>	<b>20,832</b>	<b>20,144</b>	<b>21,073</b>			
<b>Age-specific rates (per million population)</b>															
< 25	647	596	693	640	585	628	585	587	524	501	454	457	-3.2 **	-5.8	
25–34	498	461	626	515	525	533	484	487	490	487	444	410	-1.7 *	-12.3	
35–44	1,130	1,184	1,098	1,025	994	1,026	1,005	919	972	910	949	971	-1.9 **	9.5	
45–54	3,292	2,887	3,138	2,981	2,909	3,039	2,681	2,652	2,301	2,577	2,359	2,298	-3.0 **	-1.0	
55–59	6,290	5,522	6,400	6,058	5,479	5,677	5,352	5,115	4,894	4,992	4,607	4,544	-2.8 **	-1.5	
60–64	10,414	9,496	9,816	9,442	9,055	9,224	9,079	7,897	8,029	8,144	7,797	7,433	-2.8 **	-1.7	
65–69	15,899	15,324	15,414	15,978	13,754	14,610	13,670	13,715	13,255	12,942	12,412	12,210	-2.4 **	-0.7	
70–74	26,004	25,216	26,694	25,488	24,216	25,430	24,121	24,161	22,194	21,994	20,976	21,021	-2.1 **	-1.5	
75–84	56,964	53,728	58,402	54,230	53,799	56,242	54,311	51,279	49,419	50,445	48,182	49,017	-1.5 **	1.0	
85+	157,900	150,543	173,433	150,422	154,208	157,133	165,367	156,015	144,372	153,421	141,084	149,957	-0.8 **	2.1	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	6,945	6,671	7,451	7,063	6,946	7,261	7,205	6,935	6,686	6,957	6,681	6,926			
Age std	6,368	6,012	6,563	6,107	5,924	6,153	5,996	5,731	5,423	5,539	5,215	5,281	-1.8 **	-0.3	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	5,116	4,820	5,083	4,909	4,554	4,715	4,424	4,282	4,091	4,111	3,930	3,883			
Age std	4,682	4,412	4,652	4,500	4,193	4,374	4,124	3,996	3,807	3,829	3,645	3,588	-2.4 **	-1.0	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.



**ICD-9: 390–398**  
**Rheumatic fever and rheumatic heart disease**
**New South Wales**  
**Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Males</b>															
<b>Deaths (number)</b>															
< 25	1	1	0	0	1	1	3	1	0	2	1	0			
25–34	2	2	3	3	3	1	1	2	0	1	0	0			
35–44	2	2	1	2	2	1	5	3	2	3	0	4			
45–54	3	7	7	3	7	10	3	7	2	2	2	2			
55–59	4	2	6	3	3	5	6	4	3	5	1	1			
60–64	7	6	4	5	3	6	8	9	13	6	4	3			
65–69	1	7	6	6	10	11	7	7	6	8	3	5			
70–74	7	12	12	10	8	12	10	11	7	6	7	3			
75–84	9	4	10	7	10	10	13	11	14	13	10	16			
85+	2	3	4	2	7	1	4	4	4	4	3	3			
Not stated	0	0	0	0	0	0	0	0	0	0	0	1			
25–74	26	38	39	32	36	46	40	43	33	31	17	18			
<b>All ages</b>	<b>38</b>	<b>46</b>	<b>53</b>	<b>41</b>	<b>54</b>	<b>58</b>	<b>60</b>	<b>59</b>	<b>51</b>	<b>50</b>	<b>31</b>	<b>38</b>			
<b>Age-specific rates (per million population)</b>															
< 25	1	1	0	0	1	1	3	1	0	2	1	0			
25–34	5	5	7	7	7	2	2	4	0	2	0	0			
35–44	6	5	3	5	5	2	12	7	4	7	0	9	2.0	90.1	
45–54	11	25	25	10	24	33	10	22	6	6	6	5	-10.1 *	-38.6	
55–59	29	15	43	22	22	37	46	31	23	38	7	7	-3.9	-72.7	
60–64	60	49	32	39	23	46	61	69	100	47	32	24	0.2	-59.5	
65–69	11	77	65	62	99	104	64	62	52	69	26	42	-2.2	-28.0	
70–74	102	169	164	133	104	156	130	140	85	70	78	32	-7.7 *	-61.8	
75–84	150	64	152	101	138	132	164	133	164	148	110	172	2.5	17.9	
85+	202	294	369	173	575	79	298	287	269	253	180	170	-3.7	-26.5	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	14	17	19	15	19	20	21	20	17	17	10	13			
Age std	18	20	24	17	24	22	24	23	19	19	11	13	-2.7 **	-25.2 **	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	17	25	25	20	22	28	24	25	19	18	10	10			
Age std	17	26	26	21	23	29	24	26	19	18	10	10	-4.7 **	-42.6 **	
<b>Females</b>															
<b>Deaths (number)</b>															
< 25	0	1	0	1	0	0	0	1	0	1	1	0			
25–34	0	1	1	3	1	1	0	1	1	1	1	1			
35–44	1	2	1	3	2	2	3	1	1	1	5	1			
45–54	8	4	6	8	5	8	5	2	9	12	7	2			
55–59	1	7	3	5	14	10	5	5	0	5	8	5			
60–64	8	5	9	10	15	8	4	6	10	8	5	8			
65–69	22	15	16	11	12	17	16	8	14	5	11	3			
70–74	13	15	13	23	6	11	14	16	13	21	16	12			
75–84	20	17	18	23	31	28	40	31	22	43	25	38			
85+	6	14	10	9	10	15	22	6	16	17	11	15			
Not stated	0	0	0	0	0	0	0	0	0	0	0	0			
25–74	53	49	49	63	55	57	47	39	48	53	53	32			
<b>All ages</b>	<b>79</b>	<b>81</b>	<b>77</b>	<b>96</b>	<b>96</b>	<b>100</b>	<b>109</b>	<b>77</b>	<b>86</b>	<b>114</b>	<b>90</b>	<b>85</b>			
<b>Age-specific rates (per million population)</b>															
< 25	0	1	0	1	0	0	0	1	0	1	1	0			
25–34	0	2	2	7	2	2	0	2	2	2	2	2			
35–44	3	6	3	8	5	5	7	2	2	2	11	2			
45–54	30	15	22	29	18	28	17	7	28	36	20	6	-3.0	-76.3	
55–59	7	51	22	37	106	76	39	39	0	39	61	37	1.0	-24.7	
60–64	63	38	68	75	112	60	30	45	75	61	39	64	-1.5	21.4	
65–69	205	141	149	98	104	141	128	63	110	39	86	24	-10.6 **	-62.6	
70–74	146	163	138	240	62	113	144	162	126	198	146	106	-1.0	-30.0	
75–84	200	163	167	205	266	231	318	240	165	314	179	267	2.5	4.9	
85+	206	468	314	266	289	423	602	162	412	420	259	337	0.6	-8.2	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	29	30	28	35	34	35	38	26	29	38	30	28			
Age std	28	27	26	31	30	31	32	23	24	31	25	22	-1.2 *	-18.8 **	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	35	32	32	40	34	35	28	23	28	30	30	18			
Age std	33	29	29	37	31	32	26	21	26	28	28	17	-3.5 **	-34.0 **	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

**ICD-9: 401–405  
Hypertensive disease**
**New South Wales  
Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Males</b>															
<b>Deaths (number)</b>															
< 25	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	0	0	3	0	1	1	1	2	1	0	0	1			
35–44	4	1	2	2	2	2	6	2	2	2	3	0			
45–54	8	10	9	4	4	12	3	11	4	0	6	2			
55–59	4	8	7	7	8	5	5	5	6	4	5	2			
60–64	15	11	14	11	19	15	9	8	11	10	14	9			
65–69	21	21	21	13	20	19	16	13	18	17	15	15			
70–74	33	25	31	27	22	31	25	26	25	17	36	41			
75–84	54	52	58	54	50	55	53	61	53	54	65	69			
85+	21	23	26	9	18	29	28	22	30	23	41	37			
Not stated	0	0	0	0	1	0	0	0	0	0	0	0			
25–74	85	76	87	64	76	85	65	67	67	50	79	70			
<b>All ages</b>	<b>160</b>	<b>151</b>	<b>171</b>	<b>127</b>	<b>145</b>	<b>169</b>	<b>146</b>	<b>150</b>	<b>150</b>	<b>127</b>	<b>185</b>	<b>176</b>			
<b>Age-specific rates (per million population)</b>															
< 25	0	0	0	0	0	0	0	0	0	0	0	0			
25–34	0	0	7	0	2	2	2	4	2	0	0	2			
35–44	11	3	5	5	5	5	14	5	4	4	7	0	-5.2	-100.0	
45–54	29	36	32	14	14	40	10	34	12	0	17	5	-10.9 **	-52.5	
55–59	29	58	51	51	59	37	38	39	47	31	37	15	-4.8	-60.4	
60–64	129	90	112	87	148	116	69	61	84	78	112	73	-3.5	-9.2	
65–69	228	230	226	134	198	180	145	116	157	147	128	127	-5.5 *	7.7	
70–74	483	351	422	359	287	402	324	330	303	198	403	439	-1.4	54.8	
75–84	898	826	882	779	688	725	667	740	620	613	718	743	-2.3	21.5	
85+	2,120	2,254	2,396	778	1,479	2,285	2,084	1,580	2,018	1,452	2,453	2,091	0.6	8.6	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	60	56	63	46	52	59	51	52	51	43	62	59			
Age std	86	80	87	60	65	78	66	65	63	52	74	68	-2.4 **	16.2 **	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	57	50	56	41	47	52	39	40	39	29	45	39			
Age std	60	52	58	42	48	53	40	41	40	29	45	39	-4.0 **	12.4	
<b>Females</b>															
<b>Deaths (number)</b>															
< 25	0	0	0	0	0	0	0	0	0	0	0	0			
25–34	0	1	0	0	1	0	0	1	0	0	0	0			
35–44	2	1	0	2	2	1	1	0	0	0	2	1			
45–54	4	4	3	3	2	2	7	4	2	0	7	3			
55–59	8	3	6	8	3	2	5	3	1	2	4	3			
60–64	8	7	15	10	6	14	9	9	5	9	8	3			
65–69	20	17	20	15	21	17	18	12	16	17	15	16			
70–74	31	35	38	26	25	31	24	29	22	30	27	21			
75–84	78	84	110	93	108	111	106	96	95	86	113	102			
85+	91	78	105	93	96	101	103	110	97	128	111	132			
Not stated	0	0	0	0	0	0	0	0	0	0	0	0			
25–74	73	68	82	64	60	67	64	58	46	58	63	47			
<b>All ages</b>	<b>242</b>	<b>230</b>	<b>297</b>	<b>250</b>	<b>264</b>	<b>279</b>	<b>273</b>	<b>264</b>	<b>238</b>	<b>272</b>	<b>287</b>	<b>281</b>			
<b>Age-specific rates (per million population)</b>															
< 25	0	0	0	0	0	0	0	0	0	0	0	0			
25–34	0	2	0	0	2	0	0	2	0	0	0	0			
35–44	6	3	0	5	5	2	2	0	0	0	4	2			
45–54	15	15	11	11	7	7	24	13	6	0	20	8	-2.7	-20.3	
55–59	59	22	44	60	23	15	39	24	8	16	30	22	-8.5	37.6	
60–64	63	54	113	75	45	104	67	67	38	69	63	24	-4.3	-60.1	
65–69	187	159	186	134	181	141	144	95	126	134	117	126	-4.1	15.2	
70–74	349	380	403	271	257	317	246	293	214	283	247	186	-4.9 *	-18.0	
75–84	779	805	1,020	830	926	917	844	743	712	628	809	716	-2.1 *	-0.8	
85+	3,128	2,607	3,297	2,744	2,771	2,850	2,819	2,965	2,497	3,160	2,609	2,967	-0.4	8.4	
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	90	85	108	90	94	97	94	90	80	91	95	92			
Age std	81	74	92	75	77	79	75	71	61	67	70	65	-2.2 **	-0.3	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	49	45	53	41	37	41	38	34	27	33	36	26			
Age std	44	40	47	36	34	37	35	31	24	30	33	23	-4.8 **	-12.3	

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

**ICD-9: 410  
Acute myocardial infarction**
**New South Wales  
Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests	
													Trend	RD
<b>Males</b>														
<b>Deaths (number)</b>														
< 25	2	2	1	2	0	4	0	2	0	0	2	2		
25–34	20	22	10	17	16	14	10	8	9	15	8	10		
35–44	110	116	112	113	75	105	77	72	81	69	76	51		
45–54	403	338	395	352	302	331	256	262	250	235	195	197		
55–59	458	433	419	398	357	351	267	288	225	219	191	172		
60–64	627	601	604	578	543	530	500	446	414	383	331	281		
65–69	835	670	746	725	720	744	647	643	596	546	539	527		
70–74	914	876	985	893	899	844	813	744	668	712	610	615		
75–84	1,282	1,286	1,459	1,403	1,396	1,393	1,402	1,404	1,377	1,429	1,232	1,332		
85+	378	332	418	409	383	426	482	455	430	497	442	504		
Not stated	1	2	3	0	1	0	0	0	1	2	0	0		
25–74	3,367	3,056	3,271	3,076	2,912	2,919	2,570	2,463	2,243	2,179	1,950	1,853		
<b>All ages</b>	<b>5,030</b>	<b>4,678</b>	<b>5,152</b>	<b>4,890</b>	<b>4,692</b>	<b>4,742</b>	<b>4,454</b>	<b>4,324</b>	<b>4,051</b>	<b>4,107</b>	<b>3,626</b>	<b>3,691</b>		
<b>Age-specific rates (per million population)</b>														
< 25	2	2	1	2	0	4	0	2	0	0	2	2		
25–34	46	50	23	38	35	30	21	17	19	31	17	21	-8.0 **	27.2
35–44	303	309	288	281	181	247	178	164	182	154	169	113	-7.8 **	-18.1
45–54	1,446	1,210	1,400	1,232	1,035	1,106	827	818	754	679	543	529	-8.7 **	-6.1
55–59	3,344	3,141	3,033	2,887	2,622	2,621	2,030	2,225	1,745	1,675	1,429	1,254	-8.1 **	-13.8
60–64	5,385	4,943	4,845	4,552	4,242	4,084	3,822	3,401	3,174	2,985	2,640	2,284	-6.9 **	-12.8
65–69	9,081	7,332	8,046	7,483	7,113	7,036	5,869	5,715	5,202	4,717	4,597	4,464	-6.2 **	2.7
70–74	13,382	12,315	13,423	11,885	11,716	10,954	10,533	9,449	8,102	8,291	6,822	6,587	-6.3 **	-8.1
75–84	21,314	20,420	22,188	20,232	19,212	18,358	17,651	17,033	16,105	16,216	13,607	14,342	-4.0 **	0.7
85+	38,159	32,539	38,525	35,338	31,479	33,564	35,876	32,668	28,931	31,386	26,450	28,478	-2.6 **	1.1
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	1,885	1,738	1,892	1,774	1,677	1,668	1,548	1,488	1,380	1,385	1,216	1,228		
Age std	2,433	2,202	2,388	2,187	2,032	2,001	1,865	1,763	1,601	1,591	1,366	1,364	-5.2 **	-2.8 **
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	2,256	2,016	2,119	1,953	1,811	1,777	1,538	1,454	1,306	1,253	1,112	1,044		
Age std	2,297	2,041	2,153	1,977	1,835	1,808	1,573	1,483	1,322	1,263	1,111	1,035	-6.8 **	-6.8 **
<b>Females</b>														
<b>Deaths (number)</b>														
< 25	3	2	0	0	0	0	0	0	0	1	1	0		
25–34	7	3	4	3	4	1	2	3	5	2	3	3		
35–44	24	24	21	13	25	18	13	15	13	19	15	15		
45–54	115	67	90	94	80	70	64	57	42	48	51	33		
55–59	145	120	131	123	117	93	79	70	72	77	64	51		
60–64	247	227	249	237	176	175	197	166	146	150	116	123		
65–69	390	395	346	394	315	365	289	320	268	239	236	206		
70–74	598	521	570	578	542	566	499	531	461	447	398	356		
75–84	1,353	1,311	1,360	1,444	1,433	1,475	1,403	1,384	1,400	1,378	1,230	1,332		
85+	780	736	869	932	884	934	1,004	959	911	1,019	962	1,058		
Not stated	0	1	0	0	0	0	0	0	0	0	0	0		
25–74	1,526	1,357	1,411	1,442	1,259	1,288	1,143	1,162	1,007	982	883	787		
<b>All ages</b>	<b>3,662</b>	<b>3,407</b>	<b>3,640</b>	<b>3,818</b>	<b>3,576</b>	<b>3,697</b>	<b>3,550</b>	<b>3,505</b>	<b>3,318</b>	<b>3,380</b>	<b>3,076</b>	<b>3,177</b>		
<b>Age-specific rates (per million population)</b>														
< 25	3	2	0	0	0	0	0	0	0	1	1	0		
25–34	16	7	9	7	9	2	4	6	10	4	6	6	-6.2	38.0
35–44	69	67	56	34	63	44	31	35	30	43	34	33	-6.8 **	17.3
45–54	434	252	335	346	288	246	217	187	133	145	148	92	-10.9 **	-24.8
55–59	1,062	882	968	918	882	711	613	549	567	598	486	378	-7.9 **	-17.9
60–64	1,961	1,741	1,873	1,766	1,313	1,303	1,472	1,244	1,098	1,147	911	987	-6.5 **	6.3
65–69	3,641	3,702	3,215	3,517	2,718	3,037	2,316	2,528	2,107	1,880	1,847	1,618	-7.3 **	-7.1
70–74	6,723	5,658	6,047	6,035	5,566	5,797	5,124	5,368	4,482	4,212	3,641	3,146	-5.4 **	-20.2 **
75–84	13,510	12,560	12,609	12,884	12,280	12,190	11,171	10,712	10,499	10,068	8,806	9,350	-3.5 **	1.2
85+	26,815	24,595	27,283	27,494	25,514	26,358	27,474	25,850	23,453	25,159	22,609	23,783	-1.2 **	-0.3
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	1,364	1,257	1,328	1,376	1,269	1,291	1,224	1,197	1,120	1,129	1,020	1,044		
Age std	1,244	1,124	1,160	1,175	1,068	1,075	999	969	885	873	770	767	-4.2 **	-3.8 **
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	1,019	891	911	914	781	783	683	685	585	563	501	441		
Age std	914	799	815	819	703	707	622	623	530	511	453	399	-6.6 **	-12.1 **

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

 Significance level: \* $p < 0.05$ , \*\* $p < 0.01$ .

**ICD-9: 411–414**  
**Other ischaemic heart disease**
**New South Wales**  
**Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests	
													Trend	RD
<b>Males</b>														
<b>Deaths (number)</b>														
< 25	1	0	1	0	1	0	0	0	2	1	1	1		
25–34	5	8	7	6	7	8	6	9	3	5	2	10		
35–44	22	45	34	28	21	51	33	36	28	34	32	32		
45–54	122	124	98	84	109	112	110	98	97	117	114	95		
55–59	136	117	134	118	138	141	116	125	87	112	104	100		
60–64	188	183	210	175	188	204	207	170	180	195	166	144		
65–69	251	213	252	229	253	306	279	275	259	301	266	246		
70–74	299	301	321	269	306	341	330	332	303	328	375	337		
75–84	488	505	554	568	584	555	724	695	702	753	738	785		
85+	187	194	254	234	275	268	294	290	264	342	336	365		
Not stated	2	0	1	0	1	0	0	0	3	1	2	0		
25–74	1,023	991	1,056	909	1,022	1,163	1,081	1,045	957	1,092	1,059	964		
<b>All ages</b>	<b>1,701</b>	<b>1,690</b>	<b>1,866</b>	<b>1,711</b>	<b>1,883</b>	<b>1,986</b>	<b>2,099</b>	<b>2,030</b>	<b>1,928</b>	<b>2,189</b>	<b>2,136</b>	<b>2,115</b>		
<b>Age-specific rates (per million population)</b>														
< 25	1	0	1	0	1	0	0	0	2	1	1	1		
25–34	11	18	16	13	15	17	13	19	6	10	4	21	-2.3	140.8
35–44	61	120	87	70	51	120	76	82	63	76	71	71	-1.8	-1.4
45–54	438	444	347	294	374	374	355	306	293	338	317	255	-3.4 **	-13.1
55–59	993	849	970	856	1,013	1,053	882	966	675	857	778	729	-2.2 *	-9.3
60–64	1,615	1,505	1,685	1,378	1,469	1,572	1,582	1,296	1,380	1,520	1,324	1,170	-1.9 *	-13.9
65–69	2,730	2,331	2,718	2,364	2,499	2,894	2,531	2,444	2,261	2,600	2,269	2,084	-1.4 *	-12.4
70–74	4,378	4,232	4,374	3,580	3,988	4,426	4,275	4,217	3,675	3,819	4,194	3,610	-1.0	-8.5
75–84	8,113	8,019	8,425	8,191	8,037	7,314	9,115	8,431	8,210	8,545	8,151	8,452	0.4	0.5
85+	18,877	19,014	23,410	20,218	22,602	21,116	21,883	20,821	17,762	21,598	20,107	20,624	-0.1	0.6
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	638	628	685	621	673	699	730	699	657	738	716	703		
Age std	868	846	919	816	866	870	907	856	781	866	821	797	-0.6 **	-4.2 **
<b>Age 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	686	654	684	577	636	708	647	617	557	628	604	543		
Age std	699	667	696	584	643	721	661	631	565	632	603	538	-1.6 **	-10.0 **
<b>Females</b>														
<b>Deaths (number)</b>														
< 25	0	0	0	0	0	1	0	0	0	0	0	0		
25–34	0	0	1	3	1	2	1	1	1	0	4	0		
35–44	7	7	12	12	5	5	6	5	7	10	8	4		
45–54	26	24	32	29	26	19	30	21	15	18	24	24		
55–59	42	27	34	37	28	37	23	29	27	33	21	23		
60–64	72	75	79	83	56	79	61	62	58	55	63	48		
65–69	108	101	113	92	112	116	121	133	105	101	93	114		
70–74	183	203	219	172	190	212	197	191	197	191	205	194		
75–84	503	504	593	573	601	632	698	639	662	711	676	698		
85+	494	464	597	533	649	623	674	657	692	798	780	811		
Not stated	0	0	0	0	1	0	0	0	0	1	0	1		
25–74	438	437	490	428	418	470	439	442	410	408	418	407		
<b>All ages</b>	<b>1,435</b>	<b>1,405</b>	<b>1,680</b>	<b>1,534</b>	<b>1,669</b>	<b>1,726</b>	<b>1,811</b>	<b>1,738</b>	<b>1,764</b>	<b>1,918</b>	<b>1,874</b>	<b>1,917</b>		
<b>Age-specific rates (per million population)</b>														
< 25	0	0	0	0	0	1	0	0	0	0	0	0		
25–34	0	0	2	7	2	4	2	2	2	0	8	0		
35–44	20	19	32	31	13	12	14	12	16	23	18	9	-5.3	-40.7
45–54	98	90	119	107	94	67	102	69	47	54	70	67	-5.5 **	20.3
55–59	308	199	251	276	211	283	178	227	213	256	160	171	-3.3	-12.1
60–64	571	575	594	619	418	588	456	465	436	421	495	385	-3.4 **	-8.8
65–69	1,008	947	1,050	821	966	965	970	1,051	825	795	728	895	-1.8 *	11.5
70–74	2,057	2,204	2,323	1,796	1,951	2,171	2,023	1,931	1,915	1,800	1,875	1,714	-1.8 *	-5.9
75–84	5,022	4,829	5,498	5,113	5,150	5,223	5,558	4,946	4,964	5,195	4,840	4,900	-0.4	-3.0
85+	16,983	15,505	18,744	15,724	18,731	17,581	18,444	17,709	17,815	19,702	18,332	18,230	1.0 *	-4.6
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	534	518	613	553	592	603	625	594	595	641	621	630		
Age std	479	456	525	462	484	490	499	469	458	480	456	448	-0.5 **	-4.1 *
<b>Age 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	292	287	316	271	259	286	262	260	238	234	237	228		
Age std	261	256	283	244	233	257	239	237	215	212	214	204	-2.4 **	-2.2

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

ICD-9: 428  
Heart failureNew South Wales  
Males and females

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests	
													Trend	RD
<b>Males</b>														
<b>Deaths (number)</b>														
< 25	1	0	0	1	0	0	0	0	0	0	0	1		
25–34	0	0	1	0	1	0	0	0	0	0	0	1		
35–44	4	0	1	0	0	2	0	1	1	1	1	3		
45–54	5	2	2	3	2	7	1	2	5	2	6	2		
55–59	6	9	7	11	9	3	10	4	2	6	3	1		
60–64	16	18	15	14	13	10	12	7	11	10	5	7		
65–69	25	18	26	23	20	25	32	31	20	19	20	20		
70–74	56	52	48	35	42	49	41	38	20	31	39	35		
75–84	159	158	180	148	127	194	179	187	168	171	164	155		
85+	131	109	122	129	144	133	152	139	152	141	159	157		
Not stated	0	0	0	0	0	1	0	0	0	0	0	0		
25–74	112	99	100	86	87	96	96	83	59	69	74	69		
<b>All ages</b>	<b>403</b>	<b>366</b>	<b>402</b>	<b>364</b>	<b>358</b>	<b>424</b>	<b>427</b>	<b>409</b>	<b>379</b>	<b>381</b>	<b>397</b>	<b>382</b>		
<b>Age-specific rates (per million population)</b>														
< 25	1	0	0	1	0	0	0	0	0	0	0	1		
25–34	0	0	2	0	2	0	0	0	0	0	0	2		
35–44	11	0	3	0	0	5	0	2	2	2	2	7		
45–54	18	7	7	10	7	23	3	6	15	6	17	5	-2.0	-51.7
55–59	44	65	51	80	66	22	76	31	16	46	22	7	-9.3 *	-75.4
60–64	137	148	120	110	102	77	92	53	84	78	40	57	-9.0 **	13.2
65–69	272	197	280	237	198	236	290	276	175	164	171	169	-3.6	-8.6
70–74	820	731	654	466	547	636	531	483	243	361	436	375	-7.1 **	15.2
75–84	2,643	2,509	2,737	2,134	1,748	2,557	2,254	2,269	1,965	1,941	1,811	1,669	-3.5 **	-8.7
85+	13,224	10,683	11,244	11,146	11,835	10,479	11,314	9,980	10,227	8,904	9,515	8,871	-2.8 **	-2.8
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	151	136	148	132	128	149	148	141	129	129	133	127		
Age std	262	227	241	212	202	223	219	202	183	173	175	162	-3.6 **	-4.4
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	75	65	65	55	54	58	57	49	34	40	42	39		
Age std	80	68	68	56	56	61	60	51	35	40	42	39	-6.2 **	4.6
<b>Females</b>														
<b>Deaths (number)</b>														
< 25	1	0	1	0	0	0	0	0	0	0	0	0		
25–34	0	0	1	0	0	0	0	0	0	0	0	0		
35–44	1	0	0	0	3	0	0	2	0	3	0	0		
45–54	0	2	5	3	2	2	3	0	0	2	1	0		
55–59	3	5	3	2	5	3	2	3	2	2	0	3		
60–64	12	10	17	10	5	10	6	6	5	8	3	5		
65–69	27	17	17	22	18	24	10	8	14	21	8	10		
70–74	56	24	45	35	40	31	31	32	24	34	27	28		
75–84	180	230	249	202	214	243	261	266	204	225	223	198		
85+	310	305	373	342	339	433	430	383	400	438	363	411		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	99	58	88	72	73	70	52	51	45	70	39	46		
<b>All ages</b>	<b>590</b>	<b>593</b>	<b>711</b>	<b>616</b>	<b>626</b>	<b>746</b>	<b>743</b>	<b>700</b>	<b>649</b>	<b>733</b>	<b>625</b>	<b>655</b>		
<b>Age-specific rates (per million population)</b>														
< 25	1	0	1	0	0	0	0	0	0	0	0	0		
25–34	0	0	2	0	0	0	0	0	0	0	0	0		
35–44	3	0	0	0	8	0	0	5	0	7	0	0		
45–54	0	8	19	11	7	7	10	0	0	6	3	0		
55–59	22	37	22	15	38	23	16	24	16	16	0	22	-6.9	104.7
60–64	95	77	128	75	37	74	45	45	38	61	24	40	-9.7 **	29.0
65–69	252	159	158	196	155	200	80	63	110	165	63	79	-8.7 **	-3.9
70–74	630	261	477	365	411	317	318	323	233	320	247	247	-6.2 **	5.8
75–84	1,797	2,204	2,309	1,802	1,834	2,008	2,078	2,059	1,530	1,644	1,597	1,390	-3.0 **	-14.9
85+	10,657	10,192	11,711	10,089	9,784	12,220	11,767	10,324	10,298	10,814	8,531	9,239	-1.3 *	-7.2
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	220	219	259	222	222	260	256	239	219	245	207	215		
Age std	192	188	215	177	175	202	194	180	159	174	142	143	-2.6 **	-9.8 **
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	66	38	57	46	45	43	31	30	26	40	22	26		
Age std	59	34	50	41	40	38	28	27	23	36	19	23	-7.5 **	3.8

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

**ICD-9: 428.0  
Congestive heart failure**
**New South Wales  
Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests	
													Trend	RD
<b>Males</b>														
<b>Deaths (number)</b>														
< 25	0	0	0	0	0	0	0	0	0	0	0	1		
25–34	0	0	0	0	0	0	0	0	0	0	0	1		
35–44	3	0	0	0	0	1	0	0	0	0	1	0		
45–54	5	2	2	3	2	4	0	1	5	2	4	2		
55–59	6	7	4	11	8	2	6	3	1	3	3	1		
60–64	11	16	12	12	11	9	7	6	11	6	4	6		
65–69	24	18	23	20	17	22	26	23	14	12	13	12		
70–74	48	47	44	28	35	43	35	36	15	22	30	27		
75–84	131	123	141	105	104	140	128	128	122	121	103	97		
85+	109	89	95	91	110	98	110	100	110	97	110	91		
Not stated	0	0	0	0	0	1	0	0	0	0	0	0		
25–74	97	90	85	74	73	81	74	69	46	45	55	49		
<b>All ages</b>	<b>337</b>	<b>302</b>	<b>321</b>	<b>270</b>	<b>287</b>	<b>320</b>	<b>312</b>	<b>297</b>	<b>278</b>	<b>263</b>	<b>268</b>	<b>238</b>		
<b>Age-specific rates (per million population)</b>														
< 25	0	0	0	0	0	0	0	0	0	0	0	1		
25–34	0	0	0	0	0	0	0	0	0	0	0	2		
35–44	8	0	0	0	0	2	0	0	0	0	2	0		
45–54	18	7	7	10	7	13	0	3	15	6	11	5	-4.2	-26.4
55–59	44	51	29	80	59	15	46	23	8	23	22	7	-11.4 *	-60.7
60–64	94	132	96	94	86	69	54	46	84	47	32	49	-9.0 **	23.3
65–69	261	197	248	206	168	208	236	204	122	104	111	102	-7.4 **	-14.5
70–74	703	661	600	373	456	558	453	457	182	256	336	289	-8.4 **	14.3
75–84	2,178	1,953	2,144	1,514	1,431	1,845	1,612	1,553	1,427	1,373	1,138	1,044	-5.5 **	-12.4
85+	11,003	8,723	8,756	7,862	9,041	7,721	8,188	7,180	7,401	6,126	6,582	5,142	-4.9 **	-16.2
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	126	112	118	98	103	113	108	102	95	89	90	79		
Age std	218	186	191	154	161	167	159	146	135	120	118	100	-5.7 **	-12.1 **
<b>Age 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	65	59	55	47	45	49	44	41	27	26	31	28		
Age std	69	62	58	48	47	52	46	43	27	26	31	27	-8.2 **	3.1
<b>Females</b>														
<b>Deaths (number)</b>														
< 25	1	0	1	0	0	0	0	0	0	0	0	0		
25–34	0	0	0	0	0	0	0	0	0	0	0	0		
35–44	1	0	0	0	2	0	0	2	0	3	0	0		
45–54	0	1	3	2	2	2	3	0	0	2	1	0		
55–59	3	4	3	2	4	3	2	3	2	1	0	2		
60–64	12	7	14	7	3	7	5	5	3	5	2	5		
65–69	25	13	15	20	12	14	9	4	13	12	6	10		
70–74	48	18	36	33	31	23	30	30	21	27	23	21		
75–84	150	173	191	162	163	174	199	185	144	155	123	120		
85+	253	254	286	249	258	330	319	281	281	291	244	261		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	89	43	71	64	54	49	49	44	39	50	32	38		
<b>All ages</b>	<b>493</b>	<b>470</b>	<b>549</b>	<b>475</b>	<b>475</b>	<b>553</b>	<b>567</b>	<b>510</b>	<b>464</b>	<b>496</b>	<b>399</b>	<b>419</b>		
<b>Age-specific rates (per million population)</b>														
< 25	1	0	1	0	0	0	0	0	0	0	0	0		
25–34	0	0	0	0	0	0	0	0	0	0	0	0		
35–44	3	0	0	0	5	0	0	5	0	7	0	0		
45–54	0	4	11	7	7	7	10	0	0	6	3	0		
55–59	22	29	22	15	30	23	16	24	16	8	0	15	-8.7	60.8
60–64	95	54	105	52	22	52	37	37	23	38	16	40	-11.0 **	113.1
65–69	233	122	139	179	104	116	72	32	102	94	47	79	-10.3 **	56.4
70–74	540	195	382	345	318	236	308	303	204	254	210	186	-6.2 **	-8.6
75–84	1,498	1,657	1,771	1,445	1,397	1,438	1,584	1,432	1,080	1,133	881	842	-5.4 **	-18.1
85+	8,698	8,488	8,979	7,346	7,446	9,313	8,729	7,574	7,234	7,185	5,735	5,867	-3.3 **	-11.2
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	184	173	200	171	169	193	196	174	157	166	132	138		
Age std	161	148	166	137	133	149	149	132	114	118	91	92	-4.5 **	-12.4 **
<b>Age 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	59	28	46	41	34	30	29	26	23	29	18	21		
Age std	53	25	40	36	30	27	26	23	20	26	16	19	-7.9 **	11.6

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

ICD-9: 440  
AtherosclerosisNew South Wales  
Males and females

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests		
													Trend	RD	
<b>Males</b>															
<b>Deaths (number)</b>															
< 25	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	0	0	0	0	0	0	0	0	0	0	0	0	0		
35–44	0	0	1	0	1	0	0	0	0	0	0	0	0		
45–54	3	0	2	1	0	1	1	1	1	0	0	0	0		
55–59	2	1	4	0	2	2	0	3	0	1	3	0	0		
60–64	2	3	6	3	3	2	3	1	2	3	5	4	0		
65–69	13	12	4	8	8	11	5	4	7	2	7	9	0		
70–74	12	18	19	6	14	16	14	9	5	7	10	10	0		
75–84	68	55	46	46	42	37	40	35	29	40	36	41	0		
85+	61	59	53	45	50	36	43	33	26	31	28	35	0		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	32	34	36	18	28	32	23	18	15	13	25	23	0		
<b>All ages</b>	<b>161</b>	<b>148</b>	<b>135</b>	<b>109</b>	<b>120</b>	<b>105</b>	<b>106</b>	<b>86</b>	<b>70</b>	<b>84</b>	<b>89</b>	<b>99</b>			
<b>Age-specific rates (per million population)</b>															
< 25	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	0	0	0	0	0	0	0	0	0	0	0	0	0		
35–44	0	0	3	0	2	0	0	0	0	0	0	0	0		
45–54	11	0	7	3	0	3	3	3	3	0	0	0	0		
55–59	15	7	29	0	15	15	0	23	0	8	22	0	0		
60–64	17	25	48	24	23	15	23	8	15	23	40	33	0.6		46.1
65–69	141	131	43	83	79	104	45	36	61	17	60	76	-8.3 *		130.2
70–74	176	253	259	80	182	208	181	114	61	82	112	107	-8.1 **		25.7
75–84	1,131	873	700	663	578	488	504	425	339	454	398	441	-8.7 **		47.5
85+	6,158	5,783	4,885	3,888	4,109	2,836	3,201	2,369	1,749	1,958	1,676	1,978	-11.8 **		40.8
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	60	55	50	40	43	37	37	30	24	28	30	33			
Age std	110	99	84	66	69	55	56	43	33	38	38	41	-10.5 **		45.3 **
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	21	22	23	11	17	19	14	11	9	7	14	13			
Age std	23	24	24	12	18	20	15	11	9	8	14	13	-7.5 **		44.3 **
<b>Females</b>															
<b>Deaths (number)</b>															
< 25	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	0	0	0	0	0	0	0	0	0	0	0	0	0		
35–44	0	0	1	0	0	0	0	0	0	0	0	0	0		
45–54	3	0	0	0	2	0	2	0	0	0	1	0	0		
55–59	2	0	1	3	0	0	0	0	0	1	1	0	0		
60–64	3	1	2	0	0	0	3	1	1	0	5	0	0		
65–69	3	6	4	2	7	3	7	2	3	4	6	3	0		
70–74	18	18	11	10	11	7	4	2	5	10	9	6	0		
75–84	84	100	84	59	53	67	61	34	35	56	37	40	0		
85+	203	172	216	149	169	133	139	115	82	92	107	93	0		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	29	25	19	15	20	10	16	5	9	15	22	9	0		
<b>All ages</b>	<b>316</b>	<b>297</b>	<b>319</b>	<b>223</b>	<b>242</b>	<b>210</b>	<b>216</b>	<b>154</b>	<b>126</b>	<b>163</b>	<b>166</b>	<b>142</b>			
<b>Age-specific rates (per million population)</b>															
< 25	0	0	0	0	0	0	0	0	0	0	0	0	0		
25–34	0	0	0	0	0	0	0	0	0	0	0	0	0		
35–44	0	0	3	0	0	0	0	0	0	0	0	0	0		
45–54	11	0	0	0	7	0	7	0	0	0	3	0	0		
55–59	15	0	7	22	0	0	0	0	0	8	8	0	0		
60–64	24	8	15	0	0	0	22	7	8	0	39	0	0		
65–69	28	56	37	18	60	25	56	16	24	31	47	24	-2.5		-29.4
70–74	202	195	117	104	113	72	41	20	49	94	82	53	-11.8 **		28.9
75–84	839	958	779	526	454	554	486	263	262	409	265	281	-11.3 **		22.5
85+	6,979	5,748	6,782	4,396	4,878	3,753	3,804	3,100	2,111	2,271	2,515	2,091	-11.1 **		9.3
<b>All ages: Crude and age-standardised rates (per million population)</b>															
Crude	118	110	116	80	86	73	74	53	43	54	55	47			
Age std	101	93	94	63	66	56	56	38	31	39	38	31	-11.0 **		9.2
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>															
Crude	19	16	12	10	12	6	10	3	5	9	12	5			
Age std	17	14	11	8	11	5	9	3	5	8	11	4	-8.9 **		-18.5

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.



**ICD-9: 441–444  
Peripheral vascular disease**
**New South Wales  
Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests	
													Trend	RD
<b>Males</b>														
<b>Deaths (number)</b>														
< 25	0	0	0	2	0	0	1	0	0	1	0	0		
25–34	1	0	2	0	1	2	2	0	0	2	0	1		
35–44	4	2	3	2	3	4	3	1	4	2	3	3		
45–54	9	14	9	11	9	8	6	12	9	16	12	12		
55–59	28	22	20	24	10	16	8	13	16	14	11	23		
60–64	35	43	38	47	34	40	42	44	36	42	34	22		
65–69	63	63	49	74	71	82	82	69	69	70	75	72		
70–74	77	88	92	90	79	100	78	101	84	88	92	97		
75–84	137	135	148	166	156	149	189	205	186	202	203	192		
85+	44	35	44	35	38	58	56	60	60	71	75	83		
Not stated	0	0	1	0	0	0	0	0	0	0	0	0		
25–74	217	232	213	248	207	252	221	240	218	234	227	230		
<b>All ages</b>	<b>398</b>	<b>402</b>	<b>406</b>	<b>451</b>	<b>401</b>	<b>459</b>	<b>467</b>	<b>505</b>	<b>464</b>	<b>508</b>	<b>505</b>	<b>505</b>		
<b>Age-specific rates (per million population)</b>														
< 25	0	0	0	2	0	0	1	0	0	1	0	0		
25–34	2	0	5	0	2	4	4	0	0	4	0	2		
35–44	11	5	8	5	7	9	7	2	9	4	7	7	-2.7	20.7
45–54	32	50	32	38	31	27	19	37	27	46	33	32	-0.8	-0.9
55–59	204	160	145	174	73	119	61	100	124	107	82	168	-4.3	125.9 *
60–64	301	354	305	370	266	308	321	335	276	327	271	179	-2.5	-39.0
65–69	685	689	528	764	701	775	744	613	602	605	640	610	-1.1	-3.5
70–74	1,127	1,237	1,254	1,198	1,030	1,298	1,011	1,283	1,019	1,025	1,029	1,039	-1.5	0.6
75–84	2,278	2,144	2,251	2,394	2,147	1,964	2,380	2,487	2,175	2,292	2,242	2,067	-0.2	-9.5
85+	4,442	3,430	4,055	3,024	3,123	4,570	4,168	4,308	4,037	4,484	4,488	4,690	2.2	3.9
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	149	149	149	164	143	161	162	174	158	171	169	168		
Age std	208	200	199	207	182	203	203	214	190	201	195	190	-0.4 *	-3.9
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	145	153	138	157	129	153	132	142	127	135	129	130		
Age std	150	158	142	161	133	159	137	147	130	136	130	128	-1.6 **	-1.8
<b>Females</b>														
<b>Deaths (number)</b>														
< 25	2	0	0	1	0	0	0	0	0	0	0	0		
25–34	0	0	0	0	1	1	0	0	0	1	2	2		
35–44	2	2	0	0	0	2	1	2	0	2	3	2		
45–54	4	2	2	7	2	5	6	3	4	8	5	5		
55–59	1	2	6	6	5	8	7	4	0	10	3	5		
60–64	11	13	15	12	11	14	8	14	9	17	10	12		
65–69	22	24	15	23	20	28	23	26	20	24	27	26		
70–74	30	37	42	31	33	50	31	50	37	38	32	53		
75–84	77	101	97	122	107	108	130	125	112	155	132	135		
85+	77	71	78	79	85	105	111	94	112	125	120	133		
Not stated	0	0	0	0	0	0	0	0	0	0	0	0		
25–74	70	80	80	79	72	108	76	99	70	100	82	105		
<b>All ages</b>	<b>226</b>	<b>252</b>	<b>255</b>	<b>281</b>	<b>264</b>	<b>321</b>	<b>317</b>	<b>318</b>	<b>294</b>	<b>380</b>	<b>334</b>	<b>373</b>		
<b>Age-specific rates (per million population)</b>														
< 25	2	0	0	1	0	0	0	0	0	0	0	0		
25–34	0	0	0	0	2	2	0	0	0	2	4	4		
35–44	6	6	0	0	0	5	2	5	0	5	7	4		
45–54	15	8	7	26	7	18	20	10	13	24	15	14	2.6	-23.4
55–59	7	15	44	45	38	61	54	31	0	78	23	37	3.9	-22.2
60–64	87	100	113	89	82	104	60	105	68	130	79	96	-0.2	7.5
65–69	205	225	139	205	173	233	184	205	157	189	211	204	0.1	6.9
70–74	337	402	446	324	339	512	318	505	360	358	293	468	0.3	29.8
75–84	769	968	899	1,089	917	893	1,035	968	840	1,133	945	948	0.8	-6.7
85+	2,647	2,373	2,449	2,331	2,453	2,963	3,038	2,534	2,883	3,086	2,820	2,990	2.0 *	-1.4
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	84	93	93	101	94	112	109	109	99	127	111	123		
Age std	76	82	80	86	77	92	88	87	76	97	83	90	1.1 **	0.3
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	47	53	52	50	45	66	45	58	41	57	47	59		
Age std	42	47	45	45	40	59	42	53	36	53	42	53	0.8	12.5

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.

**ICD-9: 415–427, 429, 446–459**  
**Other diseases of the circulatory system**
**New South Wales**  
**Males and females**

Age group	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	Statistical tests	
													Trend	RD
<b>Males</b>														
<b>Deaths (number)</b>														
< 25	15	13	11	21	8	12	19	12	13	10	13	11		
25–34	10	7	16	12	12	11	18	17	9	7	13	17		
35–44	25	22	20	22	25	27	28	26	25	20	32	27		
45–54	56	57	56	57	55	56	42	58	50	47	55	57		
55–59	55	52	47	50	63	46	51	36	47	37	45	54		
60–64	61	70	59	66	71	74	69	58	63	71	57	58		
65–69	63	68	99	80	86	68	78	79	91	88	86	110		
70–74	104	75	79	103	111	113	94	82	88	101	96	113		
75–84	162	166	173	161	178	186	198	180	190	188	229	255		
85+	111	97	118	98	94	91	112	86	86	94	114	130		
Not stated	0	0	2	1	1	0	0	0	0	0	0	1		
25–74	374	351	376	390	423	395	380	356	373	371	384	436		
<b>All ages</b>	<b>662</b>	<b>627</b>	<b>680</b>	<b>671</b>	<b>704</b>	<b>684</b>	<b>709</b>	<b>634</b>	<b>662</b>	<b>663</b>	<b>740</b>	<b>833</b>		
<b>Age-specific rates (per million population)</b>														
< 25	14	12	10	19	7	11	17	11	12	9	12	10	-2.1	-9.3
25–34	23	16	36	27	26	23	38	35	19	14	27	36	1.1	41.0
35–44	69	59	51	55	60	63	65	59	56	45	71	60	-0.1	1.8
45–54	201	204	199	199	188	187	136	181	151	136	153	153	-3.4 *	10.7
55–59	402	377	340	363	463	343	388	278	365	283	337	394	-1.3	25.7
60–64	524	576	473	520	555	570	527	442	483	553	455	471	-1.1	-2.7
65–69	685	744	1,068	826	850	643	708	702	794	760	733	932	0.0	28.6
70–74	1,523	1,054	1,077	1,371	1,447	1,467	1,218	1,041	1,067	1,176	1,074	1,210	-1.6	11.4
75–84	2,693	2,636	2,631	2,322	2,450	2,451	2,493	2,184	2,222	2,133	2,529	2,746	-0.6	23.9 *
85+	11,205	9,507	10,876	8,467	7,726	7,170	8,336	6,175	5,786	5,936	6,822	7,345	-4.7 **	35.4 *
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	248	233	250	243	252	241	246	218	225	224	248	277		
Age std	352	320	341	311	314	299	305	261	263	257	282	307	-2.1 **	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	251	232	244	248	263	241	227	210	217	213	219	246		
Age std	255	233	248	250	265	244	230	213	219	214	218	243	-1.2 **	14.9 **
<b>Females</b>														
<b>Deaths (number)</b>														
< 25	9	12	13	9	7	6	7	13	6	7	9	6		
25–34	5	3	11	10	3	9	4	10	5	4	9	4		
35–44	7	14	11	13	15	11	11	5	7	14	8	17		
45–54	25	18	23	19	15	22	24	26	13	21	19	21		
55–59	13	16	16	26	13	18	19	17	20	27	15	20		
60–64	31	32	28	27	30	31	27	22	25	29	30	34		
65–69	37	30	33	40	47	35	42	55	49	44	43	48		
70–74	50	68	68	62	68	67	70	68	63	66	66	76		
75–84	257	200	243	191	228	235	249	228	230	227	254	256		
85+	279	276	300	291	274	300	288	269	263	239	281	295		
Not stated	0	1	0	0	0	0	0	0	0	0	0	0		
25–74	168	181	190	197	191	193	197	203	182	205	190	220		
<b>All ages</b>	<b>713</b>	<b>670</b>	<b>746</b>	<b>688</b>	<b>700</b>	<b>734</b>	<b>741</b>	<b>713</b>	<b>681</b>	<b>678</b>	<b>734</b>	<b>777</b>		
<b>Age-specific rates (per million population)</b>														
< 25	9	11	12	9	7	6	7	12	6	7	8	6	-4.1	-17.0
25–34	12	7	25	23	7	19	8	21	10	8	19	8	-1.9	-40.9
35–44	20	39	30	34	38	27	26	12	16	32	18	38	-1.9	94.6
45–54	94	68	86	70	54	77	81	85	41	63	55	59	-3.5	5.5
55–59	95	118	118	194	98	138	147	133	158	210	114	148	2.9	-11.8
60–64	246	245	211	201	224	231	202	165	188	222	236	273	-0.0	37.4
65–69	345	281	307	357	406	291	337	435	385	346	337	377	1.4	-0.1
70–74	562	738	721	647	698	686	719	687	612	622	604	672	-0.5	6.0
75–84	2,566	1,916	2,253	1,704	1,954	1,942	1,983	1,765	1,725	1,659	1,818	1,797	-2.4 **	10.4
85+	9,592	9,223	9,419	8,585	7,908	8,466	7,881	7,251	6,771	5,901	6,604	6,631	-4.0 **	10.1
<b>All ages: Crude and age-standardised rates (per million population)</b>														
Crude	266	247	272	248	248	256	256	244	230	226	243	255		
Age std	239	216	233	207	205	209	206	196	179	177	183	189	-2.4 **	
<b>Ages 25–74: Crude and age-standardised rates (per million population)</b>														
Crude	112	119	123	125	119	117	118	120	106	117	108	123		
Age std	104	108	113	115	109	109	110	111	98	110	100	114	-0.2	9.7 *

Trend: Estimated annual change (%).

RD: Relative difference between observed and projected rate for 1994, as % of projected value.

Significance level: \*p &lt; 0.05, \*\*p &lt; 0.01.